

MISSOURI



Natality and
Fetal Deaths
PART 1

1962

PUBLIC HEALTH STATISTICS
VITAL STATISTICS

DEPARTMENT OF PUBLIC HEALTH AND WELFARE OF MISSOURI
DIVISION OF HEALTH

C O V E R

Photo by WALKER - MISSOURI DIVISION OF COMMERCE AND INDUSTRIAL DEVELOPMENT

Layout by DIVISION OF HEALTH

MISSOURI
PUBLIC HEALTH STATISTICS

PART 1 - NATALITY AND FETAL DEATHS

1962

by
STATISTICAL SERVICES

December, 1963

Department of Public Health and Welfare
MISSOURI DIVISION OF HEALTH
Statistical Services
Jefferson City, Missouri

P R E F A C E

This is one of the four separately issued parts of the Public Health Statistics, Vital Statistics of Missouri, 1962. These replace the single edition of Vital Statistics published in subsequent years, 1949-1961. This is being done for several reasons. First, the data is processed in parts and printing in parts allows faster reporting. Secondly, demands for information vary, and printing separate parts allows more control over printing costs. Thirdly, this represents a change, a chance to do something a different way. In connection with this, comments from readers are welcome. Each part contains a statistical summary with general tables, charts, and graphs. The back cover indicates the type of data contained in each part.

If further statistical information is desired, such as more detailed breakdowns of the information contained in the report or copies of the enclosed data, such information may be obtained by contacting the Missouri Division of Health.

Statistical Services

December, 1963

The Department of Public Health and Welfare of Missouri

DIVISION OF HEALTH

PART 1, 1962 SUMMARY OF LIVE BIRTHS AND FETAL DEATHS

INTRODUCTION

This report is the fourteenth issue of a new series which began in 1949, and the first report in the new four-part format. It is the eighteenth consecutive report for which data are available on a residence basis by county and cities of 10,000 and over.

HISTORICAL BACKGROUND

The State of Missouri began the registration of births and deaths in 1910. Prior to this time, registration was a county or city matter and the records used chiefly as legal documents. As aids to public health, the first use made of death records was in England in the control of epidemics during the 17th Century.

In 1907, the American Public Health Association established a vital statistics section to develop closer working relations among registration officials. Many public and private agencies became concerned with vital statistical programs. As the Census Bureau became a more permanent aspect of the government, it took a stronger stand in the registration of births and deaths.

By the early 1930's, responsibility for vital records had been largely transferred from civil offices to health departments and more and more departments employed full-time health officers; therefore, they were able to make more intensive use of the records for statistical analysis.

In addition to using statistics to locate and deal with diseases, outbreaks, defective water, and sewage facilities, and related sanitation problems, many health departments used them as a basis for maternal, infant, and child care programs, immunization against childhood diseases, and a variety of other personal health services.

The outbreak of World War II produced an additional shift in emphasis. Congress wrote into law provisions against the employment of aliens in certain defense projects, so that for the first time, the birth certificate was widely demanded as evidence of citizenship. It was estimated that nearly 55 million native persons who were living in 1940 had no birth record on file. When the United States entered the war, a conversion to all-out war production in the drive to employment in war plants started in earnest. In addition, separate legislation increased the need for certificates, for example, the emergency maternal and the infant care program for dependents of servicemen. Almost immediately, state registrar offices were swamped for the wholesale demand of birth certificates, often by persons born before the establishment of copy records.

With the start of the Korean War, a second wave of demand flooded the vital statistics program. As the use of vital records became a part of industry, the demands for these records increased. Today, the records are used for insurance, employment, travel, inheritance, and many other problems relating to our daily lives. It is obvious that the use of vital records will become more and more important; and with this importance, new techniques must be devised for searching and maintaining the files. The records that were put on file in 1910 now show the ravages of age and constant use. Microfilming of the records is now in process and should provide the answer to a more rapid search and copy technique. These records have played an important part in the history of public health. The future points to greater use of the records in health programs which rely more and more upon scientific evaluation.

PREDICTION

If we assume that history will repeat itself (and this is the trouble with history), then the most important thing we can depend on is change. Changes have been made in vital statistics, the records recorded have changed, and the uses thereof have also changed. As death becomes less important as a measure of health and as chronic conditions not leading to immediate death become more important, it will be necessary to measure health by a different instrument.

It may well be that records of sickness and illness, centrally collected and tabulated will become vital records in the near future.

COMPILATION AND UTILIZATION OF VITAL STATISTICS

Vital statistics in Missouri are compiled from six documents which are filed with the Division of Health by State law. To obtain the fullest use of these records, many sources of data must be utilized, including population, social science, medical, statistical, and demographic literature. Vital data are of little value unless special care is taken to analyze the cause and effect of the trends in vital events. To do this, knowledge and understanding of considerable background material are necessary. In Missouri, the six basic records on file with the Division of Health are: (1) birth records, (2) death records, and (3) stillbirth records, each beginning with 1910; (4) marriage and (5) divorce records, beginning with 1948; and (6) morbidity data. Much use is made of the data concerning vital events because they play such an important part in both our economy and social structure. The births that occur today will affect the sale of childrens' toys, the construction of schools, the number of homes to be build for future families and the aging population. People interested in these problems and others must turn to vital statistics for source and background data.

The economic and social factors which are affected by the occurrence of vital events, in turn, are significant in the present and future health of the people of Missouri.

THE RELIABILITY OF THE DATA

Statistics are neither more true nor more false than the interpretations given to them. Figures cannot be wrong until we interpret them as representing a specific thing. The value of the data lessens as the knowledge of the person using a specific kind of data decreases. Reports published by the Bureau of Vital Statistics are limited in their scope by the amount of time and money available for their publication. They are published in a form standardized for use by vital statisticians. This means that certain facts must be realized if knowledge is to be gained from the use of these reports. A novice can best ask for advice from a person trained in the use of statistics, their collection, tabulation, and interpretation. The main sources of error found in vital statistics are: underregistration, improper tabulating procedure, poor response or indifference on the part of those responsible for completing vital records, and probably the most dangerous source of error, improper interpretation.

Age and sex distribution together with social and economic conditions play a large part in the health of the people of any state. Missouri counties have a range in age from one county with one-half of its people under 21 years of age to another county with one-half of the people over 40 years of age. A county that has a population composed primarily of younger persons might present a fictitious picture of good health if the number of deaths is used as a measure of health. The reverse could be true in a county composed predominantly of older persons.

USE OF THE TERMS "RECORDED" AND "RESIDENT"

Historically, vital statistics have been presented in two forms, "Recorded" and "Resident". It is important to understand the significance of these terms when analyzing vital statistics. As an example, this report shows birth data as follows for two selected areas:

Recorded live births, City of Springfield -	3,394
Resident live births, City of Springfield -	1,942
Recorded live births, Gasconade County -	6
Resident live births, Gasconade County -	214

What accounts for the differences in the above birth numbers? The differences are between the recorded and resident births of an area and are due mainly to facilities available in the area. In the first case, people are coming into a city to have their babies, because of the medical facilities available. In the second case, people are leaving an area to have their babies.

"Recorded" data are based on the number of vital events that occur in an area. These data are used to analyze events that might be affected by the place in which they occur.

"Resident" data are compiled for vital events that relate to persons residing in an area independent of where the events occurred. (A person is considered to be a resident of an area if he has resided there six months or more. In the case of live births, fetal deaths, and infant deaths, the residence of the mother is considered to be the residence of the child.)

It is usually assumed that statistics based on these data reflect the social, economic, and health conditions of the person's residence environment. In the case of births, it is assumed that the mother intends to return to the area of her residence and thus she and her baby will affect the health conditions of that area. Ordinarily, a person's health is affected by the community in which he lives. However, in these days of a highly mobile population, the use of these figures is not as reliable as it once was. It is not always correct to charge the community where health problems become apparent with the total cause for these problems. An example in the use of resident and recorded information can be shown in the studies of infant deaths. If you are interested in medical care given during delivery of babies that later died, look at recorded data. If your interest is in prenatal care given to this baby, look at the resident data.

PREFACE

INTRODUCTION AND BACKGROUND DATA

TABLE OF CONTENTS

	Page
Natality and Fetal Death Summary	1
Births	1
Weight at Birth	2
Illegitimate Births	2
Fetal Deaths	3

Summary Charts & Tables

	Page
Chart A Live Birth and Death Rates, Missouri: 1911-1962	1
Table B Illegitimacy Rate, Age by Race, Missouri: 1962	3
Chart C Resident Fetal Death Rates by Race, Missouri: 1932-1962	3

Appendix Tables


Table		Page
1	Population, Recorded Births and Deaths With Rates Per 1,000 Population and Excess of Births Over Deaths, Missouri: 1911-1944	4
2	Population, Recorded and Resident Births and Deaths With Rates Per 1,000 Population and Excess of Resident Births Over Deaths, Missouri: 1945-1962	4
3	Resident and Recorded Births and Fetal Deaths by Counties and Cities Over 10,000 Population, With Rates, Missouri: 1962	5
4	Resident and Recorded Births and Fetal Deaths by Counties and Cities Over 2,500 Population, Missouri: 1962	8
5	Resident Live Births and Live Birth Rates by Counties and Cities With Population Over 10,000, Missouri: 1958-1962	10
6	Selected Resident Live Birth Statistics With Percentages, By Sex, Color, Attendant, Legitimacy, Deformity, Weight, Place of Delivery, and Month of Occurrence, Urban and Rural, Missouri: 1962	13
7	Resident Live Births by Place and Resident Live Births by Attendant, Missouri: 1962	14
8	Resident Live Births by Place, Attendant, Color, County and City, Missouri: 1962	16
9	Resident Live Births by Age of Father, Age of Mother, Sex of Child, Color, Urban and Rural, Missouri: 1962	19
10	Legitimacy of Resident Live Births With Percentages by Color by Counties, Missouri: 1962	23
11	Illegitimate Resident Live Births by Age of Mother and Color For Counties and Cities Over 10,000 Population, Missouri: 1962	26
12	Resident Fetal Deaths and Fetal Death Rates For Counties and Cities With Population Over 10,000, Missouri: 1958-1962	32
13	Resident and Recorded Fetal Deaths by Color and Weight, Missouri: 1962	34
14	Resident Fetal Deaths by Color, Attendant, County and City, Missouri: 1962	35
	GUIDE TO TABLES	Inside Back Cover

PART 1. NATALITY and FETAL DEATH

BIRTHS

For the first time in seven years, the number of births recorded in Missouri dropped below 100,000. Ninety-seven thousand six hundred fifty-eight live births were recorded in 1962. This is in line with the decline in the birth rate which apparently set in after the record high birth year, 1959, when over 102,000 births were recorded. 1962 is the third year in a row to show a decline over the previous year. This trend is expected to continue for one or two more years after which an increase may be expected. The present loss of births may be explained in part by the variation in births which occurred a generation ago. Another facet of the decline may be the growth of Missouri which seems to have slackened somewhat. The effects of social custom and economic changes also must be credited with part of the change.

CHART A. LIVE BIRTH AND DEATH RATES, MISSOURI: 1911-1962



Year ¹	Birth Rate	Death ² Rate	Year ¹	Birth Rate	Death ² Rate	Year ¹	Birth Rate	Death ² Rate
1911	22.3	13.1	1921	19.5	10.6	1931	16.2	11.9
1912	22.6	12.6	1922	18.7	11.2	1932	16.0	11.7
1913	22.1	12.4	1923	19.3	12.1	1933	15.3	11.5
1914	21.3	12.0	1924	19.7	11.5	1934	15.9	12.3
1915	20.5	11.7	1925	19.4	11.7	1935	15.1	11.4
1916	20.8	12.7	1926	18.7	10.0	1936	14.7	12.8
1917	19.3	13.1	1927	18.6	11.4	1937	15.1	11.9
1918	19.2	15.6	1928	17.6	12.6	1938	15.7	11.3
1919	18.2	11.7	1929	16.8	12.2	1939	15.8	11.3
1920	19.2	12.5	1930	17.0	11.8	1940	16.5	11.6

¹Source: Missouri State Board of Health, Vital Statistics Reports, 1911-1934 and 1937-1948; Missouri Division of Health, Vital Statistics Reports, 1949-1962; United States Bureau of the Census, Mortality Statistics, 1935-1936; United States Census of Population, 1911-1950 and 1960; 1951-1959 and 1961-1962 as estimated by the Missouri Division of Health. Rates are per 1,000 estimated population.

²More detailed death data can be found in Part 2. Mortality.

SUMMARY

CHART A (CONTINUED). LIVE BIRTH AND DEATH RATES, MISSOURI: 1911-1962

Year	Birth Rate	Death Rate	Year	Birth Rate	Death Rate	Year	Birth Rate	Death Rate
1941	17.4	11.4	1948	22.1	11.1	1955	22.7	10.4
1942	19.0	11.0	1949	21.5	11.1	1956	23.1	10.7
1943	20.2	12.0	1950	21.6	11.0	1957	23.1	11.3
1944	19.7	11.9	1951	22.5	11.0	1958	22.8	11.0
1945	18.7	12.1	1952	22.4	11.2	1959	23.3	11.0
1946	21.5	11.3	1953	22.5	11.1	1960	22.6	11.2
1947	23.4	11.6	1954	22.8	10.7	1961	22.1	10.8
						1962	21.1	11.0

WEIGHT AT BIRTH

Using a birth weight of 5½ pounds to determine prematurity, 14.3 percent of the nonwhite and 6.6 percent of the white births were premature. The difference is statistically significant.

Midwives delivered 372 babies in 1962. Deliveries by D.O.'s numbered 10,149, with M.D.'s delivering 83,256.

Over 95 percent of all deliveries occurred in a hospital. One and a half percent occurred at home and 3.3 percent occurred in a clinic. The increase in hospital deliveries has been a great boost to the birth registration process.

ILLEGITIMATE BIRTHS

There were 5,914 resident illegitimate births in 1962. Almost 30 percent of all resident nonwhite births were in this category with 2.5 percent for the corresponding white population. These figures mean something but do not of themselves indicate the extent of the problem. The reporting of illegitimacy is questionable. There is some reluctance to ask this question, a bias which favors the white mother. There is also the matter of reporting a birth as illegitimate when it is not another source of bias. The nature of resident data itself which may miss residents and the financial resources which make possible out-of-state travel to avoid disclosure of illegitimacy also affect this data. The figures don't lie, but false interpretations may easily be assigned to them.

The percent illegitimate does not vary significantly by rural and urban residency. This is true for the color breakdown by rural and urban too. There are, of course, several sources of bias in a rural and urban category, but the one theory this tends to support is the decreasing difference between rural and urban people.

The age of the mother is no determinant to illegitimacy. Of the births to women age 20 and over, 4.6 percent were illegitimate. About 15 percent of the births to women 19 and under were illegitimate. This fact is often overlooked.

The ratio of nonwhite illegitimates born to women age 19 and under was 2 to 1. For whites, the ratio was 6 to 1.

SUMMARY

TABLE B. ILLEGITIMACY RATE, AGE BY RACE, MISSOURI: 1962³


Race	All Ages	Under 20	20 & Over
Total	63.0	149.4	46.0
White	25.2	68.8	17.1
Nonwhite	299.1	508.0	240.8

FETAL DEATHS

The 1947 law requires the reporting of the occurrence of every child born dead after the twentieth week of gestation. Responsibility for filing rests with the person in charge of interment. There is evidence that many of these events are not reported. As more of the deliveries occur in hospitals, this omission decreases.

Reflecting the increasing efficiency of medical care is the continued decline in the number of fetal deaths. During 1962, 1,413 fetal deaths were recorded. The chart shows that the fetal death rate has fallen steadily. How far down this rate can go is a matter of speculation and guesswork. The most likely trend in fetal deaths is a decreasing reduction in the rate, to form an asymptotic curve.

CHART C. RESIDENT FETAL DEATH RATES BY RACE, MISSOURI: 1932-1962⁴



Year ⁵	White	Nonwhite	Total	Year ⁵	White	Nonwhite	Total	Year ⁵	White	Nonwhite	Total
1932	38.4	98.1	41.9	1942	26.2	65.0	28.9	1952	16.1	29.7	17.5
1933	34.3	88.9	37.5	1943	23.6	59.0	26.2	1953	15.9	33.1	17.8
1934	31.3	73.9	33.9	1944	23.3	59.8	26.1	1954	15.8	27.7	17.2
1935	35.8	79.2	38.5	1945	21.7	53.2	24.1	1955	14.7	29.8	16.7
1936	33.4	74.7	36.0	1946	21.4	51.2	23.6	1956	15.4	25.4	16.6
1937	31.3	70.1	33.9	1947	18.8	44.7	20.8	1957	15.7	22.1	16.5
1938	32.0	76.4	35.0	1948	18.7	42.7	20.7	1958	14.7	24.8	16.1
1939	27.8	71.3	30.7	1949	17.5	35.9	19.3	1959	14.0	24.2	15.4
1940	29.8	69.5	32.5	1950	17.2	37.2	19.2	1960	13.8	24.3	15.2
1941	29.7	71.4	32.5	1951	16.4	34.3	18.2	1961	12.8	27.0	14.7
								1962	13.2	26.5	15.1

³Rates are per 1,000 live births

⁴Source: Missouri State Board of Health, Vital Statistics Reports, 1932-1934 and 1937-48; U.S. Bureau of the Census, Mortality Statistics, 1935-36; Missouri Division of Health, Vital Statistics Reports, 1949-62.

⁵Recorded 1932-44; Resident 1945-62.

APPENDIX TABLES

TABLE 1. POPULATION, RECORDED BIRTHS AND DEATHS WITH RATES PER 1,000 POPULATION AND EXCESS OF BIRTHS OVER DEATHS. MISSOURI: 1911-1944

Year	Estimated Mid-Year Population (Thousands)	Births		Deaths		Excess Births Over Deaths	Year	Estimated Mid-Year Population (Thousands)	Births		Deaths		Excess Births Over Deaths
		Number	Rate	Number	Rate				Number	Rate	Number	Rate	
1911	3,317	74,130	22.3	43,479	13.1	30,651	1928	3,601	63,401	17.6	45,219	12.6	18,182
1912	3,344	75,452	22.6	42,139	12.6	33,313	1929	3,622	60,980	16.8	44,262	12.2	16,718
1913	3,409	75,231	22.1	42,130	12.4	33,101	1930	3,646	62,011	17.0	42,924	11.8	19,087
1914	3,467	73,925	21.3	41,743	12.0	32,182	1931	3,711	60,201	16.2	43,999	11.9	16,202
1915	3,492	71,543	20.5	40,863	11.7	30,680	1932	3,746	59,755	16.0	43,695	11.7	16,060
1916	3,527	73,486	20.8	44,705	12.7	28,781	1933	3,773	57,717	15.3	43,368	11.5	14,349
1917	3,470	67,041	19.3	45,564	13.1	21,477	1934	3,784	60,317	15.9	46,685	12.3	13,632
1918	3,325	64,001	19.2	51,925	15.6	12,076	1935	3,798	57,299	15.1	43,201	11.4	14,098
1919	3,371	61,193	18.2	39,282	11.7	21,911	1936	3,801	55,916	14.7	48,767	12.8	7,149
1920	3,404	65,416	19.2	42,572	12.5	22,844	1937	3,794	57,270	15.1	45,160	11.9	12,110
1921	3,429	66,970	19.5	36,210	10.6	30,760	1938	3,781	59,365	15.7	42,578	11.3	16,787
1922	3,437	64,388	18.7	38,417	11.2	25,971	1939	3,783	59,688	15.8	42,693	11.3	16,995
1923	3,454	66,691	19.3	41,853	12.1	24,838	1940	3,786	62,545	16.5	43,950	11.6	18,595
1924	3,508	68,961	19.7	40,463	11.5	28,498	1941	3,811	66,268	17.4	43,295	11.4	22,973
1925	3,526	68,293	19.4	41,332	11.7	26,961	1942	3,829	72,575	19.0	42,117	11.0	30,458
1926	3,556	66,611	18.7	42,684	10.0	23,927	1943	3,705	74,820	20.2	44,437	12.0	30,383
1927	3,576	66,401	18.6	40,853	11.4	25,548	1944	3,560	69,982	19.7	42,347	11.9	27,635

Sources: 1911-1934 and 1937-1944 Vital Statistics Reports of the Missouri State Board of Health. 1935-1936, Special Reports of the United States Bureau of the Census. Population estimates 1911 to 1944 taken from United States Bureau of the Census Release, Series P-25, No. 139, June 27, 1956.

TABLE 2. POPULATION, RECORDED AND RESIDENT BIRTHS AND DEATHS WITH RATES PER 1,000 POPULATION AND EXCESS OF RESIDENT BIRTHS OVER DEATHS, MISSOURI: 1945-1962

	Estimated Mid-Year Population (Thousands)	Recorded				Resident				Excess Births Over Deaths
Year		Births		Deaths		Births		Deaths		
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	
1945	3,516	67,693	19.3	42,757	12.2	65,691	18.7	42,496	12.1	23,195
1946	3,746	82,901	22.1	42,640	11.4	80,698	21.5	42,377	11.3	38,321
1947	3,845	92,369	24.0	44,762	11.6	89,902	23.4	44,474	11.6	45,428
1948	3,844	87,005	22.6	42,921	11.2	85,096	22.1	42,753	11.1	42,342
1949	3,955	87,372	22.1	43,995	11.1	85,206	21.5	43,708	11.1	41,498
1950	3,961	87,948	22.2	43,962	11.1	85,704	21.6	43,714	11.0	41,990
1951	3,992	92,664	23.2	44,318	11.1	89,977	22.5	44,051	11.0	45,926
1952	4,026	92,931	23.1	45,245	11.2	90,118	22.4	45,051	11.2	45,067
1953	4,061	94,419	23.3	45,686	11.2	91,447	22.5	45,148	11.1	46,299
1954	4,095	97,278	23.8	44,404	10.8	93,453	22.8	43,835	10.7	49,618
1955	4,124	97,591	23.7	43,531	10.6	93,797	22.7	43,000	10.4	50,797
1956	4,163	100,112	24.0	45,003	10.8	96,099	23.1	44,458	10.7	51,641
1957	4,206	101,287	24.1	47,784	11.4	97,161	23.1	47,333	11.3	49,828
1958	4,240	100,729	23.8	47,338	11.2	96,721	22.8	46,729	11.0	49,992
1959	4,233	102,461	24.2	47,099	11.1	98,537	23.3	46,465	11.0	52,072
1960	4,320	101,778	23.6	48,955	11.3	97,723	22.6	48,287	11.2	49,436
1961	4,397	101,462	23.1	47,933	10.9	97,321	22.1	47,303	10.8	50,018
1962	4,453	97,658	21.9	49,685	11.2	93,879	21.1	49,016	11.0	44,863

Sources: Vital Statistics Reports of the Missouri Division of Health. Population estimates 1945-1950 taken from United States Bureau of the Census Release, Series P-25, No. 139, June 27, 1956; 1951-1959 and 1961-1962 as computed by the Missouri Division of Health; 1960, from the United States Census of Population, PC(1) 27B.

TABLE 3. RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY COUNTIES AND CITIES OVER 10,000 POPULATION, WITH RATES, MISSOURI: 1962

Counties and Cities over 10,000	Population	RESIDENT		RECORDED		RESIDENT		RECORDED	
		Live Births	Fetal Deaths	Live Births	Fetal Deaths	Live Births	Fetal Deaths	Live Births	Fetal Deaths
State Total	4,453,237	93,879	1,413	97,658	1,450	21.1	15.1	21.9	14.8
Cities over 10,000		49,904	789	73,038	1,133				
Rural		43,975	624	24,620	317				
Counties inc. Cities over 10,000:									
Adair	20,270	450	6	818	17	22.2	13.3	40.4	20.8
Andrew	10,974	174	3	6	-	15.9	17.2	0.5	-
Atchison	8,844	133	1	238	2	15.0	7.5	26.9	8.4
Audrain	26,508	527	10	672	11	19.9	19.0	25.4	16.4
Barry	18,421	346	1	520	4	18.8	2.9	28.2	7.7
Barton	10,742	174	2	200	3	16.2	11.5	18.6	15.0
Bates	15,569	281	3	272	4	18.0	10.7	17.5	14.7
Benton	8,615	122	3	40	1	14.2	24.6	4.6	25.0
Bollinger	8,873	147	1	16	-	16.6	6.8	1.8	-
Boone	57,399	1,428	19	1,862	37	24.9	13.3	32.4	19.9
Buchanan	89,857	2,002	25	2,422	34	22.3	12.5	27.0	14.0
Butler	34,036	694	9	1,038	16	20.4	13.0	30.5	15.4
Caldwell	8,600	136	2	4	-	15.8	14.7	0.5	-
Callaway	23,953	426	6	251	2	17.8	14.1	10.5	8.0
Camden	9,359	135	2	45	-	14.4	14.8	4.8	-
Cape Girardeau	42,736	858	14	1,323	20	20.1	16.3	31.0	15.1
Carroll	13,500	205	4	172	4	15.2	19.5	12.7	23.3
Carter	3,852	73	2	6	-	19.0	27.4	1.6	-
Cass	32,890	640	9	787	12	19.5	14.1	23.9	15.2
Cedar	8,971	161	2	180	2	17.9	12.4	20.1	11.1
Chariton	12,312	194	-	7	-	15.8	-	0.6	-
Christian	12,335	210	3	-	-	17.0	14.3	-	-
Clark	8,690	162	1	6	-	18.6	6.2	0.7	-
Clay	103,037	2,188	32	1,550	23	21.2	14.6	15.0	14.8
Clinton	11,578	185	2	300	2	16.0	10.8	25.9	6.7
Cole	42,049	867	10	1,510	14	20.6	11.5	35.9	9.3
Cooper	15,238	284	5	250	3	18.6	17.6	16.4	12.0
Crawford	12,842	233	2	274	3	18.1	8.6	21.3	10.9
Dade	7,267	96	-	60	-	13.2	-	8.3	-
Dallas	9,058	141	3	-	-	15.6	21.3	-	-
Daviess	9,126	150	1	64	2	16.4	6.7	7.0	31.3
DeKalb	7,074	108	1	8	-	15.3	9.3	1.1	-
Dent	10,326	187	3	185	1	18.1	16.0	17.9	5.4
Douglas	9,193	160	-	13	-	17.4	-	1.4	-
Dunklin	38,061	799	5	1,007	9	21.0	6.3	26.5	8.9
Franklin	46,854	1,085	10	1,111	8	23.2	9.2	23.7	7.2
Gasconade	12,160	214	-	6	-	17.6	-	0.5	-
Gentry	8,424	148	1	156	2	17.6	6.8	18.5	12.8
Greene	131,381	2,567	34	3,395	45	19.5	13.2	25.8	13.3
Grundy	11,959	204	1	211	1	17.1	4.9	17.6	4.7
Harrison	11,129	187	2	207	1	16.8	10.7	18.6	4.8
Henry	19,046	336	5	485	6	17.6	14.9	25.5	12.4
Hickory	4,341	52	1	19	-	12.0	19.2	4.4	-
Holt	7,480	126	3	1	-	16.8	23.8	0.1	-
Howard	10,716	230	2	146	-	21.5	8.7	13.6	-
Howell	21,891	443	6	526	9	20.2	13.5	24.0	17.1
Iron	7,753	149	2	226	6	19.2	13.4	29.2	26.5
Jackson	642,666	15,143	219	17,779	234	23.6	14.5	27.7	13.2
Jasper	78,648	1,538	19	1,853	27	19.6	12.4	23.6	14.6
Jefferson	76,116	1,738	20	749	12	22.8	11.5	9.8	16.0
Johnson	31,411	515	12	741	10	16.4	23.3	23.6	13.5
Knox	6,380	101	3	34	1	15.8	29.7	5.3	29.4
Laclede	18,944	380	3	437	4	20.1	7.9	23.1	9.2
Lafayette	25,221	459	1	356	1	18.2	2.2	14.1	2.8
Lawrence	23,207	401	9	319	10	17.3	22.4	13.7	31.3
Lewis	11,102	226	4	1	-	20.4	17.7	0.1	-
Lincoln	15,109	309	4	498	7	20.5	12.9	33.0	14.1
Linn	16,340	241	3	322	4	14.7	12.4	19.7	12.4
Livingston	15,610	282	2	366	2	18.1	7.1	23.4	5.5
McDonald	11,391	194	5	-	-	17.0	25.8	-	-
Macon	16,129	249	3	230	3	15.4	12.0	14.3	13.0
Madison	9,132	163	3	253	3	17.8	18.4	27.7	11.9
Maries	7,219	128	2	-	1	17.7	15.6	-	-
Marion	29,409	585	7	963	9	19.9	12.0	32.7	9.3
Mercer	5,475	64	-	86	-	11.7	-	15.7	-

Live birth rates are per 1,000 population; fetal death rates are per 1,000 live births; population used is the July, 1962 estimate, adjusted July, 1963.

TABLE 3 (CONTINUED). RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY COUNTIES AND CITIES OVER 10,000 POPULATION, WITH RATES, MISSOURI: 1962

Counties and Cities over 10,000	Population	RESIDENT		RECORDED		RESIDENT		RECORDED	
		Live Births	Fetal Deaths	Live Births	Fetal Deaths	Live Births	Fetal Deaths	Live Births	Fetal Deaths
Miller	13,851	282	7	206	6	20.4	24.8	14.9	29.1
Mississippi	20,388	527	14	303	6	25.8	26.6	14.9	19.8
Moniteau	10,411	186	1	68	1	17.9	5.4	6.5	14.7
Monroe	10,641	180	1	6	-	16.9	5.6	0.6	-
Montgomery	11,374	209	4	5	-	18.4	19.1	0.4	-
Morgan	9,327	141	2	119	2	15.1	14.2	12.8	16.8
New Madrid	30,230	769	18	406	8	25.4	23.4	13.4	19.7
Newton	30,546	612	11	470	7	20.0	18.0	15.4	14.9
Nodaway	21,803	407	1	406	1	18.7	2.5	18.6	2.5
Oregon	9,438	135	2	97	1	14.3	14.8	10.3	10.3
Osage	10,819	238	3	1	1	22.0	12.6	0.1	1000.0
Ozark	6,372	81	-	80	-	12.7	-	12.6	-
Pemiscot	37,066	1,014	30	931	31	27.4	29.6	25.1	33.3
Perry	14,543	375	4	586	5	25.8	10.7	40.3	8.5
Pettis	36,072	725	12	852	10	20.1	16.6	23.6	11.7
Phelps	26,340	618	5	746	6	23.5	8.1	28.3	8.0
Pike	16,737	332	5	303	4	19.8	15.1	18.1	13.2
Platte	26,009	550	8	2	-	21.1	14.5	0.1	-
Polk	13,301	188	3	116	2	14.1	16.0	8.7	17.2
Pulaski	47,298	500	2	1,238	10	10.6	4.0	26.2	8.1
Putnam	6,633	113	1	119	1	17.0	8.8	17.9	8.4
Ralls	7,940	158	1	2	-	19.9	6.3	0.3	-
Randolph	21,853	387	3	525	4	17.7	7.8	24.0	7.6
Ray	16,208	306	4	279	3	18.9	13.1	17.2	10.7
Reynolds	4,886	74	4	3	-	15.1	54.1	0.6	-
Ripley	8,701	149	2	171	3	17.1	13.4	19.7	17.5
St. Charles	61,682	1,774	25	1,435	12	28.8	14.1	23.3	8.4
St. Clair	8,061	127	2	91	2	15.8	15.7	11.3	22.0
St. Francois	36,546	688	8	853	12	18.8	11.6	23.3	14.1
Ste. Genevieve	12,299	272	3	11	1	22.1	11.0	0.9	90.9
St. Louis County	798,557	16,141	208	7,425	107	20.2	12.9	9.3	14.4
Saline	24,873	452	9	482	7	18.2	19.9	19.4	14.5
Schuyler	4,914	83	2	1	-	16.9	24.1	0.2	-
Scotland	6,329	99	2	2	-	15.6	20.2	0.3	-
Scott	32,838	794	14	895	18	24.2	17.6	27.3	20.1
Shannon	6,908	155	2	30	1	22.4	12.9	4.3	33.3
Shelby	8,910	156	2	9	-	17.5	12.8	1.0	-
Stoddard	28,860	641	3	594	2	22.2	4.7	20.6	3.4
Stone	7,987	169	4	5	-	21.2	23.7	0.6	-
Sullivan	8,348	126	3	117	1	15.1	23.8	14.0	8.5
Taney	10,304	183	3	239	3	17.8	16.4	23.2	12.6
Texas	17,540	346	3	494	5	19.7	8.7	28.2	10.1
Vernon	20,151	285	6	257	4	14.1	21.1	12.8	15.6
Warren	9,024	185	1	1	-	20.5	5.4	0.1	-
Washington	14,289	342	8	114	2	23.9	23.4	8.0	17.5
Wayne	8,317	147	1	7	-	17.7	6.8	0.8	-
Webster	13,562	263	2	217	1	19.4	7.6	16.0	4.6
Worth	3,738	58	-	3	-	15.5	-	0.8	-
Wright	13,857	279	1	197	-	20.1	3.6	14.2	-
Cities over 10,000:									
Bellefontaine Neighbors		89	2	-	-				
Berkeley		498	3	-	-				
Brentwood		339	4	1	-				
Cape Girardeau City		535	9	1,322	20				
Carthage		235	2	456	4				
Clayton		161	-	715	19				
Columbia		911	15	1,860	37				
Crestwood		221	3	-	-				
Ferguson		529	8	-	-				
Florissant		1,547	21	-	-				
Fulton		168	-	250	2				
Gladstone		185	4	1	1				
Hannibal		402	4	962	9				
Independence		2,147	18	1,550	11				
Jefferson City		519	4	1,509	14				
Jennings		318	2	-	-				
Joplin		762	10	1,243	21				
Kansas City		12,160	156	16,230	223				
Kirksville		320	4	813	17				
Kirkwood		602	10	1,446	17				

Live birth rates are per 1,000 population; fetal death rates are per 1,000 live births; population used is the July, 1962 estimate, adjusted July, 1963.

TABLE 3 (CONTINUED). RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY COUNTIES AND CITIES OVER 10,000 POPULATION, WITH RATES, MISSOURI: 1962

Counties and Cities over 10,000	Population	RESIDENT		RECORDED		RESIDENT		RECORDED	
		Live Births	Fetal Deaths	Number Live Births	Fetal Deaths	Live Births	Fetal Deaths	Rates Live Births	Fetal Deaths
Maplewood		242	6	-	-				
Mexico		269	5	664	11				
Moberly		211	2	519	4				
Overland		760	9	-	-				
Poplar Bluff		374	4	1,001	15				
Raytown		490	4	2	-				
Richmond Heights		279	7	4,324	57				
Rolla		279	2	745	6				
St. Ann		491	8	-	-				
St. Charles		903	8	1,434	12				
St. Joseph		1,749	23	2,412	34				
St. Louis City	731,758	17,325	375	28,557	528	23.7	21.6	39.0	18.5
Sedalia		516	11	851	10				
Sikeston		358	8	777	16				
Springfield		1,942	29	3,394	45				
University City		644	1	-	-				
Webster Groves		424	8	-	-				
Incl. in Above Cities:									
Hannibal-Ralls		2	-	-	-				
Joplin-Newton		48	2	-	-				
Kansas City-Clay		1,101	11	3	-				
Sikeston-New Madrid		3	-	-	-				
Kansas City-Platte		108	2	1	-				

Live birth rates are per 1,000 population; fetal death rates are per 1,000 live births; population used is the July, 1962 estimate, adjusted July, 1963.

TABLE 4. RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY COUNTIES AND CITIES
OVER 2,500 POPULATION, MISSOURI: 1962

Area	Resident		Recorded		Area	Resident		Recorded	
	Live Births	Fetal Deaths	Live Births	Fetal Deaths		Live Births	Fetal Deaths	Live Births	Fetal Deaths
State Total	93,879	1,413	97,658	1,450	Gasconade	164	-	5	-
Cities over 10,000	49,904	789	73,038	1,133	Hermann	50	-	1	-
Rural	43,975	624	24,620	317	Gentry	148	1	156	2
Counties (Rural Part)					Greene	625	5	1	-
and Cities:					Springfield	1,942	29	3,394	45
Adair	130	2	5	-	Grundy	96	-	1	-
Kirksville	320	4	813	17	Trenton	108	1	210	1
Andrew	174	3	6	-	Harrison	136	2	5	-
Atchison	133	1	238	2	Bethany	51	-	202	1
Audrain	202	5	5	-	Henry	162	2	1	-
Mexico	269	5	664	11	Clinton	119	3	366	5
Vandalia	56	-	3	-	Windsor	55	-	118	1
Barry	263	1	103	1	Hickory	52	1	19	-
Monett (part)	83	-	417	3	Holt	126	3	1	-
Barton	99	1	2	-	Howard	160	1	1	-
Lamar	75	1	198	3	Fayette	70	1	145	-
Bates	200	2	21	-	Howell	308	4	147	3
Butler	81	1	251	4	West Plains	135	2	379	6
Benton	122	3	40	1	Iron	149	2	226	6
Bollinger	147	1	16	-	Jackson	857	48	1	-
Boone	453	4	2	-	Blue Springs	90	-	-	-
Centralia	64	-	-	-	Grandview	277	2	-	-
Columbia	911	15	1,860	37	Independence	2,147	18	1,550	11
Buchanan	253	2	10	-	Lee's Summit	252	1	-	-
St. Joseph	1,749	23	2,412	34	Raytown	490	4	2	-
Butler	320	5	37	1	Sugar Creek	79	3	-	-
Poplar Bluff	374	4	1,001	15	Kansas City	10,951	143	16,226	223
Caldwell	136	2	4	-	Jasper	453	8	3	-
Callaway	258	6	1	-	Carthage	235	2	456	4
Fulton	168	-	250	2	Joplin (part)	714	8	1,243	21
Camden	135	2	45	-	Webb City	136	1	151	2
Cape Girardeau	202	3	1	-	Jefferson	1,374	13	729	11
Cape Girardeau City	535	9	1,322	20	Crystal City	74	2	-	-
Jackson	121	2	-	-	DeSoto	136	3	20	-
Carroll	122	1	3	1	Festus	154	2	-	1
Carrollton	83	3	169	3	Johnson	292	8	395	4
Carter	73	2	6	-	Warrensburg	223	4	346	6
Cass	355	7	461	5	Knox	101	3	34	1
Belton	160	1	-	-	Laclede	192	3	2	-
Harrisonville	75	-	325	7	Lebanon	188	-	435	4
Pleasant Hill	50	1	1	-	Lafayette	300	-	42	-
Cedar	108	-	6	-	Higginsville	74	-	1	-
Eldorado Springs	53	2	174	2	Lexington	85	1	313	1
Chariton	194	-	7	-	Lawrence	280	8	52	5
Christian	210	3	-	-	Aurora	98	1	267	5
Clark	162	1	6	-	Monett (part)	23	-	-	-
Clay	284	9	276	7	Lewis	187	3	1	-
Excelsior Springs (part)	167	1	187	2	Canton	39	1	-	-
Gladstone	185	4	1	1	Lincoln	309	4	498	7
Liberty	301	2	6	-	Linn	117	2	-	-
North Kansas City	150	5	1,077	13	Brookfield	92	-	208	3
Kansas City (part)	1,101	11	3	-	Marceline	32	1	114	1
Clinton	129	2	4	-	Livingston	99	1	-	-
Cameron (part)	56	-	296	2	Chillicothe	183	1	366	2
Cole	348	6	1	-	McDonald	194	5	-	-
Jefferson City	519	4	1,509	14	Macon	167	2	9	-
Cooper	151	1	1	-	Macon	82	1	221	3
Boonville	133	4	249	3	Madison	96	2	-	1
Crawford	216	2	56	-	Fredericktown	67	1	253	2
Sullivan (part)	17	-	218	3	Maries	128	2	-	1
Dade	96	-	60	-	Marion	126	-	1	-
Dallas	141	3	-	-	Hannibal (part)	400	4	962	9
Daviess	150	1	64	2	Palmyra	59	3	-	-
DeKalb	105	1	8	-	Mercer	64	-	86	-
Cameron (part)	3	-	-	-	Miller	223	6	206	6
Dent	102	2	4	-	Eldon	59	1	-	-
Salem	85	1	181	1	Mississippi	303	7	184	5
Douglas	160	-	13	-	Charleston	146	7	76	1
Dunklin	478	5	66	-	East Prairie	78	-	43	-
Kennett	229	-	825	8	Moniteau	145	-	1	-
Malden	92	-	116	1	California	41	1	67	1
Franklin	521	7	2	-	Monroe	180	1	6	-
Pacific (part)	73	1	-	-	Montgomery	209	4	5	-
St. Clair	78	-	-	-	Morgan	141	2	119	2
Sullivan (part)	94	-	2	-	New Madrid	639	13	241	4
Union	107	-	-	-	New Madrid	64	3	45	3
Washington	212	2	1,107	8	Portageville	63	2	120	1
					Sikeston (part)	3	-	-	-

TABLE 4 (CONTINUED). RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY COUNTIES AND CITIES OVER 2,500 POPULATION, MISSOURI: 1962

Area	Resident		Recorded		Area	Resident		Recorded	
	Live Births	Fetal Deaths	Live Births	Fetal Deaths		Live Births	Fetal Deaths	Live Births	Fetal Deaths
Newton	413	9	148	4	St. Louis (Continued)				
Joplin (part)	48	2	-	-	Frontenac	21	-	-	-
Neosho	151	-	322	3	Glendale	88	2	-	-
Nodaway	267	-	2	-	Hanley Hills	22	2	-	-
Maryville	140	1	404	1	Hazelwood	436	3	2	-
Oregon	135	2	97	1	Hillsdale Village	35	-	-	-
Osage	238	3	1	1	Jennings	318	2	-	-
Ozark	81	-	80	-	Kinloch	190	7	-	-
Pemiscot	764	24	198	5	Kirkwood	602	10	1,446	17
Caruthersville	165	1	95	1	LaDue	67	2	-	-
Hayti	85	5	638	25	Maplewood	242	6	-	-
Perry	227	3	3	-	Moline Acres	47	-	-	-
Perryville	148	1	583	5	Normandy	269	1	842	13
Pettis	209	1	1	-	Northwoods	60	-	-	-
Sedalia	516	11	851	10	Olivette	159	3	-	-
Phelps	339	3	1	-	Overland	760	9	-	-
Rolla	279	2	745	6	Pacific (part)	7	-	-	-
Pike	200	4	4	-	Pagedale	94	-	-	-
Bowling Green	51	1	-	-	Pinelawn	118	-	-	-
Louisiana	81	-	299	4	Richmond Heights	279	7	4,324	57
Platte	442	6	1	-	Riverview	75	1	-	-
Kansas City (part)	108	2	1	-	Rock Hill	141	-	2	-
Polk	145	2	91	2	St. Ann	491	8	-	-
Bolivar	43	1	25	-	St. John	119	-	-	-
Pulaski	500	2	1,238	10	Shrewsbury	71	-	-	-
Putnam	113	1	119	1	Sunset Hills	34	1	-	-
Ralls	156	1	2	-	University City	644	1	-	-
Hannibal (part)	2	-	-	-	Valley Park	128	2	-	-
Randolph	176	1	6	-	Webster Groves	424	8	-	-
Moberly	211	2	519	4	Wellston	174	1	1	-
Ray	200	3	277	3	Woodson Terrace	89	-	-	-
Excelsior Springs (part)	8	-	-	-	Saline	198	4	78	1
Richmond	98	1	2	-	Marshall	215	3	403	6
Reynolds	74	4	3	-	Slater	39	2	1	-
Ripley	149	2	171	3	Schuyler	83	2	1	-
St. Charles	608	15	1	-	Scotland	99	2	2	-
O'Fallon	166	1	-	-	Scott	367	5	36	-
St. Charles City	903	8	1,434	12	Chaffee	72	1	82	2
Wentzville	97	1	-	-	Sikeston (part)	355	8	777	16
St. Clair	127	2	91	2	Shannon	155	2	30	1
St. Francois	385	5	192	3	Shelby	156	2	9	-
Boone Terre	50	-	648	9	Stoddard	506	3	204	2
Farmington	154	1	8	-	Dexter	135	-	390	-
Flat River	99	2	5	-	Stone	169	4	5	-
Ste. Genevieve	174	2	2	1	Sullivan	126	3	117	1
Ste. Genevieve	98	1	9	-	Taney	183	3	239	3
St. Louis	5,249	80	67	1	Texas	346	3	494	5
Ballwin	185	1	1	-	Vernon	138	5	1	-
Bellefontaine Neighbors	89	2	-	-	Nevada	147	1	256	4
Bel-ridge	89	2	-	-	Warren	185	1	1	-
Berkeley	498	3	-	-	Washington	270	5	49	2
Breckenridge Hills	20	-	-	-	Potosi	72	3	65	-
Brentwood	339	4	1	-	Wayne	147	1	7	-
Bridgeton	484	3	-	-	Webster	263	2	217	1
Clayton	161	-	715	19	Worth	58	-	3	-
Crestwood	221	3	-	-	Wright	226	1	88	-
Creve Coeur	237	2	-	-	Mountain Grove	53	-	109	-
Dellwood	158	2	-	-	St. Louis City	17,325	375	28,557	528
Des Peres	43	-	1	-					
Ellisville	88	1	23	-					
Ferguson	529	8	-	-					
Florissant	1,547	21	-	-					

TABLE 5. RESIDENT LIVE BIRTHS AND LIVE BIRTH RATES BY COUNTIES AND CITIES WITH POPULATION OVER 10,000, MISSOURI: 1958-1962

Counties and Cities over 10,000	Number of Live Births					Rates Per 1,000 Estimated Population*				
	1962	1961	1960	1959	1958	1962	1961	1960	1959	1958
State Total	93,879	97,321	97,723	98,537	96,721	21.1	22.1	22.6	23.3	22.8
Cities over 10,000	49,904	52,388	47,904	49,814	48,160					
Rural	43,975	44,933	49,819	48,723	48,561					
Counties incl. Cities over 10,000:										
Adair	450	444	439	482	439	22.2	22.1	21.8	24.1	22.0
Andrew	174	189	194	179	175	15.9	17.1	17.5	16.2	15.9
Atchison	133	174	128	171	150	15.0	18.9	13.9	18.3	16.0
Audrain	527	567	573	572	564	19.9	21.7	22.0	22.2	22.1
Barry	346	367	352	338	317	18.8	19.4	18.6	18.1	14.9
Barton	174	164	157	166	186	16.2	14.8	14.1	14.8	18.6
Bates	281	252	259	269	252	18.0	15.8	16.3	16.7	15.7
Benton	122	135	118	127	129	14.2	15.5	13.5	14.6	15.7
Bollinger	147	177	134	160	170	16.6	19.3	14.6	17.2	17.0
Boone	1,428	1,387	1,411	1,404	1,236	24.9	25.1	25.6	25.9	24.9
Buchanan	2,002	1,974	1,972	1,961	1,933	22.3	21.8	21.8	21.8	19.7
Butler	694	768	672	692	701	20.4	22.2	19.4	20.2	18.5
Caldwell	136	132	136	147	124	15.8	14.9	15.4	16.7	13.6
Callaway	426	437	393	496	427	17.8	18.3	16.5	20.9	18.2
Camden	135	150	124	131	135	14.4	16.5	13.6	14.8	17.3
Cape Girardeau	858	853	843	777	839	20.1	20.3	20.1	18.7	21.9
Carroll	205	220	250	242	232	15.2	15.9	18.1	17.4	16.2
Carter	73	86	78	78	64	19.0	21.6	19.6	19.5	15.2
Cass	640	563	660	673	617	19.5	19.0	22.2	23.7	28.8
Cedar	161	158	163	123	150	17.9	17.2	17.7	13.3	15.3
Chariton	194	189	227	194	214	15.8	14.9	17.8	15.1	15.7
Christian	210	222	235	209	221	17.0	18.0	19.0	16.9	18.7
Clark	162	179	166	171	179	18.6	20.5	19.0	19.6	21.6
Clay	2,188	2,225	2,206	2,058	1,884	21.2	22.9	25.2	24.8	25.7
Clinton	185	215	200	206	192	16.0	18.6	17.3	17.9	17.5
Cole	867	900	847	827	815	20.6	22.1	20.8	20.7	22.1
Cooper	284	279	309	296	297	18.6	18.1	20.0	19.1	18.9
Crawford	233	254	248	268	256	18.1	20.1	19.6	21.5	23.9
Dade	96	111	114	96	104	13.2	14.6	15.0	12.4	12.4
Dallas	141	124	122	162	139	15.6	13.3	13.1	17.3	14.6
Daviess	150	139	110	131	147	16.4	14.6	11.6	13.7	14.6
DeKalb	108	110	120	99	126	15.3	15.2	16.6	13.6	17.3
Dent	187	224	179	212	193	18.1	21.4	17.1	20.3	18.4
Douglas	160	153	174	157	155	17.4	15.8	18.0	15.7	14.2
Dunklin	799	940	882	829	895	21.0	24.0	22.5	21.1	21.9
Franklin	1,085	1,143	1,103	1,074	1,045	23.2	25.6	24.7	24.7	27.0
Gasconade	214	212	212	207	215	17.6	17.4	17.4	17.0	17.3
Gentry	148	156	138	138	135	17.6	17.7	15.7	15.5	13.5
Greene	2,567	2,695	2,685	2,650	2,447	19.5	21.3	21.3	21.5	21.0
Grundy	204	195	205	180	195	17.1	16.0	16.8	14.7	16.1
Harrison	187	195	193	217	216	16.8	16.8	16.6	18.4	16.7
Henry	336	325	339	342	332	17.6	16.9	17.6	18.0	17.5
Hickory	52	51	69	62	49	12.0	11.3	15.3	13.7	10.0
Holt	126	115	129	112	129	16.8	14.6	16.4	13.8	14.8
Howard	230	206	206	205	193	21.5	19.0	19.0	18.9	17.2
Howell	443	435	441	450	417	20.2	19.7	20.0	20.5	21.4
Iron	149	159	159	160	159	19.2	19.8	19.8	19.7	19.6
Jackson	15,143	15,720	16,006	15,942	15,559	23.6	25.2	25.7	26.6	25.2
Jasper	1,538	1,613	1,594	1,647	1,623	19.6	20.5	20.2	21.1	20.9
Jefferson	1,738	1,737	1,698	1,578	1,501	22.8	26.2	25.6	25.0	29.6
Johnson	515	549	500	509	561	16.4	18.9	17.3	18.2	22.4
Knox	101	113	135	145	120	15.8	17.2	20.6	21.9	17.4
Laclede	380	395	381	419	373	20.1	20.8	20.1	22.3	18.8
Lafayette	459	477	458	448	435	18.2	18.9	18.1	17.9	17.8
Lawrence	401	395	382	384	358	17.3	17.0	16.4	16.9	17.1
Lewis	226	222	223	232	212	20.4	20.2	20.3	21.3	21.2
Lincoln	309	318	279	327	287	20.5	21.5	18.9	22.4	17.6
Linn	241	245	282	277	294	14.7	14.6	16.8	16.4	16.7
Livingston	282	300	272	300	289	18.1	19.0	17.2	19.1	18.1
McDonald	194	197	215	201	206	17.0	16.7	18.2	16.8	15.0
Macon	249	268	276	272	255	15.4	16.5	16.8	16.4	15.4
Madison	163	194	171	166	215	17.8	20.7	18.3	17.7	20.5
Maries	128	116	149	150	135	17.7	15.9	20.5	20.6	19.3
Marion	585	647	602	703	594	19.9	21.9	20.4	23.9	20.8
Mercer	64	90	68	93	84	11.7	15.7	11.8	15.9	13.1

*Populations for 1958-1959 and 1961-1962 were estimated by Missouri Division of Health Statistical Services. 1960 population taken from United States Census of Population 1960, Missouri, "General Population Characteristics", PC(1)-27B, Mo., United States Bureau of the Census.

TABLE 5 (CONTINUED). RESIDENT LIVE BIRTHS AND LIVE BIRTH RATES BY COUNTIES AND CITIES WITH POPULATION OVER 10,000, MISSOURI: 1958-1962.

Counties and Cities over 10,000	Number of Live Births					Rates Per 1,000 Estimated Population*				
	1962	1961	1960	1959	1958	1962	1961	1960	1959	1958
Miller	282	307	299	262	262	20.4	22.2	21.7	19.1	18.8
Mississippi	527	561	546	616	524	25.8	27.1	26.4	30.7	24.6
Moniteau	186	186	190	216	187	17.9	17.7	18.1	20.6	18.3
Monroe	180	209	215	199	187	16.9	19.6	20.1	18.6	18.0
Montgomery	209	220	228	232	222	18.4	19.8	20.5	21.0	20.2
Morgan	141	167	144	149	158	15.1	17.6	15.2	15.7	16.3
New Madrid	769	806	892	821	817	25.4	25.7	28.5	25.8	22.8
Newton	612	583	602	572	584	20.0	19.4	20.0	19.3	20.1
Nodaway	407	404	401	454	417	18.7	18.2	18.1	20.5	18.0
Oregon	135	152	156	160	159	14.3	15.4	15.8	16.0	14.9
Osage	238	226	256	229	238	22.0	20.8	23.6	21.1	22.0
Ozark	81	109	116	91	120	12.7	16.2	17.2	13.1	14.6
Pemiscot	1,014	1,004	1,045	1,019	1,015	27.4	26.4	27.4	26.4	23.5
Perry	375	317	325	356	349	25.8	21.7	22.2	24.4	26.2
Pettis	725	793	756	766	785	20.1	22.6	21.5	22.1	24.0
Phelps	618	604	600	674	645	23.5	23.8	23.6	27.1	27.3
Pike	332	379	384	416	337	19.8	22.7	23.0	24.9	21.3
Platte	550	585	538	546	462	21.1	25.1	23.0	24.8	22.0
Polk	188	188	204	192	200	14.1	13.7	14.8	13.8	13.2
Pulaski	500	542	498	434	561	10.6	11.6	10.7	10.2	40.9
Putnam	113	117	115	108	117	17.0	16.7	16.4	15.0	14.1
Ralls	158	147	98	158	132	19.9	18.2	12.1	19.5	16.5
Randolph	387	435	407	425	393	17.7	19.8	18.5	19.4	18.0
Ray	306	354	275	301	272	18.9	22.0	17.1	18.9	18.1
Reynolds	74	91	85	68	78	15.1	17.6	16.5	12.9	14.2
Ripley	149	158	168	133	130	17.1	17.4	18.5	14.4	12.3
St. Charles	1,774	1,770	1,760	1,543	1,347	28.8	33.4	33.2	30.6	36.0
St. Clair	127	115	117	134	110	15.8	13.7	13.9	15.9	12.0
St. Francois	688	728	707	750	796	18.8	19.9	19.4	20.8	22.6
Ste. Genevieve	272	300	313	290	291	22.1	24.8	25.8	24.1	24.5
St. Louis County	16,141	16,421	16,403	16,439	15,989	20.2	23.3	23.3	24.7	26.9
Saline	452	445	447	415	425	18.2	17.7	17.8	16.6	17.9
Schuyler	83	97	78	97	86	16.9	19.2	15.4	18.9	17.9
Scotland	99	105	118	111	111	15.6	16.2	18.2	17.0	17.1
Scott	794	839	829	819	759	24.2	25.6	25.3	25.1	24.3
Shannon	155	152	144	155	130	22.4	21.4	20.3	21.7	18.8
Shelby	156	146	155	168	164	17.5	16.1	17.1	18.4	18.4
Stoddard	641	630	632	602	569	22.2	21.4	21.4	19.9	18.5
Stone	169	183	151	139	147	21.2	22.4	18.5	16.8	16.2
Sullivan	126	114	131	146	135	15.1	13.0	14.9	16.3	13.1
Taney	183	176	181	178	189	17.8	17.2	17.7	17.6	17.7
Texas	346	398	351	404	357	19.7	22.4	19.8	22.7	19.3
Vernon	285	315	280	304	286	14.1	15.3	13.6	14.7	13.2
Warren	185	168	151	180	162	20.5	19.2	17.3	20.9	19.8
Washington	342	337	352	325	382	23.9	23.5	24.5	22.9	26.9
Wayne	147	158	140	148	146	17.7	18.3	16.2	17.0	14.7
Webster	263	276	293	275	245	19.4	20.1	21.3	19.9	16.7
Worth	58	67	56	60	62	15.5	17.0	14.2	14.8	13.8
Wright	279	254	284	264	274	20.1	17.9	20.0	18.6	19.7
Cities over 10,000:										
Bellefontaine Neighbors	89	103	NA	NA	NA					
Berkeley	498	474	NA	NA	NA					
Brentwood	339	339	NA	NA	NA					
Cape Girardeau City	535	528	530	485	506					
Carthage	235	228	232	246	224					
Clayton	161	232	222	244	222					
Columbia	911	899	931	967	901					
Crestwood	221	289	NA	NA	NA					
Ferguson	529	547	493	609	381					
Florissant	1,547	1,607	NA	NA	NA					
Fulton	168	159	142	191	173					
Gladstone	185	185	NA	NA	NA					
Hannibal	402	444	410	498	414					
Independence	2,147	2,233	1,860	1,843	1,607					
Jefferson City	519	554	537	539	556					
Jennings	318	318	300	368	287					
Joplin	762	818	832	842	908					
Kansas City	12,160	12,578	12,284	12,335	11,758					
Kirkville	320	312	318	358	302					
Kirkwood	602	612	609	754	552					

*Populations for 1958-1959 and 1961-1962 were estimated by Missouri Division of Health Statistical Services. 1960 population taken from United States Census of Population 1960, Missouri, "General Population Characteristics", PC(1)-27B, Mo., United States Bureau of the Census.

NA - Not Available

TABLE 5 (CONTINUED). RESIDENT LIVE BIRTHS AND LIVE BIRTH RATES BY COUNTIES AND CITIES WITH POPULATION OVER 10,000, MISSOURI: 1958-1962

Counties and Cities over 10,000	Number of Live Births					Rates Per 1,000 Estimated Population*				
	1962	1961	1960	1959	1958	1962	1961	1960	1959	1958
Maplewood	242	260	255	313	245					
Mexico	269	282	290	278	282					
Moberly	211	260	253	241	231					
Overland	760	843	712	817	575					
Poplar Bluff	374	375	340	366	346					
Raytown	490	475	NA	NA	NA					
Richmond Heights	279	277	326	326	314					
Rolla	279	279	NA	NA	NA					
St. Ann	491	518	NA	NA	NA					
St. Charles	903	933	855	762	702					
St. Joseph	1,749	1,725	1,752	1,752	1,651					
St. Louis City	17,325	18,539	19,342	20,301	20,918	23.7	24.7	25.8	27.0	23.8
Sedalia	516	570	552	561	586					
Sikeston	358	364	348	361	300					
Springfield	1,942	2,045	2,080	2,098	1,952					
University City	644	736	679	869	769					
Webster Groves	424	448	420	490	498					
Incl. in Above Cities:										
Hannibal-Ralls	2	4	1	3	4					
Joplin-Newton	48	39	45	41	56					
Kansas City-Clay	1,101	1,064	1,158	985	834					
Sikeston- New Madrid	3	3	3	2	2					
Kansas City-Platte	108	6	NA	NA	NA					

*Populations for 1958-1959 and 1961-1962 were estimated by Missouri Division of Health Statistical Services. 1960 population taken from United States Census of Population 1960, Missouri, "General Population Characteristics", PC(1)-27B, Mo., United States Bureau of the Census.

NA - Not Available

TABLE 6. SELECTED RESIDENT LIVE BIRTH STATISTICS WITH PERCENTAGES, BY SEX, COLOR, ATTENDANT, LEGITIMACY, DEFORMITY, WEIGHT, PLACE OF DELIVERY, AND MONTH OF OCCURRENCE, URBAN AND RURAL, MISSOURI: 1962

Live Births	Number			Percentages			Live Births	Number			Percentages		
	State Total	Urban	Rural	State Total	Urban	Rural		State Total	Urban	Rural	State Total	Urban	Rural
SEX - COLOR							ATTENDANT - COLOR						
Grand Total	93,879	49,904	43,975	100.0	100.0	100.0	Grand Total	93,879	49,904	43,975	100.0	100.0	100.0
Total Male	48,142	25,695	22,447	51.3	51.5	51.0	M.D.	83,256	46,706	36,550	88.7	93.6	83.1
Total Female	45,737	24,209	21,528	48.7	48.5	49.0	D.O.	10,149	3,106	7,043	10.8	6.2	16.0
							Midwife	372	61	311	0.4	0.1	0.7
							Others	102	31	71	0.1	0.1	0.2
White Total	80,916	38,862	42,054	100.0	100.0	100.0	White Total	80,916	38,862	42,054	100.0	100.0	100.0
Male	41,632	20,135	21,497	51.5	51.8	51.1	M.D.	70,963	35,795	35,168	87.7	92.2	83.6
Female	39,284	18,727	20,557	48.5	48.2	48.9	D.O.	9,795	3,044	6,751	12.1	7.8	16.1
							Midwife	81	4	77	0.1	0.0	0.2
							Others	77	19	58	0.1	0.0	0.1
Nonwhite Total	12,963	11,042	1,921	100.0	100.0	100.0	Nonwhite Total	12,963	11,042	1,921	100.0	100.0	100.0
Male	6,510	5,560	950	50.2	50.4	49.5	M.D.	12,293	10,911	1,382	94.8	98.8	71.9
Female	6,453	5,482	971	49.8	49.6	50.5	D.O.	354	62	292	2.8	0.6	15.2
							Midwife	291	57	234	2.2	0.5	12.2
							Others	25	12	13	0.2	0.1	0.7
Live Births	State Total		Urban		Rural		Live Births	State Total		Urban		Rural	
	White	Nonwhite	White	Nonwhite	White	Nonwhite		White	Nonwhite	White	Nonwhite	White	Nonwhite
LEGITIMACY - COLOR													
Live Birth Total	80,916	12,963	38,862	11,042	42,054	1,921		100.0	100.0	100.0	100.0	100.0	100.0
Legitimate	78,844	9,068	37,826	7,744	41,018	1,324		97.5	70.0	97.4	70.1	97.5	69.0
Illegitimate	2,037	3,877	1,027	3,285	1,010	592		2.5	29.9	2.6	29.8	2.4	30.8
Not Stated	35	18	9	13	26	5		0.0	0.1	0.0	0.1	0.1	0.2
DEFORMITY - COLOR													
Live Birth Total	80,916	12,963	38,862	11,042	42,054	1,921		100.0	100.0	100.0	100.0	100.0	100.0
Deformed Total	1,098	103	499	80	599	23		1.4	0.8	1.3	0.7	1.4	1.2
Not Deformed Total	61,322	7,684	28,674	6,100	32,648	1,584		75.8	59.3	73.8	55.3	77.7	82.5
Not Stated or Unknown	18,496	5,176	9,689	4,862	8,807	314		22.8	39.9	24.9	44.0	20.9	16.3
BIRTH WEIGHT - ATTENDANT													
Over 5½ lbs. Total	75,368	11,080	36,065	9,412	39,303	1,668		100.0	100.0	100.0	100.0	100.0	100.0
M.D.	66,149	10,486	33,255	9,299	32,894	1,187		87.7	94.7	92.3	98.8	83.7	71.1
D.O.	9,085	314	2,791	54	6,294	260		12.1	2.8	7.7	0.6	16.0	15.6
Midwife	73	264	4	51	69	213		0.1	2.4	0.0	0.5	0.2	12.8
Others	61	16	15	8	46	8		0.1	0.1	0.0	0.1	0.1	0.5
Under 5½ lbs. Total	5,346	1,859	2,735	1,616	2,611	243		100.0	100.0	100.0	100.0	100.0	100.0
M.D.	4,662	1,790	2,489	1,598	2,173	192		87.2	96.4	91.0	98.9	83.2	79.1
D.O.	668	38	243	8	425	30		12.5	2.0	8.9	0.5	16.3	12.3
Midwife	6	23	-	6	6	17		0.1	1.2	-	0.4	0.2	7.0
Others	10	8	3	4	7	4		0.2	0.4	0.1	0.2	0.3	1.6
Not Stated Total	202	24	62	14	140	10		100.0	100.0	100.0	100.0	100.0	100.0
M.D.	152	17	51	14	101	3		75.2	70.8	82.3	100.0	72.1	30.0
D.O.	42	2	10	-	32	2		20.8	8.3	16.1	-	22.9	20.0
Midwife	2	4	-	-	2	4		1.0	16.7	-	-	1.4	40.0
Others	6	1	1	-	5	1		3.0	4.2	1.6	-	3.6	10.0
DELIVERIES BY PLACE													
Place of Birth Total	80,916	12,963	38,862	11,042	42,054	1,921		100.0	100.0	100.0	100.0	100.0	100.0
Hospital	77,449	11,878	38,518	10,918	38,931	960		95.8	91.7	99.2	98.9	92.5	49.9
Clinic	2,636	442	161	1	2,475	441		3.2	3.4	0.4	0.0	5.9	23.0
Residence	748	626	171	119	577	507		0.9	4.8	0.4	1.1	1.4	26.4
Other	83	17	12	4	71	13		0.1	0.1	0.0	0.0	0.2	0.7
MONTH OF OCCURRENCE													
Total	80,916	12,963	38,862	11,042	42,054	1,921		100.0	100.0	100.0	100.0	100.0	100.0
January	6,843	1,140	3,264	986	3,579	154		8.5	8.8	8.4	8.9	8.5	8.0
February	6,136	984	2,936	836	3,200	148		7.6	7.6	7.6	7.6	7.6	7.7
March	6,800	1,088	3,244	925	3,556	163		8.4	8.4	8.3	8.4	8.5	8.5
April	6,329	1,086	3,067	914	3,262	172		7.8	8.4	7.9	8.3	7.8	9.0
May	6,226	954	3,048	795	3,178	159		7.7	7.4	7.8	7.2	7.6	8.3
June	6,231	1,024	2,979	894	3,252	130		7.7	7.9	7.7	8.1	7.7	6.8
July	7,367	1,146	3,531	966	3,836	180		9.1	8.8	9.0	8.7	9.1	9.4
August	7,469	1,172	3,527	983	3,942	189		9.2	9.1	9.1	8.9	9.4	9.8
September	7,105	1,079	3,301	927	3,804	152		8.8	8.3	8.5	8.4	9.0	7.9
October	6,896	1,156	3,367	996	3,529	160		8.5	8.9	8.7	9.0	8.4	8.3
November	6,717	1,052	3,262	896	3,455	156		8.3	8.1	8.4	8.1	8.2	8.1
December	6,797	1,082	3,336	924	3,461	158		8.4	8.3	8.6	8.4	8.2	8.2

TABLE 7. RESIDENT LIVE BIRTHS BY PLACE AND RESIDENT LIVE BIRTHS BY ATTENDANT,
MISSOURI: 1962

Counties and Cities over 10,000	Place				Attendant			Counties and Cities over 10,000	Place				Attendant		
	Hospital	Clinic	Home	Other	M.D.	D.O.	Other		Hospital	Clinic	Home	Other	M.D.	D.O.	Other
State Total	89,327	3,078	1,374	100	83,256	10,149	474	Morgan	72	67	2	-	116	25	-
Cities over 10,000	49,436	162	290	16	46,706	3,106	92	New Madrid	305	300	164	-	490	184	95
Rural	39,891	2,916	1,084	84	36,550	7,043	382	Newton	587	20	2	3	481	130	1
Counties inc. Cities over 10,000:								Nodaway	404	-	3	-	396	11	-
Adair								Oregon	76	56	3	-	108	27	-
Andrew	442	-	8	-	135	315	-	Osage	236	1	-	1	185	53	-
Atchison	166	-	8	-	154	20	-	Ozark	31	49	1	-	51	30	-
Audrain	133	-	-	-	133	-	-	Pemiscot	422	361	224	7	969	18	27
Barry	516	1	8	2	416	110	1	Perry	369	3	3	-	369	6	-
Barton	322	19	5	-	278	66	2	Pettis	714	3	6	2	584	141	-
Bates								Phelps	607	8	3	-	490	126	2
Benton	171	1	2	-	168	6	-	Pike	326	2	4	-	218	111	3
Bollinger	259	3	18	1	228	52	1	Platte	546	2	2	-	501	49	-
Boone	93	28	-	1	66	56	-	Polk	164	21	2	1	161	27	-
Buchanan	93	49	2	3	93	54	-	Polaski	487	10	2	1	267	233	-
Butler	1,424	1	3	-	1,399	27	2	Putnam	113	-	-	-	26	87	-
Caldwell								Ralls	156	-	2	-	147	10	1
Callaway	1,925	2	73	2	1,913	88	1	Randolph	378	-	9	-	287	100	-
Camden	596	27	68	3	600	72	22	Ray	301	1	3	1	279	27	-
Cape Girardeau	132	-	4	-	88	48	-	Reynolds	69	1	4	-	68	3	3
Carroll	425	-	-	1	380	46	-	Ripley	140	5	4	-	144	3	2
Carter	99	34	2	-	91	43	1	St. Charles	1,765	8	-	1	1,588	186	-
Cass	823	33	2	-	793	65	-	St. Clair	118	1	8	-	99	27	1
Cedar	201	1	2	1	146	59	-	St. Francois	654	26	7	1	568	118	2
Chariton	67	1	5	-	68	4	1	Ste. Genevieve	262	8	1	1	248	24	-
Christian	637	-	2	1	490	150	-	St. Louis County	16,053	59	23	6	15,450	678	13
Clay	153	4	4	-	100	61	-	Saline	426	20	4	2	424	28	-
Clinton	187	3	3	1	130	63	1	Schuyler	82	-	1	-	24	59	-
Cole	207	3	-	-	197	13	-	Scotland	97	-	2	-	49	50	-
Cooper	155	-	6	1	130	32	-	Scott	583	125	85	1	586	128	80
Crawford	2,173	7	7	1	1,902	285	1	Shannon	106	18	30	1	106	40	9
Dade	180	3	2	-	124	61	-	Shelby	150	-	6	-	102	54	-
Dallas	861	4	2	-	710	157	-	Stoddard	271	325	41	4	331	288	22
Daviess	282	-	1	1	273	10	1	Stone	162	2	5	-	164	4	1
DeKalb	186	44	2	1	201	30	2	Sullivan	126	-	-	-	44	82	-
Dent	92	3	1	-	84	12	-	Taney	173	8	1	1	176	7	-
Douglas	116	25	-	-	121	20	-	Texas	211	133	2	-	256	90	-
Dunklin	99	36	15	-	74	76	-	Vernon	279	3	3	-	264	21	-
Franklin	99	7	2	-	63	45	-	Warren	184	-	1	-	139	45	1
Gasconade	173	7	7	-	153	27	7	Washington	226	58	56	2	200	98	44
Gentry	95	51	13	1	90	67	3	Wayne	98	44	-	5	117	30	-
Greene	687	72	37	3	739	51	9	Webster	124	137	2	-	185	78	-
Grund								Worth	55	-	3	-	42	16	-
Harrison	1,060	22	2	1	1,037	47	1	Wright	156	118	5	-	170	107	2
Henry	210	2	1	1	159	55	-	Cities over 10,000:							
Hickory	147	-	1	-	93	55	-	Bellefontaine Neighbors	89	-	-	-	84	5	-
Holt	2,520	41	5	1	2,498	66	3	Berkeley	497	1	-	-	447	51	-
Howard	194	7	2	1	171	33	-	Brentwood	338	-	1	-	337	2	-
Howell	178	3	6	-	115	72	-	Cape Girardeau City	517	16	2	-	500	35	-
Iron	328	4	3	1	231	104	1	Carthage	234	-	1	-	232	3	-
Jackson	33	19	-	-	31	21	-	Clayton	160	-	1	-	161	-	-
Jasper	125	-	1	-	117	9	-	Columbia	908	1	2	-	906	3	2
Jefferson	229	-	1	-	213	17	-	Crestwood	221	-	-	-	221	-	-
Johnson	378	54	9	2	364	73	6	Ferguson	527	1	1	-	493	36	-
Knox	141	7	-	1	139	10	-	Florissant	1,545	-	1	1	1,476	70	1
Laclede	15,045	18	75	5	13,467	1,669	7	Fulton	167	-	-	1	160	8	-
Lafayette	1,519	12	4	3	1,263	274	1	Gladstone	185	-	-	-	174	11	-
Lawrence	1,672	10	56	-	1,642	94	2	Hannibal	401	-	1	-	402	-	-
Lewis	507	3	5	-	450	64	1	Independence	2,131	6	9	1	1,799	346	2
Lincoln	101	-	-	-	36	65	-	Jefferson City	516	1	2	-	421	98	-
Linn	359	19	2	-	356	22	2	Jennings	317	1	-	-	295	23	-
Livingston	449	4	4	2	381	78	-	Joplin	753	7	2	-	638	123	1
McDonald	365	36	-	-	342	58	1	Kansas City	12,079	10	67	4	10,892	1,264	4
Macon	225	-	1	-	191	35	-	Kirksville	317	-	3	-	95	225	-
Madison	307	-	2	-	237	71	1	Kirkwood	599	2	1	-	597	4	1
Maries	240	-	1	-	155	85	1	Maplewood	241	1	-	-	238	4	-
Marion	281	-	1	-	216	66	-	Mexico	265	-	4	-	237	32	-
Mercer	190	3	1	-	138	56	-	Moberly	208	-	3	-	167	44	-
Miller	233	2	12	2	103	146	-	Overland	757	3	-	-	688	72	-
Mississippi	113	48	1	1	158	5	-	Poplar Bluff	337	3	34	-	337	28	9
Moniteau	122	5	1	-	59	69	-	Raytown	488	-	2	-	459	31	-
Monroe	582	-	3	-	584	1	-	Richmond Heights	279	-	-	-	278	1	-
Montgomery	58	5	1	-	35	29	-	Rolla	276	1	2	-	256	22	1
								St. Ann	487	4	-	-	455	36	-
								St. Charles	899	4	-	-	872	31	-

TABLE 7 (CONTINUED). RESIDENT LIVE BIRTHS BY PLACE AND RESIDENT LIVE BIRTHS BY ATTENDANT, MISSOURI: 1962

Counties and Cities over 10,000	Place				Attendant			Counties and Cities over 10,000	Place				Attendant		
	Hospital	Clinic	Home	Other	M.D.	D.O.	Other		Hospital	Clinic	Home	Other	M.D.	D.O.	Other
St. Joseph	1,683	2	62	2	1,678	70	1	Incl. in Above Cities:							
St. Louis City	17,259	29	32	5	17,086	220	19	Hannibal-Ralls	2	-	-	-	2	-	-
Sedalia	510	1	4	1	408	108	-	Joplin-Newton	47	1	-	-	43	5	-
Sikeston	262	47	49	-	264	46	48	Kansas City-Clay	1,093	3	4	1	938	162	1
Springfield	1,916	21	4	1	1,899	41	2	Sikeston-New Madrid	2	1	-	-	2	1	-
University City	644	-	-	-	632	11	1	Kansas City-Platte	108	-	-	-	97	11	-
Webster Groves	424	-	-	-	422	2	-								

TABLE 8. RESIDENT LIVE BIRTHS BY PLACE, ATTENDANT, COLOR, COUNTY AND CITY, MISSOURI: 1962

Area	Total	Hospital						Clinic						Home						Other					
		M.D.		D.O.		Other		M.D.		D.O.		Other		M.D.		D.O.		Other		M.D.		D.O.		Other	
		White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
State Total	93,879	69,641	11,773	7,801	100	7	5	1,000	289	1,636	153	-	-	291	225	312	96	145	305	31	6	46	5	6	6
Cities over 10,000	49,904	35,672	10,867	2,845	49	1	2	22	-	139	1	-	-	95	42	55	12	21	65	6	2	5	-	1	2
Rural	43,975	33,969	906	4,956	51	6	3	978	289	1,497	152	-	-	196	183	257	84	124	240	25	4	41	5	5	4
Counties inc. Cities over 10,000:																									
Adair	450	133	-	308	1	-	-	-	-	-	-	-	-	2	-	6	-	-	-	-	-	-	-	-	-
Andrew	174	147	-	19	-	-	-	-	-	-	-	-	-	7	-	1	-	-	-	-	-	-	-	-	-
Atchison	133	133	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Audrain	527	371	41	96	8	-	-	1	-	-	-	-	-	1	1	4	1	1	-	1	-	1	-	-	-
Barry	346	278	-	44	-	-	-	-	-	19	-	-	-	-	-	3	-	2	-	-	-	-	-	-	-
Barton	174	165	-	6	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Bates	281	222	5	32	-	-	-	-	-	3	-	-	-	1	-	16	1	-	-	-	-	-	-	1	-
Benton	122	59	-	34	-	-	-	7	-	20	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Bollinger	147	92	-	1	-	-	-	1	-	48	-	-	-	-	-	2	-	-	-	-	-	3	-	-	-
Boone	1,428	1,263	136	25	-	-	-	-	-	1	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-
Buchanan	2,002	1,780	61	83	1	-	-	2	-	-	-	-	-	68	2	2	-	1	-	-	-	2	-	-	-
Butler	694	565	31	-	-	-	-	3	-	24	-	-	-	1	-	38	7	9	13	-	-	3	-	-	-
Caldwell	136	85	1	46	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-
Callaway	426	339	40	40	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Camden	135	86	-	13	-	-	-	5	-	29	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
Cape Girardeau	858	775	18	29	1	-	-	-	-	32	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
Carroll	205	135	9	57	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-
Carter	73	67	-	-	-	-	-	-	-	1	-	-	-	1	-	3	-	1	-	-	-	-	-	-	-
Cass	640	486	3	148	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-
Cedar	161	95	-	58	-	-	-	1	-	3	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-
Chariton	194	110	17	60	-	-	-	3	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1
Christian	210	194	-	13	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Clark	162	130	-	25	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	1	-	-	-
Clay	2,188	1,883	15	272	3	-	-	-	-	6	1	-	-	3	-	2	1	1	-	1	-	-	-	-	-
Clinton	185	111	8	59	2	-	-	2	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Cole	867	692	15	141	13	-	-	3	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Cooper	284	244	29	9	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1
Crawford	233	172	-	14	-	-	-	29	-	15	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-
Dade	96	83	-	9	-	-	-	-	-	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Dallas	141	112	-	4	-	-	-	9	-	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Davies	150	72	-	27	-	-	-	-	-	36	-	-	-	2	-	13	-	-	-	-	-	-	-	-	-
DeKalb	108	59	-	40	-	-	-	2	-	5	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Dent	187	152	-	21	-	-	-	1	-	6	-	-	-	-	-	-	-	7	-	-	-	-	-	-	-
Douglas	160	66	-	29	-	-	-	22	-	29	-	-	-	1	-	9	-	3	-	1	-	-	-	-	-
Dunklin	799	667	20	-	-	-	-	21	4	44	3	-	-	12	14	2	-	5	4	1	-	2	-	-	-
Franklin	1,085	1,024	9	26	-	-	1	3	-	18	1	-	-	-	-	2	-	-	-	1	-	-	-	-	-
Gasconade	214	157	-	52	1	-	-	-	-	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Gentry	148	93	-	54	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Greene	2,567	2,422	55	43	-	-	-	19	-	22	-	-	-	1	1	-	-	3	-	-	-	1	-	-	-
Grundy	204	171	-	23	-	-	-	-	-	7	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-
Harrison	187	113	-	65	-	-	-	-	-	3	-	-	-	2	-	4	-	-	-	-	-	-	-	-	-
Henry	336	228	2	98	-	-	-	-	-	4	-	-	-	1	-	2	-	-	-	-	-	-	-	1	-
Hickory	52	31	-	2	-	-	-	-	-	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holt	126	117	-	8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Howard	230	169	44	16	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Howell	443	316	2	60	-	-	-	43	-	11	-	-	-	2	-	1	-	6	-	1	-	1	-	-	-
Iron	149	132	1	8	-	-	-	6	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Jackson	15,143	10,308	3,109	1,599	29	-	-	2	-	16	-	-	-	17	28	16	9	4	1	3	-	-	-	1	1
Jasper	1,538	1,238	21	259	1	-	-	-	-	12	-	-	-	1	1	1	-	1	-	2	-	1	-	-	-

TABLE 8 (CONTINUED). RESIDENT LIVE BIRTHS BY PLACE, ATTENDANT, COLOR, COUNTY AND CITY, MISSOURI: 1962

Area	Total	Hospital						Clinic						Home						Other					
		M.D.		D.O.		Other		M.D.		D.O.		Other		M.D.		D.O.		Other		M.D.		D.O.		Other	
		White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
Jefferson	1,738	1,616	22	34	-	-	-	2	-	8	-	-	-	2	-	51	1	2	-	-	-	-	-	-	-
Johnson	515	417	27	62	1	-	-	2	-	1	-	-	-	3	1	-	1	1	-	-	-	-	-	-	-
Knox	101	36	-	64	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Laclede	380	345	6	7	-	1	-	5	-	14	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
Lafayette	459	354	20	72	3	-	-	3	-	1	-	-	-	1	1	2	-	-	-	2	-	-	-	-	-
Lawrence	401	342	-	22	-	1	-	-	-	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewis	226	183	8	30	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
Lincoln	309	221	16	70	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
Linn	241	152	3	84	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Livingston	282	215	1	65	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
McDonald	194	137	-	53	-	-	-	-	-	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Macon	249	96	5	132	-	-	-	2	-	-	-	-	-	-	-	11	1	-	-	-	-	2	-	-	-
Madison	163	108	1	4	-	-	-	47	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Maries	128	59	-	63	-	-	-	-	-	5	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Marion	585	554	28	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
Mercer	64	35	-	23	-	-	-	-	-	5	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Miller	282	57	-	165	-	-	-	18	-	38	-	-	-	-	-	2	-	-	-	1	-	-	-	1	-
Mississippi	527	232	15	4	1	-	-	-	-	103	83	-	-	2	19	1	-	2	60	-	2	3	-	-	-
Moniteau	186	134	3	38	-	-	-	10	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Monroe	180	152	6	16	-	-	-	-	-	-	-	-	-	3	-	2	1	-	-	-	-	-	-	-	-
Montgomery	209	126	8	66	1	-	-	1	-	-	-	-	-	1	-	4	-	-	-	-	-	1	-	1	-
Morgan	141	46	2	24	-	-	-	66	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
New Madrid	769	283	21	1	-	-	-	104	70	98	28	-	-	6	6	4	53	5	90	-	-	-	-	-	-
Newton	612	479	2	106	-	-	-	-	-	20	-	-	-	-	-	1	-	1	-	-	-	3	-	-	-
Nodaway	407	394	1	9	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-
Oregon	135	74	-	2	-	-	-	32	-	24	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
Osage	238	184	-	52	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Ozark	81	29	-	2	-	-	-	22	-	27	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Pemiscot	1,014	383	38	1	-	-	-	150	204	5	2	-	-	59	134	1	3	-	27	-	1	4	2	-	-
Perry	375	366	-	3	-	-	-	-	-	3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Pettis	725	532	43	138	1	-	-	3	-	-	-	-	-	2	3	1	-	-	-	1	-	1	-	-	-
Phelps	618	488	-	119	-	-	-	1	-	7	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-
Pike	332	193	22	98	13	-	-	2	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-
Platte	550	497	3	46	-	-	-	-	-	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Polk	188	160	-	4	-	-	-	-	-	21	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-
Pulaski	500	255	10	221	1	-	-	1	-	9	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-
Putnam	113	26	-	87	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ralls	158	141	6	9	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
Randolph	387	255	27	96	-	-	-	-	-	-	-	-	-	4	1	4	-	-	-	-	-	-	-	-	-
Ray	306	271	6	24	-	-	-	-	-	1	-	-	-	2	-	1	-	-	-	-	-	1	-	-	-
Reynolds	74	67	-	2	-	-	-	1	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-
Ripley	149	140	-	-	-	-	-	2	-	3	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-
St. Charles	1,774	1,570	18	174	3	-	-	-	-	8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
St. Clair	127	94	1	23	-	-	-	-	-	1	-	-	-	4	-	3	-	1	-	-	-	-	-	-	-
St. Francois	688	560	1	93	-	-	-	6	-	20	-	-	-	1	-	4	-	2	-	-	-	1	-	-	-
Ste. Genevieve	272	243	3	16	-	-	-	-	-	8	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
St. Louis County	16,141	14,906	519	622	-	4	2	4	-	55	-	-	-	15	1	1	-	5	1	5	-	-	-	-	1
Saline	452	398	20	8	-	-	-	-	-	20	-	-	-	4	-	-	-	-	1	1	-	-	-	-	-
Schuyler	83	24	-	58	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Scotland	99	49	-	48	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Scott	794	543	34	6	-	-	-	3	1	118	3	-	-	2	3	1	-	4	75	-	-	-	-	-	1
Shannon	155	102	-	4	-	-	-	4	-	14	-	-	-	-	-	21	-	9	-	-	-	1	-	-	-
Shelby	156	101	1	48	-	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-
Stoddard	641	266	4	1	-	-	-	50	9	237	29	-	-	1	1	5	12	-	22	-	-	3	1	-	-
Stone	169	161	-	-	-	1	-	-	-	2	-	-	-	3	-	2	-	-	-	-	-	-	-	-	-

TABLE 8 (CONTINUED). RESIDENT LIVE BIRTHS BY PLACE, ATTENDANT, COLOR, COUNTY AND CITY, MISSOURI: 1962

Area	Total	Hospital		Clinic		Home		Other		M.D.		D.O.		Other		M.D.		D.O.		Other	
		White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
Sullivan	126	44	-	82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Taney	183	173	-	-	-	-	-	1	-	7	-	-	-	1	-	-	-	1	-	-	-
Texas	346	150	-	61	-	-	-	105	-	28	-	-	-	1	-	-	-	-	-	-	-
Vernon	285	262	-	17	-	-	-	-	-	2	1	-	-	2	-	1	-	-	-	-	-
Warren	185	134	5	41	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Washington	342	191	1	34	-	-	-	2	-	56	-	-	-	4	-	8	-	43	1	2	-
Wayne	147	97	-	1	-	-	-	19	-	25	-	-	-	-	-	-	-	1	-	4	-
Webster	263	102	-	22	-	-	-	82	-	55	-	-	-	1	-	1	-	-	-	-	-
Worth	58	39	-	16	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-
Wright	279	111	2	43	-	-	-	56	-	62	-	-	-	1	-	2	-	2	-	-	-
Cities over 10,000:																					
Bellefontaine Neighbors	89	84	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Berkeley	498	444	2	51	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Brentwood	339	326	10	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Cape Girardeau City	535	484	16	16	1	-	-	-	-	15	1	-	-	-	-	1	1	-	-	-	-
Carthage	235	227	4	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Clayton	161	158	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Columbia	911	808	98	2	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-
Crestwood	221	220	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ferguson	529	491	1	35	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Florissant	1,547	1,475	-	70	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Fulton	168	130	29	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gladstone	185	174	-	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hannibal	402	376	25	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Independence	2,147	1,782	14	335	-	-	-	1	-	5	-	-	-	1	-	5	1	2	-	1	-
Jefferson City	519	407	14	83	12	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-
Jennings	318	295	-	22	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Joplin	762	620	17	115	1	-	-	-	-	7	-	-	-	1	-	-	-	1	-	-	-
Kansas City	12,160	7,749	3,093	1,208	29	-	-	1	-	9	-	-	-	18	28	10	8	2	1	3	-
Kirksville	320	95	-	221	1	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-
Kirkwood	602	523	73	3	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Maplewood	242	236	2	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Mexico	269	199	36	30	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-
Moberly	211	148	17	43	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-
Overland	760	678	9	70	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-
Poplar Bluff	374	317	20	-	-	-	-	-	-	3	-	-	-	-	-	24	1	1	8	-	-
Raytown	490	459	-	29	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
Richmond Heights	279	252	26	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rolla	279	254	-	22	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-
St. Ann	491	454	-	33	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-
St. Charles	903	860	12	27	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-
St. Joseph	1,749	1,556	61	65	1	-	-	2	-	-	-	-	-	57	2	2	-	1	-	-	-
St. Louis City	17,325	9,945	7,122	190	-	-	2	4	-	25	-	-	-	8	5	4	-	8	7	-	2
Sedalia	516	360	43	106	1	-	-	1	-	-	-	-	-	1	3	-	-	-	-	1	-
Sikeston	358	238	23	1	-	-	-	2	-	45	-	-	-	-	1	-	-	1	47	-	-
Springfield	1,942	1,836	55	25	-	-	-	6	-	15	-	-	-	1	1	-	-	2	-	-	-
University City	644	630	2	11	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Webster Groves	424	382	40	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Incl. in Above Cities:																					
Hannibal-Rails	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joplin-Newton	48	43	-	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Kansas City-Clay	1,101	933	2	158	-	-	-	-	-	3	-	-	-	2	-	1	-	1	-	-	-
Sikeston-New Madrid	3	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Kansas City-Platte	108	97	-	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 9. RESIDENT LIVE BIRTHS BY AGE OF FATHER, AGE OF MOTHER, SEX OF CHILD, COLOR, URBAN AND RURAL, MISSOURI: 1962

Age of Mother, Sex of Child, Color, Urban and Rural	Age of Father												
	Total	Under 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45-49 Years	50-54 Years	55-59 Years	60 Years and Over	Unknown*
MISSOURI TOTAL	93,879	1	3,519	23,665	24,908	17,208	10,636	5,038	1,903	729	183	123	5,966
Under 15 Years	173	-	26	19	1	-	-	-	-	-	-	-	127
15-19 Years	15,242	1	3,102	8,240	1,356	239	72	36	11	1	-	3	2,181
20-24 Years	32,570	-	381	14,566	12,323	2,633	631	175	55	24	8	6	1,768
25-29 Years	22,296	-	9	758	10,235	7,863	1,767	487	153	64	18	16	926
30-34 Years	13,845	-	-	61	882	5,788	4,682	1,296	371	142	33	27	563
35-39 Years	7,459	-	-	16	96	638	3,248	2,169	646	225	71	42	308
40-44 Years	2,147	-	-	-	12	45	229	864	602	241	51	24	79
45-49 Years	122	-	-	-	-	1	5	11	65	31	1	4	4
50 Years and Over	3	-	-	-	-	-	-	-	-	1	1	-	1
Unknown	22	-	1	5	3	1	2	-	-	-	-	1	9
Male	48,142	-	1,858	12,124	12,897	8,847	5,369	2,546	991	356	98	60	2,996
Under 15 Years	83	-	12	12	-	-	-	-	-	-	-	-	59
15-19 Years	7,871	-	1,626	4,239	725	119	32	17	7	-	-	2	1,104
20-24 Years	16,696	-	215	7,432	6,326	1,360	321	94	27	14	5	4	898
25-29 Years	11,508	-	5	398	5,320	4,041	914	253	68	25	10	7	467
30-34 Years	7,055	-	-	35	474	2,974	2,346	654	200	63	16	12	281
35-39 Years	3,740	-	-	7	42	325	1,632	1,081	339	106	41	21	146
40-44 Years	1,118	-	-	-	10	26	119	441	322	132	25	10	33
45-49 Years	59	-	-	-	-	1	3	6	28	16	1	3	1
50 Years and Over	1	-	-	-	-	-	-	-	-	-	-	-	1
Unknown	11	-	-	1	-	1	2	-	-	-	-	1	6
Female	45,737	1	1,661	11,541	12,011	8,361	5,267	2,492	912	373	85	63	2,970
Under 15 Years	90	-	14	7	1	-	-	-	-	-	-	-	68
15-19 Years	7,371	1	1,476	4,001	631	120	40	19	4	1	-	1	1,077
20-24 Years	15,874	-	166	7,134	5,997	1,273	310	81	28	10	3	2	870
25-29 Years	10,788	-	4	360	4,915	3,822	853	234	85	39	8	9	459
30-34 Years	6,790	-	-	26	408	2,814	2,336	642	171	79	17	15	282
35-39 Years	3,719	-	-	9	54	313	1,616	1,088	307	119	30	21	162
40-44 Years	1,029	-	-	-	2	19	110	423	280	109	26	14	46
45-49 Years	63	-	-	-	-	-	2	5	37	15	-	1	3
50 Years and Over	2	-	-	-	-	-	-	-	-	1	1	-	-
Unknown	11	-	1	4	3	-	-	-	-	-	-	-	3
WHITE	80,916	1	3,168	21,401	22,553	15,521	9,396	4,380	1,617	587	136	84	2,072
Under 15 Years	66	-	21	16	1	-	-	-	-	-	-	-	28
15-19 Years	12,520	1	2,784	7,351	1,223	221	59	31	7	1	-	1	841
20-24 Years	28,536	-	354	13,285	11,156	2,321	522	147	45	21	7	3	675
25-29 Years	19,466	-	9	677	9,286	7,114	1,532	388	117	49	12	12	270
30-34 Years	11,918	-	-	54	787	5,256	4,131	1,084	306	103	23	22	152
35-39 Years	6,404	-	-	13	85	565	2,941	1,928	545	175	50	29	73
40-44 Years	1,887	-	-	-	12	43	204	791	540	211	43	15	28
45-49 Years	102	-	-	-	-	-	5	11	57	26	1	2	-
50 Years and Over	1	-	-	-	-	-	-	-	-	1	-	-	-
Unknown	16	-	-	5	3	1	2	-	-	-	-	-	5
Male	41,632	-	1,687	10,974	11,682	7,999	4,760	2,210	838	291	70	37	1,084
Under 15 Years	30	-	10	11	-	-	-	-	-	-	-	-	9
15-19 Years	6,538	-	1,470	3,796	664	109	23	14	3	-	-	-	459
20-24 Years	14,682	-	202	6,779	5,765	1,196	269	79	24	13	4	2	349
25-29 Years	10,041	-	5	348	4,784	3,671	792	203	55	23	6	6	148
30-34 Years	6,069	-	-	33	423	2,703	2,079	535	166	44	11	10	65
35-39 Years	3,226	-	-	6	36	294	1,486	962	279	83	28	15	37
40-44 Years	993	-	-	-	10	25	106	411	288	115	20	3	15
45-49 Years	47	-	-	-	-	-	3	6	23	13	1	1	-
50 Years and Over	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown	6	-	-	1	-	1	2	-	-	-	-	-	2
Female	39,284	1	1,481	10,427	10,871	7,522	4,636	2,170	779	296	66	47	988
Under 15 Years	36	-	11	5	1	-	-	-	-	-	-	-	19
15-19 Years	5,982	1	1,314	3,555	559	112	36	17	4	1	-	1	382
20-24 Years	13,854	-	152	6,506	5,391	1,125	253	68	21	8	3	1	326
25-29 Years	9,425	-	4	329	4,502	3,443	740	185	62	26	6	6	122
30-34 Years	5,849	-	-	21	364	2,553	2,052	549	140	59	12	12	87
35-39 Years	3,178	-	-	7	49	271	1,455	966	266	92	22	14	36
40-44 Years	894	-	-	-	2	18	98	380	252	96	23	12	13
45-49 Years	55	-	-	-	-	-	2	5	34	13	-	1	-
50 Years and Over	1	-	-	-	-	-	-	-	-	1	-	-	-
Unknown	10	-	-	4	3	-	-	-	-	-	-	-	3
NONWHITE	12,963	-	351	2,264	2,355	1,687	1,240	658	286	142	47	39	3,894
Under 15 Years	107	-	5	3	-	-	-	-	-	-	-	-	99
15-19 Years	2,722	-	318	889	133	18	13	5	4	-	-	2	1,340
20-24 Years	4,034	-	27	1,281	1,167	312	109	28	10	3	1	3	1,093
25-29 Years	2,830	-	-	81	949	749	235	99	36	15	6	4	656
30-34 Years	1,927	-	-	7	95	532	551	212	65	39	10	5	411
35-39 Years	1,055	-	-	3	11	73	307	241	101	50	21	13	235
40-44 Years	260	-	-	-	-	2	25	73	62	30	8	9	51
45-49 Years	20	-	-	-	-	1	-	-	8	5	-	2	4
50 Years and Over	2	-	-	-	-	-	-	-	-	-	1	-	1
Unknown	6	-	1	-	-	-	-	-	-	-	-	1	4

*Includes all illegitimate births.

TABLE 9 (CONTINUED). RESIDENT LIVE BIRTHS BY AGE OF FATHER, AGE OF MOTHER, SEX OF CHILD, COLOR, URBAN AND RURAL, MISSOURI: 1962

Age of Mother, Sex of Child, Color, Urban and Rural	Total	Age of Father											Unknown*
		Under 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45-49 Years	50-54 Years	55-59 Years	60 Years and Over	
NONWHITE (Continued)													
Male	6,510	-	171	1,150	1,215	848	609	336	153	65	28	23	1,912
Under 15 Years	53	-	2	1	-	-	-	-	-	-	-	-	50
15-19 Years	1,333	-	156	443	61	10	9	3	4	-	-	2	645
20-24 Years	2,014	-	13	653	561	164	52	15	3	1	1	2	549
25-29 Years	1,467	-	-	50	536	370	122	50	13	2	4	1	319
30-34 Years	986	-	-	2	51	271	267	119	34	19	5	2	216
35-39 Years	514	-	-	1	6	31	146	119	60	23	13	6	109
40-44 Years	125	-	-	-	-	1	13	30	34	17	5	7	18
45-49 Years	12	-	-	-	-	1	-	-	5	3	-	2	1
50 Years and Over	1	-	-	-	-	-	-	-	-	-	-	-	1
Unknown	5	-	-	-	-	-	-	-	-	-	-	1	4
Female	6,453	-	180	1,114	1,140	839	631	322	133	77	19	16	1,982
Under 15 Years	54	-	3	2	-	-	-	-	-	-	-	-	49
15-19 Years	1,389	-	162	446	72	8	4	2	-	-	-	-	695
20-24 Years	2,020	-	14	628	606	148	57	13	7	2	-	1	544
25-29 Years	1,363	-	-	31	413	379	113	49	23	13	2	3	337
30-34 Years	941	-	-	5	44	261	284	93	31	20	5	3	195
35-39 Years	541	-	-	2	5	42	161	122	41	27	8	7	126
40-44 Years	135	-	-	-	-	1	12	43	28	13	3	2	33
45-49 Years	8	-	-	-	-	-	-	-	3	2	-	-	3
50 Years and Over	1	-	-	-	-	-	-	-	-	-	1	-	-
Unknown	1	-	1	-	-	-	-	-	-	-	-	-	-
URBAN	49,904	1	1,806	12,495	13,225	8,898	5,435	2,458	824	307	74	47	4,334
Under 15 Years	127	-	14	11	-	-	-	-	-	-	-	-	102
15-19 Years	8,012	1	1,607	4,081	639	120	37	15	6	-	-	1	1,505
20-24 Years	17,739	-	181	7,941	6,488	1,359	359	106	23	10	1	4	1,267
25-29 Years	11,932	-	3	417	5,533	4,003	878	263	70	32	9	4	720
30-34 Years	7,290	-	-	36	499	3,039	2,382	625	181	69	14	11	434
35-39 Years	3,786	-	-	8	58	352	1,667	1,034	283	92	31	17	244
40-44 Years	957	-	-	-	6	24	110	411	233	92	18	9	54
45-49 Years	52	-	-	-	-	1	2	4	28	12	-	1	4
50 Years and Over	1	-	-	-	-	-	-	-	-	-	1	-	-
Unknown	8	-	1	1	2	-	-	-	-	-	-	-	4
Male	25,695	-	965	6,445	6,889	4,593	2,710	1,255	431	153	42	25	2,187
Under 15 Years	61	-	6	7	-	-	-	-	-	-	-	-	48
15-19 Years	4,107	-	852	2,082	329	62	18	7	5	-	-	1	751
20-24 Years	9,185	-	106	4,112	3,344	717	187	54	8	5	-	3	649
25-29 Years	6,219	-	1	224	2,920	2,076	442	129	29	13	5	2	378
30-34 Years	3,696	-	-	16	265	1,554	1,176	319	100	35	6	6	219
35-39 Years	1,892	-	-	4	26	170	831	527	148	45	19	8	114
40-44 Years	509	-	-	-	5	13	55	217	130	48	12	4	25
45-49 Years	24	-	-	-	-	1	1	2	11	7	-	1	1
50 Years and Over	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown	2	-	-	-	-	-	-	-	-	-	-	-	2
Female	24,209	1	841	6,050	6,336	4,305	2,725	1,203	393	154	32	22	2,147
Under 15 Years	66	-	8	4	-	-	-	-	-	-	-	-	54
15-19 Years	3,905	1	755	1,999	310	58	19	8	1	-	-	-	754
20-24 Years	8,554	-	75	3,829	3,144	642	172	52	15	5	1	1	618
25-29 Years	5,713	-	2	193	2,613	1,927	436	134	41	19	4	2	342
30-34 Years	3,594	-	-	20	234	1,485	1,206	306	81	34	8	5	215
35-39 Years	1,894	-	-	4	32	182	836	507	135	47	12	9	130
40-44 Years	448	-	-	-	1	11	55	194	103	44	6	5	29
45-49 Years	28	-	-	-	-	-	1	2	17	5	-	-	3
50 Years and Over	1	-	-	-	-	-	-	-	-	-	1	-	-
Unknown	6	-	1	1	2	-	-	-	-	-	-	-	2
White	38,862	1	1,507	10,565	11,185	7,412	4,372	1,908	600	213	37	26	1,036
Under 15 Years	38	-	10	9	-	-	-	-	-	-	-	-	19
15-19 Years	5,736	1	1,330	3,342	534	105	27	11	3	-	-	-	383
20-24 Years	14,276	-	164	6,831	5,479	1,087	265	81	16	7	1	2	343
25-29 Years	9,480	-	3	348	4,696	3,345	682	179	43	26	4	2	152
30-34 Years	5,614	-	-	29	420	2,563	1,899	446	127	39	6	8	77
35-39 Years	2,918	-	-	5	48	289	1,406	838	201	62	14	9	46
40-44 Years	759	-	-	-	6	23	91	349	189	71	12	5	13
45-49 Years	35	-	-	-	-	-	2	4	21	8	-	-	-
50 Years and Over	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown	6	-	-	1	2	-	-	-	-	-	-	-	3
Male	20,135	-	823	5,458	5,836	3,852	2,190	964	313	106	21	13	559
Under 15 Years	18	-	5	6	-	-	-	-	-	-	-	-	7
15-19 Years	3,006	-	720	1,717	280	53	11	4	2	-	-	-	219
20-24 Years	7,447	-	97	3,537	2,862	578	142	41	6	4	-	2	178
25-29 Years	4,929	-	1	181	2,442	1,754	338	85	18	12	2	1	95
30-34 Years	2,841	-	-	14	226	1,312	944	218	73	20	2	4	28
35-39 Years	1,464	-	-	3	21	143	709	424	98	29	9	5	23
40-44 Years	414	-	-	-	5	12	45	190	109	36	8	1	8
45-49 Years	15	-	-	-	-	-	1	2	7	5	-	-	-
50 Years and Over	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown	1	-	-	-	-	-	-	-	-	-	-	-	1

*Includes all illegitimate births.

TABLE 9 (CONTINUED). RESIDENT LIVE BIRTHS BY AGE OF FATHER, AGE OF MOTHER, SEX OF CHILD, COLOR, URBAN AND RURAL, MISSOURI: 1962

Age of Mother, Sex of Child, Color, Urban and Rural	Total	Age of Father											60 Years and Over	Unknown*
		Under 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45-49 Years	50-54 Years	55-59 Years			
URBAN WHITE (Continued)														
Female	18,727	1	684	5,107	5,349	3,560	2,182	944	287	107	16	13	477	
Under 15 Years	20	-	5	3	-	-	-	-	-	-	-	-	12	
15-19 Years	2,730	1	610	1,625	254	52	16	7	1	-	-	-	164	
20-24 Years	6,829	-	67	3,294	2,617	509	123	40	10	3	1	-	165	
25-29 Years	4,551	-	2	167	2,254	1,591	344	94	25	14	2	1	57	
30-34 Years	2,773	-	-	15	194	1,251	955	228	54	19	4	4	49	
35-39 Years	1,454	-	-	2	27	146	697	414	103	33	5	4	23	
40-44 Years	345	-	-	-	1	11	46	159	80	35	4	4	5	
45-49 Years	20	-	-	-	-	-	1	2	14	3	-	-	-	
50 Years and Over	-	-	-	-	-	-	-	-	-	-	-	-	-	
Unknown	5	-	-	1	2	-	-	-	-	-	-	-	2	
Nonwhite	11,042	-	299	1,930	2,040	1,486	1,063	550	224	94	37	21	3,298	
Under 15 Years	89	-	4	2	-	-	-	-	-	-	-	-	83	
15-19 Years	2,276	-	277	739	105	15	10	4	3	-	-	1	1,122	
20-24 Years	3,463	-	17	1,110	1,009	272	94	25	7	3	-	2	924	
25-29 Years	2,452	-	-	69	837	658	196	84	27	6	5	2	568	
30-34 Years	1,676	-	-	7	79	476	483	179	54	30	8	3	357	
35-39 Years	868	-	-	3	10	63	261	196	82	30	17	8	198	
40-44 Years	198	-	-	-	-	1	19	62	44	21	6	4	41	
45-49 Years	17	-	-	-	-	1	-	-	7	4	-	1	4	
50 Years and Over	1	-	-	-	-	-	-	-	-	-	1	-	-	
Unknown	2	-	1	-	-	-	-	-	-	-	-	-	1	
Male	5,560	-	142	987	1,053	741	520	291	118	47	21	12	1,628	
Under 15 Years	43	-	1	1	-	-	-	-	-	-	-	-	41	
15-19 Years	1,101	-	132	365	49	9	7	3	3	-	-	1	532	
20-24 Years	1,738	-	9	575	482	139	45	13	2	1	-	1	471	
25-29 Years	1,290	-	-	43	478	322	104	44	11	1	3	1	283	
30-34 Years	855	-	-	2	39	242	232	101	27	15	4	2	191	
35-39 Years	428	-	-	1	5	27	122	103	50	16	10	3	91	
40-44 Years	95	-	-	-	-	1	10	27	21	12	4	3	17	
45-49 Years	9	-	-	-	-	1	-	-	4	2	-	1	1	
50 Years and Over	-	-	-	-	-	-	-	-	-	-	-	-	-	
Unknown	1	-	-	-	-	-	-	-	-	-	-	-	1	
Female	5,482	-	157	943	987	745	543	259	106	47	16	9	1,670	
Under 15 Years	46	-	3	1	-	-	-	-	-	-	-	-	42	
15-19 Years	1,175	-	145	374	56	6	3	1	-	-	-	-	590	
20-24 Years	1,725	-	8	535	527	133	49	12	5	2	-	1	453	
25-29 Years	1,162	-	-	26	359	336	92	40	16	5	2	1	285	
30-34 Years	821	-	-	5	40	234	251	78	27	15	4	1	166	
35-39 Years	440	-	-	2	5	36	139	93	32	14	7	5	107	
40-44 Years	103	-	-	-	-	-	9	35	23	9	2	1	24	
45-49 Years	8	-	-	-	-	-	-	-	3	2	-	-	3	
50 Years and Over	1	-	-	-	-	-	-	-	-	-	1	-	-	
Unknown	1	-	1	-	-	-	-	-	-	-	-	-	-	
RURAL	43,975	-	1,713	11,170	11,683	8,310	5,201	2,580	1,079	422	109	76	1,632	
Under 15 Years	46	-	12	8	1	-	-	-	-	-	-	-	25	
15-19 Years	7,230	-	1,495	4,159	717	119	35	21	5	1	-	2	676	
20-24 Years	14,831	-	200	6,625	5,835	1,274	272	69	32	14	7	2	501	
25-29 Years	10,364	-	6	341	4,702	3,860	889	224	83	32	9	12	206	
30-34 Years	6,555	-	-	25	383	2,749	2,300	671	190	73	19	16	129	
35-39 Years	3,673	-	-	8	38	286	1,581	1,135	363	133	40	25	64	
40-44 Years	1,190	-	-	-	6	21	119	453	369	149	33	15	25	
45-49 Years	70	-	-	-	-	-	3	7	37	19	1	3	-	
50 Years and Over	2	-	-	-	-	-	-	-	-	1	-	-	1	
Unknown	14	-	-	4	1	1	2	-	-	-	-	1	5	
Male	22,447	-	893	5,679	6,008	4,254	2,659	1,291	560	203	56	35	809	
Under 15 Years	22	-	6	5	-	-	-	-	-	-	-	-	11	
15-19 Years	3,764	-	774	2,157	396	57	14	10	2	-	-	1	353	
20-24 Years	7,511	-	109	3,320	2,982	643	134	40	19	9	5	1	249	
25-29 Years	5,289	-	4	174	2,400	1,965	472	124	39	12	5	5	89	
30-34 Years	3,359	-	-	19	209	1,420	1,170	335	100	28	10	6	62	
35-39 Years	1,848	-	-	3	16	155	801	554	191	61	22	13	32	
40-44 Years	609	-	-	-	5	13	64	224	192	84	13	6	8	
45-49 Years	35	-	-	-	-	-	2	4	17	9	1	2	-	
50 Years and Over	1	-	-	-	-	-	-	-	-	-	-	-	1	
Unknown	9	-	-	1	-	1	2	-	-	-	-	1	4	
Female	21,528	-	820	5,491	5,675	4,056	2,542	1,289	519	219	53	41	823	
Under 15 Years	24	-	6	3	1	-	-	-	-	-	-	-	14	
15-19 Years	3,466	-	721	2,002	321	62	21	11	3	1	-	1	323	
20-24 Years	7,320	-	91	3,305	2,853	631	138	29	13	5	2	1	252	
25-29 Years	5,075	-	2	167	2,302	1,895	417	100	44	20	4	7	117	
30-34 Years	3,196	-	-	6	174	1,329	1,130	336	90	45	9	10	67	
35-39 Years	1,825	-	-	5	22	131	780	581	172	72	18	12	32	
40-44 Years	581	-	-	-	1	8	55	229	177	65	20	9	17	
45-49 Years	35	-	-	-	-	-	1	3	20	10	-	1	-	
50 Years and Over	1	-	-	-	-	-	-	-	-	1	-	-	-	
Unknown	5	-	-	3	1	-	-	-	-	-	-	-	-	

*Includes all illegitimate births.

TABLE 9 (CONTINUED). RESIDENT LIVE BIRTHS BY AGE OF FATHER, AGE OF MOTHER, SEX OF CHILD, COLOR, URBAN AND RURAL, MISSOURI: 1962

Age of Mother, Sex of Child, Color, Urban and Rural	Total	Age of Father											Unknown*
		Under 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45-49 Years	50-54 Years	55-59 Years	60 Years and Over	
RURAL (Continued)													
White	42,054	-	1,661	10,836	11,368	8,109	5,024	2,472	1,017	374	99	58	1,036
Under 15 Years	28	-	11	7	1	-	-	-	-	-	-	-	9
15-19 Years	6,784	-	1,454	4,009	689	116	32	20	4	1	-	1	458
20-24 Years	14,260	-	190	6,454	5,677	1,234	257	66	29	14	6	1	332
25-29 Years	9,986	-	6	329	4,590	3,769	850	209	74	23	8	10	118
30-34 Years	6,304	-	-	25	367	2,693	2,232	638	179	64	17	14	75
35-39 Years	3,486	-	-	8	37	276	1,535	1,090	344	113	36	20	27
40-44 Years	1,128	-	-	-	6	20	113	442	351	140	31	10	15
45-49 Years	67	-	-	-	-	-	3	7	36	18	1	2	-
50 Years and Over	1	-	-	-	-	-	-	-	-	1	-	-	-
Unknown	10	-	-	4	1	1	2	-	-	-	-	-	2
Male	21,497	-	864	5,516	5,846	4,147	2,570	1,246	525	185	49	24	525
Under 15 Years	12	-	5	5	-	-	-	-	-	-	-	-	2
15-19 Years	3,532	-	750	2,079	384	56	12	10	1	-	-	-	240
20-24 Years	7,235	-	105	3,242	2,903	618	127	38	18	9	4	-	171
25-29 Years	5,112	-	4	167	2,342	1,917	454	118	37	11	4	5	53
30-34 Years	3,228	-	-	19	197	1,391	1,135	317	93	24	9	6	37
35-39 Years	1,762	-	-	3	15	151	777	538	181	54	19	10	14
40-44 Years	579	-	-	-	5	13	61	221	179	79	12	2	7
45-49 Years	32	-	-	-	-	-	2	4	16	8	1	1	-
50 Years and Over	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown	5	-	-	1	-	1	2	-	-	-	-	-	1
Female	20,557	-	797	5,320	5,522	3,962	2,454	1,226	492	189	50	34	511
Under 15 Years	16	-	6	2	1	-	-	-	-	-	-	-	7
15-19 Years	3,252	-	704	1,930	305	60	20	10	3	1	-	1	218
20-24 Years	7,025	-	85	3,212	2,774	616	130	28	11	5	2	1	161
25-29 Years	4,874	-	2	162	2,248	1,852	396	91	37	12	4	5	65
30-34 Years	3,076	-	-	6	170	1,302	1,097	321	86	40	8	8	38
35-39 Years	1,724	-	-	5	22	125	758	552	163	59	17	10	13
40-44 Years	549	-	-	-	1	7	52	221	172	61	19	8	8
45-49 Years	35	-	-	-	-	-	1	3	20	10	-	1	-
50 Years and Over	1	-	-	-	-	-	-	-	-	1	-	-	-
Unknown	5	-	-	3	1	-	-	-	-	-	-	-	1
Nonwhite	1,921	-	52	334	315	201	177	108	62	48	10	18	596
Under 15 Years	18	-	1	1	-	-	-	-	-	-	-	-	16
15-19 Years	446	-	41	150	28	3	3	1	1	-	-	1	218
20-24 Years	571	-	10	171	158	40	15	3	3	-	1	1	169
25-29 Years	378	-	-	12	112	91	39	15	9	9	1	2	88
30-34 Years	251	-	-	-	16	56	68	33	11	9	2	2	54
35-39 Years	187	-	-	-	1	10	46	45	19	20	4	5	37
40-44 Years	62	-	-	-	-	1	6	11	18	9	2	5	10
45-49 Years	3	-	-	-	-	-	-	-	1	1	-	1	-
50 Years and Over	1	-	-	-	-	-	-	-	-	-	-	-	1
Unknown	4	-	-	-	-	-	-	-	-	-	-	1	3
Male	950	-	29	163	162	107	89	45	35	18	7	11	284
Under 15 Years	10	-	1	-	-	-	-	-	-	-	-	-	9
15-19 Years	232	-	24	78	12	1	2	-	1	-	-	1	113
20-24 Years	276	-	4	78	79	25	7	2	1	-	1	1	78
25-29 Years	177	-	-	7	58	48	18	6	2	1	1	-	36
30-34 Years	131	-	-	-	12	29	35	18	7	4	1	-	25
35-39 Years	86	-	-	-	1	4	24	16	10	7	3	3	18
40-44 Years	30	-	-	-	-	-	3	3	13	5	1	4	1
45-49 Years	3	-	-	-	-	-	-	-	1	1	-	1	-
50 Years and Over	1	-	-	-	-	-	-	-	-	-	-	-	1
Unknown	4	-	-	-	-	-	-	-	-	-	-	1	3
Female	971	-	23	171	153	94	88	63	27	30	3	7	312
Under 15 Years	8	-	-	1	-	-	-	-	-	-	-	-	7
15-19 Years	214	-	17	72	16	2	1	1	-	-	-	-	105
20-24 Years	295	-	6	93	79	15	8	1	2	-	-	-	91
25-29 Years	201	-	-	5	54	43	21	9	7	8	-	2	52
30-34 Years	120	-	-	-	4	27	33	15	4	5	1	2	29
35-39 Years	101	-	-	-	-	6	22	29	9	13	1	2	19
40-44 Years	32	-	-	-	-	1	3	8	5	4	1	1	9
45-49 Years	-	-	-	-	-	-	-	-	-	-	-	-	-
50 Years and Over	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-	-	-

*Includes all illegitimate births.

TABLE 10. LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR BY COUNTIES, MISSOURI: 1962

Counties and Cities over 10,000	Grand Total	Total	White		White		Not Stated		Total	Legitimate		Nonwhite		Not Stated	
			No.	Percent	No.	Percent	No.	Percent		No.	Percent	No.	Percent	No.	Percent
State Total	93,879	80,916	78,844	97.5	2,037	2.5	35	0.0	12,963	9,068	70.0	3,877	29.9	18	0.1
Cities over 10,000	49,904	38,862	37,826	-	1,027	-	9	-	11,042	7,744	-	3,285	-	13	-
Rural	43,975	42,054	41,018	-	1,010	-	26	-	1,921	1,324	-	592	-	5	-
Counties incl Cities over 10,000:															
Adair	450	449	432	96.2	17	3.8	-	-	1	1	100.0	-	-	-	-
Andrew	174	174	168	96.6	6	3.4	-	-	-	-	-	-	-	-	-
Atchison	133	133	129	97.0	4	3.0	-	-	-	-	-	-	-	-	-
Audrain	527	475	468	98.5	7	1.5	-	-	52	28	53.8	24	46.2	-	-
Barry	346	346	333	96.2	13	3.8	-	-	-	-	-	-	-	-	-
Barton	174	174	171	98.3	3	1.7	-	-	-	-	-	-	-	-	-
Bates	281	275	264	96.0	10	3.6	1	0.4	6	5	83.3	1	16.7	-	-
Benton	122	121	119	98.3	2	1.7	-	-	1	-	-	-	-	1	100.0
Bollinger	147	147	144	98.0	3	2.0	-	-	-	-	-	-	-	-	-
Boone	1,428	1,290	1,270	98.4	20	1.6	-	-	138	93	67.4	45	32.6	-	-
Buchanan	2,002	1,938	1,872	96.6	64	3.3	2	0.1	64	47	73.4	17	26.6	-	-
Butler	694	643	609	94.7	31	4.8	3	0.5	51	39	76.5	12	23.5	-	-
Caldwell	136	135	130	96.3	5	3.7	-	-	1	1	100.0	-	-	-	-
Callaway	426	380	375	98.7	5	1.3	-	-	46	29	63.0	17	37.0	-	-
Camden	135	135	130	96.3	5	3.7	-	-	-	-	-	-	-	-	-
Cape Girardeau	858	837	814	97.3	22	2.6	1	0.1	21	15	71.4	6	28.6	-	-
Carroll	205	195	191	98.0	3	1.5	1	0.5	10	7	70.0	3	30.0	-	-
Carter	73	73	69	94.5	4	5.5	-	-	-	-	-	-	-	-	-
Cass	640	637	631	99.1	6	0.9	-	-	3	2	66.7	1	33.3	-	-
Cedar	161	161	160	99.4	1	0.6	-	-	-	-	-	-	-	-	-
Chariton	194	176	174	98.9	2	1.1	-	-	18	13	72.2	5	27.8	-	-
Christian	210	210	203	96.7	7	3.3	-	-	-	-	-	-	-	-	-
Clark	162	162	160	98.8	2	1.2	-	-	-	-	-	-	-	-	-
Clay	2,188	2,168	2,136	98.5	32	1.5	-	-	20	14	70.0	6	30.0	-	-
Clinton	185	174	171	98.3	3	1.7	-	-	11	11	100.0	-	-	-	-
Cole	867	839	821	97.9	18	2.1	-	-	28	26	92.9	2	7.1	-	-
Cooper	284	254	253	99.6	1	0.4	-	-	30	26	86.7	4	13.3	-	-
Crawford	233	233	227	97.4	6	2.6	-	-	-	-	-	-	-	-	-
Dade	96	96	92	95.8	4	4.2	-	-	-	-	-	-	-	-	-
Dallas	141	141	137	97.2	4	2.8	-	-	-	-	-	-	-	-	-
Daviess	150	150	146	97.3	4	2.7	-	-	-	-	-	-	-	-	-
DeKalb	108	108	108	100.0	-	-	-	-	-	-	-	-	-	-	-
Dent	187	187	182	97.3	5	2.7	-	-	-	-	-	-	-	-	-
Douglas	160	160	155	96.9	5	3.1	-	-	-	-	-	-	-	-	-
Dunklin	799	754	720	95.5	32	4.2	2	0.3	45	30	66.7	15	33.3	-	-
Franklin	1,085	1,074	1,058	98.5	16	1.5	-	-	11	8	72.7	3	27.3	-	-
Gasconade	214	213	209	98.1	4	1.9	-	-	1	1	100.0	-	-	-	-
Gentry	148	148	147	99.3	1	0.7	-	-	-	-	-	-	-	-	-
Greene	2,567	2,511	2,442	97.3	68	2.7	1	0.0	56	42	75.0	14	25.0	-	-
Grundy	204	204	201	98.5	2	1.0	1	0.5	-	-	-	-	-	-	-
Harrison	187	187	184	98.4	3	1.6	-	-	-	-	-	-	-	-	-
Henry	336	334	325	97.3	9	2.7	-	-	2	2	100.0	-	-	-	-
Hickory	52	52	51	98.1	1	1.9	-	-	-	-	-	-	-	-	-
Holt	126	126	124	98.4	2	1.6	-	-	-	-	-	-	-	-	-
Howard	230	185	184	99.5	1	0.5	-	-	45	24	53.3	21	46.7	-	-
Howell	443	441	425	96.4	16	3.6	-	-	2	2	100.0	-	-	-	-
Iron	149	148	142	95.9	6	4.1	-	-	1	1	100.0	-	-	-	-
Jackson	15,143	11,966	11,593	96.9	372	3.1	1	0.0	3,177	2,248	70.7	924	29.1	5	0.2
Jasper	1,538	1,515	1,477	97.5	34	2.2	4	0.3	23	17	73.9	6	26.1	-	-
Jefferson	1,738	1,715	1,686	98.3	28	1.6	1	0.1	23	18	78.3	5	21.7	-	-
Johnson	515	486	478	98.4	7	1.4	1	0.2	29	18	62.1	11	37.9	-	-
Knox	101	100	99	99.0	1	1.0	-	-	1	1	100.0	-	-	-	-
Laclede	380	374	362	96.8	12	3.2	-	-	6	4	66.7	2	33.3	-	-
Lafayette	459	435	419	96.3	16	3.7	-	-	24	15	62.5	9	37.5	-	-
Lawrence	401	401	396	98.8	5	1.2	-	-	-	-	-	-	-	-	-
Lewis	226	213	210	98.6	3	1.4	-	-	13	13	100.0	-	-	-	-
Lincoln	309	293	288	98.3	5	1.7	-	-	16	12	75.0	4	25.0	-	-
Linn	241	237	231	97.5	6	2.5	-	-	4	3	75.0	1	25.0	-	-
Livingston	282	281	277	98.6	4	1.4	-	-	1	-	-	1	100.0	-	-
McDonald	194	194	187	96.4	5	2.6	2	1.0	-	-	-	-	-	-	-
Macon	249	243	236	97.1	6	2.5	1	0.4	6	6	100.0	-	-	-	-
Madison	163	162	151	93.2	11	6.8	-	-	1	-	-	1	100.0	-	-
Maries	128	128	124	96.9	4	3.1	-	-	-	-	-	-	-	-	-
Marion	585	557	541	97.1	16	2.9	-	-	28	20	71.4	8	28.6	-	-
Mercer	64	64	61	95.3	3	4.7	-	-	-	-	-	-	-	-	-
Miller	282	282	274	97.2	8	2.8	-	-	-	-	-	-	-	-	-
Mississippi	527	347	331	95.4	16	4.6	-	-	180	114	63.3	66	36.7	-	-
Moniteau	186	183	181	99.0	1	0.5	1	0.5	3	3	100.0	-	-	-	-
Monroe	180	173	173	100.0	-	-	-	-	7	7	100.0	-	-	-	-
Montgomery	209	200	199	99.5	1	0.5	-	-	9	6	66.7	3	33.3	-	-

TABLE 10 (CONTINUED). LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR
BY COUNTIES, MISSOURI: 1962

Counties and Cities over 10,000	Grand Total	Total	Legitimate		White		Not Stated		Total	Legitimate		Nonwhite		Not Stated	
			No.	Percent	No.	Percent	No.	Percent		No.	Percent	No.	Percent	No.	Percent
Morgan	141	137	134	97.8	3	2.2	-	-	4	3	75.0	1	25.0	-	-
New Madrid	769	501	483	96.4	18	3.6	-	-	268	191	71.2	76	28.4	1	0.4
Newton	612	610	593	97.2	16	2.6	1	0.2	2	2	100.0	-	-	-	-
Nodaway	407	406	401	98.8	5	1.2	-	-	1	1	100.0	-	-	-	-
Oregon	135	135	130	96.3	5	3.7	-	-	-	-	-	-	-	-	-
Osage	238	238	234	98.3	4	1.7	-	-	-	-	-	-	-	-	-
Ozark	81	81	77	95.1	4	4.9	-	-	-	-	-	-	-	-	-
Pemiscot	1,014	603	579	96.1	22	3.6	2	0.3	411	281	68.4	128	31.1	2	0.5
Perry	375	375	373	99.5	2	0.5	-	-	-	-	-	-	-	-	-
Pettis	725	678	661	97.5	17	2.5	-	-	47	27	57.4	20	42.6	-	-
Phelps	618	618	590	95.5	28	4.5	-	-	-	-	-	-	-	-	-
Pike	332	296	288	97.3	8	2.7	-	-	36	21	58.3	15	41.7	-	-
Platte	550	547	540	98.7	6	1.1	1	0.2	3	2	66.7	1	33.3	-	-
Polk	188	188	185	98.4	3	1.6	-	-	-	-	-	-	-	-	-
Pulaski	500	489	460	94.1	29	5.9	-	-	11	11	100.0	-	-	-	-
Putnam	113	113	112	99.1	1	0.9	-	-	-	-	-	-	-	-	-
Ralls	158	151	145	96.0	6	4.0	-	-	7	4	57.1	3	42.9	-	-
Randolph	387	359	349	97.2	10	2.8	-	-	28	13	46.4	15	53.6	-	-
Ray	306	300	288	96.0	12	4.0	-	-	6	4	66.7	2	33.3	-	-
Reynolds	74	74	72	97.3	2	2.7	-	-	-	-	-	-	-	-	-
Ripley	149	149	142	95.3	7	4.7	-	-	-	-	-	-	-	-	-
St. Charles	1,774	1,753	1,739	99.2	14	0.8	-	-	21	17	81.0	4	19.0	-	-
St. Clair	127	126	125	99.2	1	0.8	-	-	1	1	100.0	-	-	-	-
St. Francois	688	687	669	97.4	18	2.6	-	-	1	1	100.0	-	-	-	-
Ste. Genevieve	272	269	268	99.6	1	0.4	-	-	3	1	33.3	2	66.7	-	-
St. Louis County	16,141	15,617	15,369	98.4	247	1.6	1	0.0	524	376	71.8	148	28.2	-	-
Saline	452	431	421	97.7	10	2.3	-	-	21	11	52.4	10	47.6	-	-
Schuyler	83	83	81	97.6	2	2.4	-	-	-	-	-	-	-	-	-
Scotland	99	99	99	100.0	-	-	-	-	-	-	-	-	-	-	-
Scott	794	677	660	97.5	17	2.5	-	-	117	81	69.2	35	29.9	1	0.9
Shannon	155	155	149	96.1	6	3.9	-	-	-	-	-	-	-	-	-
Shelby	156	152	152	100.0	-	-	-	-	4	3	75.0	1	25.0	-	-
Stoddard	641	563	544	96.6	19	3.4	-	-	78	52	66.7	26	33.3	-	-
Stone	169	169	163	96.4	6	3.6	-	-	-	-	-	-	-	-	-
Sullivan	126	126	124	98.4	2	1.6	-	-	-	-	-	-	-	-	-
Taney	183	183	176	96.2	6	3.3	1	0.5	-	-	-	-	-	-	-
Texas	346	346	332	95.9	13	3.8	1	0.3	-	-	-	-	-	-	-
Vernon	285	284	275	96.8	9	3.2	-	-	1	1	100.0	-	-	-	-
Warren	185	175	173	98.9	2	1.1	-	-	10	3	30.0	7	70.0	-	-
Washington	342	340	325	95.6	13	3.8	2	0.6	2	2	100.0	-	-	-	-
Wayne	147	147	141	95.9	6	4.1	-	-	-	-	-	-	-	-	-
Webster	263	263	257	97.7	5	1.9	1	0.4	-	-	-	-	-	-	-
Worth	58	58	57	98.3	1	1.7	-	-	-	-	-	-	-	-	-
Wright	279	277	265	95.6	11	4.0	1	0.4	2	2	100.0	-	-	-	-
Cities over 10,000:															
Bellefontaine Neighbors	89	89	89	-	-	-	-	-	-	-	-	-	-	-	-
Berkeley	498	496	492	-	4	-	-	-	2	1	-	1	-	-	-
Brentwood	339	329	320	-	9	-	-	-	10	8	-	2	-	-	-
Cape Girardeau City	535	516	501	-	14	-	1	-	19	13	-	6	-	-	-
Carthage	235	230	225	-	5	-	-	-	5	4	-	1	-	-	-
Clayton	161	159	157	-	2	-	-	-	2	2	-	-	-	-	-
Columbia	911	811	797	-	14	-	-	-	100	64	-	36	-	-	-
Crestwood	221	220	220	-	-	-	-	-	1	1	-	-	-	-	-
Ferguson	529	528	521	-	7	-	-	-	1	-	-	1	-	-	-
Florissant	1,547	1,547	1,539	-	8	-	-	-	-	-	-	-	-	-	-
Fulton	168	136	135	-	1	-	-	-	32	18	-	14	-	-	-
Gladstone	185	185	183	-	2	-	-	-	-	-	-	-	-	-	-
Hannibal	402	377	364	-	13	-	-	-	25	18	-	7	-	-	-
Independence	2,147	2,132	2,089	-	42	-	1	-	15	8	-	7	-	-	-
Jefferson City	519	493	482	-	11	-	-	-	26	24	-	2	-	-	-
Jennings	318	318	313	-	5	-	-	-	-	-	-	-	-	-	-
Joplin	762	744	723	-	18	-	3	-	18	13	-	5	-	-	-
Kansas City	12,160	9,000	8,726	-	274	-	-	-	3,160	2,239	-	916	-	5	-
Kirksville	320	319	307	-	12	-	-	-	1	1	-	-	-	-	-
Kirkwood	602	529	525	-	4	-	-	-	73	56	-	17	-	-	-
Maplewood	242	240	234	-	6	-	-	-	2	2	-	-	-	-	-
Mexico	269	231	227	-	4	-	-	-	38	23	-	15	-	-	-
Moberly	211	194	190	-	4	-	-	-	17	7	-	10	-	-	-
Overland	760	751	739	-	12	-	-	-	9	8	-	1	-	-	-
Poplar Bluff	374	345	329	-	15	-	1	-	29	19	-	10	-	-	-

TABLE 10 (CONTINUED). LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR
BY COUNTIES, MISSOURI: 1962

Counties and Cities over 10,000	Grand Total	Total	White				Nonwhite							
			Legitimate No. Percent	Illegitimate No. Percent	Not Stated No. Percent	Total	Legitimate No. Percent	Illegitimate No. Percent	Not Stated No. Percent	Total	Legitimate No. Percent	Illegitimate No. Percent	Not Stated No. Percent	Total
Raytown	490	490	488 -	2 -	- -	-	- -	- -	- -	-	- -	- -	- -	-
Richmond Heights	279	253	250 -	3 -	- -	26	21 -	5 -	- -	-	- -	- -	- -	-
Rolla	279	279	267 -	12 -	- -	-	- -	- -	- -	-	- -	- -	- -	-
St. Ann	491	491	489 -	2 -	- -	-	- -	- -	- -	-	- -	- -	- -	-
St. Charles	903	891	884 -	7 -	- -	12	10 -	2 -	- -	-	- -	- -	- -	-
St. Joseph	1,749	1,685	1,626 -	57 -	2 -	64	47 -	17 -	- -	-	- -	- -	- -	-
St. Louis City	17,325	10,186	9,814 96.4	371 3.6	1 0.0	7,139	4,985 69.8	2,146 30.1	8 0.1	-	- -	- -	- -	-
Sedalia	516	469	454 -	15 -	- -	47	27 -	20 -	- -	-	- -	- -	- -	-
Sikeston	358	287	283 -	4 -	- -	71	48 -	23 -	- -	-	- -	- -	- -	-
Springfield	1,942	1,886	1,833 -	53 -	- -	56	42 -	14 -	- -	-	- -	- -	- -	-
University City	644	642	635 -	7 -	- -	2	2 -	- -	- -	-	- -	- -	- -	-
Webster Groves	424	384	376 -	8 -	- -	40	33 -	7 -	- -	-	- -	- -	- -	-
Incl. in Above Cities:														
Hannibal-Ralls	2	2	2 -	- -	- -	-	- -	- -	- -	-	- -	- -	- -	-
Joplin-Newton	48	48	48 -	- -	- -	-	- -	- -	- -	-	- -	- -	- -	-
Kansas City-Clay	1,101	1,099	1,086 -	13 -	- -	2	1 -	1 -	- -	-	- -	- -	- -	-
Sikeston-New Madrid	3	2	2 -	- -	- -	1	1 -	- -	- -	-	- -	- -	- -	-
Kansas City-Platte	108	108	107 -	1 -	- -	-	- -	- -	- -	-	- -	- -	- -	-

TABLE 11. ILLEGITIMATE RESIDENT LIVE BIRTHS BY AGE OF MOTHER AND COLOR FOR COUNTIES AND CITIES OVER 10,000 POPULATION, MISSOURI: 1962

Counties and Cities Over 10,000 by Color	Total Live Births	Total Illegitimate Live Births	Age of Mother								50 Years and Over	Unknown
			Under 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45-49 Years		
Missouri	93,879	5,914	127	2,176	1,757	917	551	304	76	4	1	1
White	80,916	2,037	28	838	669	264	142	70	25	-	-	1
Nonwhite	12,963	3,877	99	1,338	1,088	653	409	234	51	4	1	-
Cities over 10,000	49,904	4,312	102	1,502	1,262	715	431	242	53	4	-	1
White	38,862	1,027	19	382	342	150	76	45	12	-	-	1
Nonwhite	11,042	3,285	83	1,120	920	565	355	197	41	4	-	-
Rural	43,975	1,602	25	674	495	202	120	62	23	-	1	-
White	42,054	1,010	9	456	327	114	66	25	13	-	-	-
Nonwhite	1,921	592	16	218	168	88	54	37	10	-	1	-
Counties incl. Cities over 10,000:												
Adair	450	17	1	9	5	2	-	-	-	-	-	-
White	449	17	1	9	5	2	-	-	-	-	-	-
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-
Andrew	174	6	-	1	2	1	2	-	-	-	-	-
White	174	6	-	1	2	1	2	-	-	-	-	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-
Atchison	133	4	-	1	1	1	1	-	-	-	-	-
White	133	4	-	1	1	1	1	-	-	-	-	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-
Audrain	527	31	1	13	11	1	2	3	-	-	-	-
White	475	7	-	4	1	-	2	-	-	-	-	-
Nonwhite	52	24	1	9	10	1	-	3	-	-	-	-
Barry	346	13	-	6	4	2	1	-	-	-	-	-
White	346	13	-	6	4	2	1	-	-	-	-	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-
Barton	174	3	-	1	1	1	-	-	-	-	-	-
White	174	3	-	1	1	1	-	-	-	-	-	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-
Bates	281	11	-	4	1	3	1	2	-	-	-	-
White	275	10	-	4	1	3	1	1	-	-	-	-
Nonwhite	6	1	-	-	-	-	-	1	-	-	-	-
Benton	122	2	-	2	-	-	-	-	-	-	-	-
White	121	2	-	2	-	-	-	-	-	-	-	-
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-
Bollinger	147	3	-	2	1	-	-	-	-	-	-	-
White	147	3	-	2	1	-	-	-	-	-	-	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-
Boone	1,428	65	6	33	12	7	4	2	1	-	-	-
White	1,290	20	-	9	6	4	-	1	-	-	-	-
Nonwhite	138	45	6	24	6	3	4	1	1	-	-	-
Buchanan	2,002	81	1	28	33	12	5	1	1	-	-	-
White	1,938	64	1	25	25	7	4	1	1	-	-	-
Nonwhite	64	17	-	3	8	5	1	-	-	-	-	-
Butler	694	43	-	28	5	1	5	4	-	-	-	-
White	643	31	-	21	4	-	2	4	-	-	-	-
Nonwhite	51	12	-	7	1	1	3	-	-	-	-	-
Caldwell	136	5	-	1	3	-	-	1	-	-	-	-
White	135	5	-	1	3	-	-	1	-	-	-	-
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-
Callaway	426	22	-	13	8	-	1	-	-	-	-	-
White	380	5	-	2	3	-	-	-	-	-	-	-
Nonwhite	46	17	-	11	5	-	1	-	-	-	-	-
Camden	135	5	-	1	3	1	-	-	-	-	-	-
White	135	5	-	1	3	1	-	-	-	-	-	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-
Cape Girardeau	858	28	1	13	5	6	3	-	-	-	-	-
White	837	22	1	10	5	5	1	-	-	-	-	-
Nonwhite	21	6	-	3	-	1	2	-	-	-	-	-
Carroll	205	6	-	3	1	1	-	1	-	-	-	-
White	195	3	-	1	-	1	-	1	-	-	-	-
Nonwhite	10	3	-	2	1	-	-	-	-	-	-	-
Carter	73	4	-	2	1	-	-	1	-	-	-	-
White	73	4	-	2	1	-	-	1	-	-	-	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-
Cass	640	7	-	3	3	-	-	1	-	-	-	-
White	637	6	-	2	3	-	-	1	-	-	-	-
Nonwhite	3	1	-	1	-	-	-	-	-	-	-	-
Cedar	161	1	-	1	-	-	-	-	-	-	-	-
White	161	1	-	1	-	-	-	-	-	-	-	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-
Chariton	194	7	-	3	2	1	-	1	-	-	-	-
White	176	2	-	2	-	-	-	-	-	-	-	-
Nonwhite	18	5	-	1	2	1	-	1	-	-	-	-
Christian	210	7	-	3	1	2	1	-	-	-	-	-
White	210	7	-	3	1	2	1	-	-	-	-	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 11 (CONTINUED). ILLEGITIMATE RESIDENT LIVE BIRTHS BY AGE OF MOTHER AND COLOR
FOR COUNTIES AND CITIES OVER 10,000 POPULATION, MISSOURI: 1962

Counties and Cities Over 10,000 by Color	Total Live Births	Total Illegitimate Live Births	Age of Mother									50 Years and Over	Unknown
			Under 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45-49 Years			
Clark	162	2	-	1	-	1	-	-	-	-	-	-	
White	162	2	-	1	-	1	-	-	-	-	-	-	
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	
Clay	2,188	38	2	16	12	5	2	-	1	-	-	-	
White	2,168	32	2	14	10	4	2	-	-	-	-	-	
Nonwhite	20	6	-	2	2	1	-	-	1	-	-	-	
Clinton	185	3	-	-	1	1	1	-	-	-	-	-	
White	174	3	-	-	1	1	1	-	-	-	-	-	
Nonwhite	11	-	-	-	-	-	-	-	-	-	-	-	
Cole	867	20	-	9	5	5	1	-	-	-	-	-	
White	839	18	-	9	5	4	-	-	-	-	-	-	
Nonwhite	28	2	-	-	-	1	1	-	-	-	-	-	
Cooper	284	5	-	2	3	-	-	-	-	-	-	-	
White	254	1	-	-	1	-	-	-	-	-	-	-	
Nonwhite	30	4	-	2	2	-	-	-	-	-	-	-	
Crawford	233	6	-	3	3	-	-	-	-	-	-	-	
White	233	6	-	3	3	-	-	-	-	-	-	-	
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	
Dade	96	4	-	1	1	1	1	-	-	-	-	-	
White	96	4	-	1	1	1	1	-	-	-	-	-	
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	
Dallas	141	4	-	2	2	-	-	-	-	-	-	-	
White	141	4	-	2	2	-	-	-	-	-	-	-	
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	
Daviess	150	4	-	2	1	-	-	-	1	-	-	-	
White	150	4	-	2	1	-	-	-	1	-	-	-	
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	
DeKalb	108	-	-	-	-	-	-	-	-	-	-	-	
White	108	-	-	-	-	-	-	-	-	-	-	-	
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	
Dent	187	5	-	-	2	-	2	-	1	-	-	-	
White	187	5	-	-	2	-	2	-	1	-	-	-	
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	
Douglas	160	5	-	3	1	1	-	-	-	-	-	-	
White	160	5	-	3	1	1	-	-	-	-	-	-	
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	
Dunklin	799	47	2	24	10	6	5	-	-	-	-	-	
White	754	32	1	18	7	4	2	-	-	-	-	-	
Nonwhite	45	15	1	6	3	2	3	-	-	-	-	-	
Franklin	1,085	19	-	9	7	1	1	1	-	-	-	-	
White	1,074	16	-	8	6	-	1	1	-	-	-	-	
Nonwhite	11	3	-	1	1	1	-	-	-	-	-	-	
Gasconade	214	4	-	2	-	1	1	-	-	-	-	-	
White	213	4	-	2	-	1	1	-	-	-	-	-	
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	
Gentry	148	1	-	-	1	-	-	-	-	-	-	-	
White	148	1	-	-	1	-	-	-	-	-	-	-	
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	
Greene	2,567	82	2	38	22	10	5	3	1	-	-	1	
White	2,511	68	1	31	18	8	5	3	1	-	-	1	
Nonwhite	56	14	1	7	4	2	-	-	-	-	-	-	
Grundy	204	2	-	1	1	-	-	-	-	-	-	-	
White	204	2	-	1	1	-	-	-	-	-	-	-	
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	
Harrison	187	3	1	2	-	-	-	-	-	-	-	-	
White	187	3	1	2	-	-	-	-	-	-	-	-	
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	
Henry	336	9	-	7	-	1	1	-	-	-	-	-	
White	334	9	-	7	-	1	1	-	-	-	-	-	
Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	
Hickory	52	1	-	1	-	-	-	-	-	-	-	-	
White	52	1	-	1	-	-	-	-	-	-	-	-	
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	
Holt	126	2	-	1	-	-	1	-	-	-	-	-	
White	126	2	-	1	-	-	1	-	-	-	-	-	
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	
Howard	230	22	-	5	8	3	5	1	-	-	-	-	
White	185	1	-	-	1	-	-	-	-	-	-	-	
Nonwhite	45	21	-	5	7	3	5	1	-	-	-	-	
Howell	443	16	-	7	4	2	2	-	1	-	-	-	
White	441	16	-	7	4	2	2	-	1	-	-	-	
Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	
Iron	149	6	-	-	3	-	2	-	1	-	-	-	
White	148	6	-	-	3	-	2	-	1	-	-	-	
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	
Jackson	15,143	1,296	22	440	391	220	124	78	20	1	-	-	
White	11,966	372	7	146	118	54	21	20	6	-	-	-	
Nonwhite	3,177	924	15	294	273	166	103	58	14	1	-	-	
Jasper	1,538	40	-	19	12	5	3	1	-	-	-	-	
White	1,515	34	-	15	12	4	3	-	-	-	-	-	
Nonwhite	23	6	-	4	-	1	-	1	-	-	-	-	

TABLE 11 (CONTINUED). ILLEGITIMATE RESIDENT LIVE BIRTHS BY AGE OF MOTHER AND COLOR
FOR COUNTIES AND CITIES OVER 10,000 POPULATION, MISSOURI: 1962

Counties and Cities Over 10,000 by Color	Total Live Births	Total Illegitimate Live Births	Under 15 Years	15-19 Years	20-24 Years	Age of Mother						50 Years and Over	Unknown
						25-29 Years	30-34 Years	35-39 Years	40-44 Years	45-49 Years			
Jefferson	1,738	33	-	14	8	6	4	-	1	-	-	-	
White	1,715	28	-	10	8	5	4	-	1	-	-	-	
Nonwhite	23	5	-	4	-	1	-	-	-	-	-	-	
Johnson	515	18	-	5	4	4	3	2	-	-	-	-	
White	486	7	-	2	2	2	1	-	-	-	-	-	
Nonwhite	29	11	-	3	2	2	2	2	-	-	-	-	
Knox	101	1	-	1	-	-	-	-	-	-	-	-	
White	100	1	-	1	-	-	-	-	-	-	-	-	
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	
Laclede	380	14	-	8	4	1	-	1	-	-	-	-	
White	374	12	-	7	3	1	-	1	-	-	-	-	
Nonwhite	6	2	-	1	1	-	-	-	-	-	-	-	
Lafayette	459	25	2	12	7	2	2	-	-	-	-	-	
White	435	16	1	9	4	-	2	-	-	-	-	-	
Nonwhite	24	9	1	3	3	2	-	-	-	-	-	-	
Lawrence	401	5	-	1	2	1	-	1	-	-	-	-	
White	401	5	-	1	2	1	-	1	-	-	-	-	
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	
Lewis	226	3	-	2	1	-	-	-	-	-	-	-	
White	213	3	-	2	1	-	-	-	-	-	-	-	
Nonwhite	13	-	-	-	-	-	-	-	-	-	-	-	
Lincoln	309	9	-	5	3	1	-	-	-	-	-	-	
White	293	5	-	3	2	-	-	-	-	-	-	-	
Nonwhite	16	4	-	2	1	1	-	-	-	-	-	-	
Linn	241	7	1	2	2	-	2	-	-	-	-	-	
White	237	6	1	2	2	-	1	-	-	-	-	-	
Nonwhite	4	1	-	-	-	-	1	-	-	-	-	-	
Livingston	282	5	-	3	-	1	1	-	-	-	-	-	
White	281	4	-	3	-	-	1	-	-	-	-	-	
Nonwhite	1	1	-	-	-	1	-	-	-	-	-	-	
McDonald	194	5	-	3	2	-	-	-	-	-	-	-	
White	194	5	-	3	2	-	-	-	-	-	-	-	
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	
Macon	249	6	-	1	1	3	1	-	-	-	-	-	
White	243	6	-	1	1	3	1	-	-	-	-	-	
Nonwhite	6	-	-	-	-	-	-	-	-	-	-	-	
Madison	163	12	-	5	4	2	-	-	1	-	-	-	
White	162	11	-	5	4	1	-	-	1	-	-	-	
Nonwhite	1	1	-	-	-	1	-	-	-	-	-	-	
Maries	128	4	-	3	-	1	-	-	-	-	-	-	
White	128	4	-	3	-	1	-	-	-	-	-	-	
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	
Marion	585	24	-	7	9	2	2	3	1	-	-	-	
White	557	16	-	5	7	-	1	3	-	-	-	-	
Nonwhite	28	8	-	2	2	2	1	-	1	-	-	-	
Mercer	64	3	-	-	2	-	1	-	-	-	-	-	
White	64	3	-	-	2	-	1	-	-	-	-	-	
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	
Miller	282	8	-	5	3	-	-	-	-	-	-	-	
White	282	8	-	5	3	-	-	-	-	-	-	-	
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	
Mississippi	527	82	4	27	25	14	6	6	-	-	-	-	
White	347	16	-	6	6	2	1	1	-	-	-	-	
Nonwhite	180	66	4	21	19	12	5	5	-	-	-	-	
Moniteau	186	1	-	-	1	-	-	-	-	-	-	-	
White	183	1	-	-	1	-	-	-	-	-	-	-	
Nonwhite	3	-	-	-	-	-	-	-	-	-	-	-	
Monroe	180	-	-	-	-	-	-	-	-	-	-	-	
White	173	-	-	-	-	-	-	-	-	-	-	-	
Nonwhite	7	-	-	-	-	-	-	-	-	-	-	-	
Montgomery	209	4	-	1	2	-	-	1	-	-	-	-	
White	200	1	-	-	1	-	-	-	-	-	-	-	
Nonwhite	9	3	-	1	1	-	-	1	-	-	-	-	
Morgan	141	4	-	2	2	-	-	-	-	-	-	-	
White	137	3	-	1	2	-	-	-	-	-	-	-	
Nonwhite	4	1	-	1	-	-	-	-	-	-	-	-	
New Madrid	769	94	3	36	29	14	4	5	3	-	-	-	
White	501	18	-	7	7	3	-	-	1	-	-	-	
Nonwhite	268	76	3	29	22	11	4	5	2	-	-	-	
Newton	612	16	-	8	5	1	-	1	1	-	-	-	
White	610	16	-	8	5	1	-	1	1	-	-	-	
Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	
Nodaway	407	5	-	2	2	1	-	-	-	-	-	-	
White	406	5	-	2	2	1	-	-	-	-	-	-	
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	
Oregon	135	5	-	3	2	-	-	-	-	-	-	-	
White	135	5	-	3	2	-	-	-	-	-	-	-	
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	
Osage	238	4	-	3	1	-	-	-	-	-	-	-	
White	238	4	-	3	1	-	-	-	-	-	-	-	
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	

TABLE 11 (CONTINUED). ILLEGITIMATE RESIDENT LIVE BIRTHS BY AGE OF MOTHER AND COLOR
FOR COUNTIES AND CITIES OVER 10,000 POPULATION, MISSOURI: 1962

Counties and Cities Over 10,000 by Color	Total Live Births	Total Illegitimate Live Births	Age of Mother									50 Years and Over	Unknown
			Under 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45-49 Years			
Ozark	81	4	-	2	1	1	-	-	-	-	-	-	
White	81	4	-	2	1	1	-	-	-	-	-	-	
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	
Pemiscot	1,014	150	2	52	45	22	14	13	1	-	1	-	
White	603	22	-	12	7	3	-	-	-	-	-	-	
Nonwhite	411	128	2	40	38	19	14	13	1	-	1	-	
Perry	375	2	-	-	1	1	-	-	-	-	-	-	
White	375	2	-	-	1	1	-	-	-	-	-	-	
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	
Pettis	725	37	-	15	9	9	3	1	-	-	-	-	
White	678	17	-	5	7	4	1	-	-	-	-	-	
Nonwhite	47	20	-	10	2	5	2	1	-	-	-	-	
Phelps	618	28	-	16	8	3	1	-	-	-	-	-	
White	618	28	-	16	8	3	1	-	-	-	-	-	
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	
Pike	332	23	1	9	8	4	-	1	-	-	-	-	
White	296	8	-	2	3	2	-	1	-	-	-	-	
Nonwhite	36	15	1	7	5	2	-	-	-	-	-	-	
Platte	550	7	1	4	1	-	-	-	1	-	-	-	
White	547	6	1	3	1	-	-	-	1	-	-	-	
Nonwhite	3	1	-	1	-	-	-	-	-	-	-	-	
Polk	188	3	-	1	2	-	-	-	-	-	-	-	
White	188	3	-	1	2	-	-	-	-	-	-	-	
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	
Pulaski	500	29	-	11	9	5	4	-	-	-	-	-	
White	489	29	-	11	9	5	4	-	-	-	-	-	
Nonwhite	11	-	-	-	-	-	-	-	-	-	-	-	
Putnam	113	1	-	-	-	1	-	-	-	-	-	-	
White	113	1	-	-	-	1	-	-	-	-	-	-	
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	
Ralls	158	9	-	3	2	2	1	-	1	-	-	-	
White	151	6	-	2	2	2	-	-	-	-	-	-	
Nonwhite	7	3	-	1	-	-	1	-	1	-	-	-	
Randolph	387	25	-	6	9	6	1	1	2	-	-	-	
White	359	10	-	3	5	1	1	-	-	-	-	-	
Nonwhite	28	15	-	3	4	5	-	1	2	-	-	-	
Ray	306	14	-	5	7	1	1	-	-	-	-	-	
White	300	12	-	5	6	1	-	-	-	-	-	-	
Nonwhite	6	2	-	-	1	-	1	-	-	-	-	-	
Reynolds	74	2	-	-	-	2	-	-	-	-	-	-	
White	74	2	-	-	-	2	-	-	-	-	-	-	
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	
Ripley	149	7	-	3	3	-	1	-	-	-	-	-	
White	149	7	-	3	3	-	1	-	-	-	-	-	
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	
St. Charles	1,774	18	-	11	3	2	2	-	-	-	-	-	
White	1,753	14	-	8	2	2	2	-	-	-	-	-	
Nonwhite	21	4	-	3	1	-	-	-	-	-	-	-	
St. Clair	127	1	-	1	-	-	-	-	-	-	-	-	
White	126	1	-	1	-	-	-	-	-	-	-	-	
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	
St. Francois	688	18	-	8	6	1	2	1	-	-	-	-	
White	687	18	-	8	6	1	2	1	-	-	-	-	
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	
Ste. Genevieve	272	3	-	1	2	-	-	-	-	-	-	-	
White	269	1	-	-	1	-	-	-	-	-	-	-	
Nonwhite	3	2	-	1	1	-	-	-	-	-	-	-	
St. Louis County	16,141	395	5	164	134	48	29	12	3	-	-	-	
White	15,617	247	2	101	92	27	16	7	2	-	-	-	
Nonwhite	524	148	3	63	42	21	13	5	1	-	-	-	
Saline	452	20	1	4	9	3	2	-	1	-	-	-	
White	431	10	-	3	5	2	-	-	-	-	-	-	
Nonwhite	21	10	1	1	4	1	2	-	1	-	-	-	
Schuyler	83	2	-	1	1	-	-	-	-	-	-	-	
White	83	2	-	1	1	-	-	-	-	-	-	-	
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	
Scotland	99	-	-	-	-	-	-	-	-	-	-	-	
White	99	-	-	-	-	-	-	-	-	-	-	-	
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	
Scott	794	52	1	19	11	11	4	4	2	-	-	-	
White	677	17	-	7	5	2	1	2	-	-	-	-	
Nonwhite	117	35	1	12	6	9	3	2	2	-	-	-	
Shannon	155	6	-	3	2	1	-	-	-	-	-	-	
White	155	6	-	3	2	1	-	-	-	-	-	-	
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	
Shelby	156	1	-	-	1	-	-	-	-	-	-	-	
White	152	-	-	-	-	-	-	-	-	-	-	-	
Nonwhite	4	1	-	-	1	-	-	-	-	-	-	-	
Stoddard	641	45	1	17	15	5	5	1	1	-	-	-	
White	563	19	-	7	7	3	1	1	-	-	-	-	
Nonwhite	78	26	1	10	8	2	4	-	1	-	-	-	

TABLE 11 (CONTINUED). ILLEGITIMATE RESIDENT LIVE BIRTHS BY AGE OF MOTHER AND COLOR
FOR COUNTIES AND CITIES OVER 10,000 POPULATION, MISSOURI: 1962

Counties and Cities Over 10,000 by Color	Total Live Births	Total Illegitimate Live Births	Age of Mother									Unknown
			Under 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45-49 Years	50 Years and Over	
Stone	169	6	-	3	2	1	-	-	-	-	-	-
White	169	6	-	3	2	1	-	-	-	-	-	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-
Sullivan	126	2	-	1	1	-	-	-	-	-	-	-
White	126	2	-	1	1	-	-	-	-	-	-	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-
Taney	183	6	-	1	3	1	-	1	-	-	-	-
White	183	6	-	1	3	1	-	1	-	-	-	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-
Texas	346	13	-	8	3	1	1	-	-	-	-	-
White	346	13	-	8	3	1	1	-	-	-	-	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-
Vernon	285	9	-	1	2	4	1	1	-	-	-	-
White	284	9	-	1	2	4	1	1	-	-	-	-
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-
Warren	185	9	-	4	3	2	-	-	-	-	-	-
White	175	2	-	1	-	1	-	-	-	-	-	-
Nonwhite	10	7	-	3	3	1	-	-	-	-	-	-
Washington	342	13	-	6	4	1	1	-	1	-	-	-
White	340	13	-	6	4	1	1	-	1	-	-	-
Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-
Wayne	147	6	-	3	3	-	-	-	-	-	-	-
White	147	6	-	3	3	-	-	-	-	-	-	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-
Webster	263	5	-	3	2	-	-	-	-	-	-	-
White	263	5	-	3	2	-	-	-	-	-	-	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-
Worth	58	1	-	1	-	-	-	-	-	-	-	-
White	58	1	-	1	-	-	-	-	-	-	-	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-
Wright	279	11	-	8	1	2	-	-	-	-	-	-
White	277	11	-	8	1	2	-	-	-	-	-	-
Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-
Cities over 10,000:												
Bellefontaine Neighbors	89	-	-	-	-	-	-	-	-	-	-	-
White	89	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-
Berkeley	498	5	-	4	1	-	-	-	-	-	-	-
White	496	4	-	3	1	-	-	-	-	-	-	-
Nonwhite	2	1	-	1	-	-	-	-	-	-	-	-
Brentwood	339	11	1	3	4	1	1	1	-	-	-	-
White	329	9	1	3	2	1	1	1	-	-	-	-
Nonwhite	10	2	-	-	2	-	-	-	-	-	-	-
Cape Girardeau City	535	20	1	8	2	6	3	-	-	-	-	-
White	516	14	1	5	2	5	1	-	-	-	-	-
Nonwhite	19	6	-	3	-	1	2	-	-	-	-	-
Carthage	235	6	-	1	2	2	1	-	-	-	-	-
White	230	5	-	-	2	2	1	-	-	-	-	-
Nonwhite	5	1	-	1	-	-	-	-	-	-	-	-
Clayton	161	2	-	-	1	1	-	-	-	-	-	-
White	159	2	-	-	1	1	-	-	-	-	-	-
Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-
Columbia	911	50	6	25	8	6	3	2	-	-	-	-
White	811	14	-	6	4	3	-	1	-	-	-	-
Nonwhite	100	36	6	19	4	3	3	1	-	-	-	-
Crestwood	221	-	-	-	-	-	-	-	-	-	-	-
White	220	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-
Ferguson	529	8	1	4	3	-	-	-	-	-	-	-
White	528	7	-	4	3	-	-	-	-	-	-	-
Nonwhite	1	1	1	-	-	-	-	-	-	-	-	-
Florissant	1,547	8	-	4	2	1	1	-	-	-	-	-
White	1,547	8	-	4	2	1	1	-	-	-	-	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-
Fulton	168	15	-	10	5	-	-	-	-	-	-	-
White	136	1	-	-	1	-	-	-	-	-	-	-
Nonwhite	32	14	-	10	4	-	-	-	-	-	-	-
Gladstone	185	2	-	1	-	-	1	-	-	-	-	-
White	185	2	-	1	-	-	1	-	-	-	-	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-
Hannibal	402	20	-	6	8	1	1	3	1	-	-	-
White	377	13	-	4	6	-	-	3	-	-	-	-
Nonwhite	25	7	-	2	2	1	1	-	1	-	-	-
Independence	2,147	49	1	23	15	7	2	1	-	-	-	-
White	2,132	42	1	20	13	5	2	1	-	-	-	-
Nonwhite	15	7	-	3	2	2	-	-	-	-	-	-
Jefferson City	519	13	-	5	5	2	1	-	-	-	-	-
White	493	11	-	5	5	1	-	-	-	-	-	-
Nonwhite	26	2	-	-	-	1	1	-	-	-	-	-

TABLE 11 (CONTINUED). ILLEGITIMATE RESIDENT LIVE BIRTHS BY AGE OF MOTHER AND COLOR
FOR COUNTIES AND CITIES OVER 10,000 POPULATION, MISSOURI: 1962

Counties and Cities Over 10,000 by Color	Total Live Births	Total Illegitimate Live Births	Age of Mother									Unknown
			Under 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45-49 Years	50 Years and Over	
Jennings	318	5	-	-	2	2	-	1	-	-	-	-
White	318	5	-	-	2	2	-	1	-	-	-	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-
Joplin	762	23	-	13	6	1	2	1	-	-	-	-
White	744	18	-	10	6	-	2	-	-	-	-	-
Nonwhite	18	5	-	3	-	1	-	1	-	-	-	-
Kansas City	12,160	1,190	21	387	357	211	120	74	19	1	-	-
White	9,000	274	6	96	86	48	17	16	5	-	-	-
Nonwhite	3,160	916	15	291	271	163	103	58	14	1	-	-
Kirksville	320	12	1	6	4	1	-	-	-	-	-	-
White	319	12	1	6	4	1	-	-	-	-	-	-
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-
Kirkwood	602	21	-	9	7	1	4	-	-	-	-	-
White	529	4	-	2	1	1	-	-	-	-	-	-
Nonwhite	73	17	-	7	6	-	4	-	-	-	-	-
Maplewood	242	6	-	3	3	-	-	-	-	-	-	-
White	240	6	-	3	3	-	-	-	-	-	-	-
Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-
Mexico	269	19	1	8	9	1	-	-	-	-	-	-
White	231	4	-	3	1	-	-	-	-	-	-	-
Nonwhite	38	15	1	5	8	1	-	-	-	-	-	-
Moberly	211	14	-	3	5	5	-	-	1	-	-	-
White	194	4	-	1	3	-	-	-	-	-	-	-
Nonwhite	17	10	-	2	2	5	-	-	1	-	-	-
Overland	760	13	-	3	5	3	1	1	-	-	-	-
White	751	12	-	3	4	3	1	1	-	-	-	-
Nonwhite	9	1	-	-	1	-	-	-	-	-	-	-
Poplar Bluff	374	25	-	15	3	1	4	2	-	-	-	-
White	345	15	-	9	2	-	2	2	-	-	-	-
Nonwhite	29	10	-	6	1	1	2	-	-	-	-	-
Raytown	490	2	-	1	1	-	-	-	-	-	-	-
White	490	2	-	1	1	-	-	-	-	-	-	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-
Richmond Heights	279	8	-	4	1	2	1	-	-	-	-	-
White	253	3	-	1	-	1	1	-	-	-	-	-
Nonwhite	26	5	-	3	1	1	-	-	-	-	-	-
Rolla	279	12	-	5	4	3	-	-	-	-	-	-
White	279	12	-	5	4	3	-	-	-	-	-	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-
St. Ann	491	2	-	-	2	-	-	-	-	-	-	-
White	491	2	-	-	2	-	-	-	-	-	-	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-
St. Charles	903	9	-	7	-	2	-	-	-	-	-	-
White	891	7	-	5	-	2	-	-	-	-	-	-
Nonwhite	12	2	-	2	-	-	-	-	-	-	-	-
St. Joseph	1,749	74	1	26	29	12	4	1	1	-	-	-
White	1,685	57	1	23	21	7	3	1	1	-	-	-
Nonwhite	64	17	-	3	8	5	1	-	-	-	-	-
St. Louis City	17,325	2,517	66	856	730	418	269	147	28	3	-	-
White	10,186	371	8	122	134	52	36	14	5	-	-	-
Nonwhite	7,139	2,146	58	734	596	366	233	133	23	3	-	-
Sedalia	516	35	-	14	8	9	3	1	-	-	-	-
White	469	15	-	4	6	4	1	-	-	-	-	-
Nonwhite	47	20	-	10	2	5	2	1	-	-	-	-
Sikeston	358	27	1	7	4	7	3	3	2	-	-	-
White	287	4	-	1	-	1	1	1	-	-	-	-
Nonwhite	71	23	1	6	4	6	2	2	2	-	-	-
Springfield	1,942	67	1	31	20	7	4	2	1	-	-	1
White	1,886	53	-	24	16	5	4	2	1	-	-	1
Nonwhite	56	14	1	7	4	2	-	-	-	-	-	-
University City	644	7	-	4	3	-	-	-	-	-	-	-
White	642	7	-	4	3	-	-	-	-	-	-	-
Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-
Webster Groves	424	15	-	6	3	2	2	2	-	-	-	-
White	384	8	-	4	1	1	1	1	-	-	-	-
Nonwhite	40	7	-	2	2	1	1	1	-	-	-	-
Incl. in Above Cities:												
Hannibal-Ralls	2	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-
Joplin-Newton	48	-	-	-	-	-	-	-	-	-	-	-
White	48	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-
Kansas City-Clay	1,101	14	1	8	3	2	-	-	-	-	-	-
White	1,099	13	1	7	3	2	-	-	-	-	-	-
Nonwhite	2	1	-	1	-	-	-	-	-	-	-	-
Kansas City-Platte	108	1	1	-	-	-	-	-	-	-	-	-
White	108	1	1	-	-	-	-	-	-	-	-	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-
Sikeston-New Madrid	3	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-

TABLE 12. RESIDENT FETAL DEATHS AND FETAL DEATH RATES FOR COUNTIES AND CITIES WITH POPULATION OVER 10,000, MISSOURI: 1958-1962

Counties and Cities over 10,000	Number					Rates Per 1,000 Live Births				
	1962	1961	1960	1959	1958	1962	1961	1960	1959	1958
State Total	1,413	1,433	1,483	1,514	1,556	15.1	14.7	15.2	15.4	16.1
Cities over 10,000	789	817	770	863	837					
Rural	624	616	713	651	719					
Counties incl. Cities over 10,000:										
Adair	6	6	-	7	12	13.3	13.5	-	14.5	27.3
Andrew	3	4	4	1	1	17.2	21.2	20.6	5.6	5.7
Atchison	1	2	1	-	4	7.5	11.5	7.8	-	26.7
Audrain	10	10	7	5	8	19.0	17.6	12.2	8.7	14.2
Barry	1	6	4	7	2	2.9	16.3	11.4	20.7	6.3
Barton	2	-	3	2	1	11.5	-	19.1	12.0	5.4
Bates	3	6	2	4	5	10.7	23.8	7.7	14.9	19.8
Benton	3	1	1	2	4	24.6	7.4	8.5	15.7	31.0
Bollinger	1	2	1	2	3	6.8	11.3	7.5	12.5	17.6
Boone	19	12	16	9	16	13.3	8.7	11.3	6.4	12.9
Buchanan	25	33	31	21	35	12.5	16.7	15.7	10.7	18.1
Butler	9	10	4	11	19	13.0	13.0	6.0	15.9	27.1
Caldwell	2	3	4	2	1	14.7	22.7	29.4	13.6	8.1
Callaway	6	6	7	11	5	14.1	13.7	17.8	22.2	11.7
Camden	2	1	1	2	-	14.8	6.7	8.1	15.3	-
Cape Girardeau	14	12	11	14	10	16.3	14.1	13.0	18.0	11.9
Carroll	4	4	2	3	4	19.5	18.2	8.0	12.4	17.2
Carter	2	-	2	-	2	27.4	-	25.6	-	31.3
Cass	9	3	8	9	10	14.1	5.3	12.1	13.4	16.2
Cedar	2	2	2	3	1	12.4	12.7	12.3	24.4	6.7
Chariton	-	-	4	3	3	-	-	17.6	15.5	14.0
Christian	3	-	2	3	1	14.3	-	8.5	14.4	4.5
Clark	1	1	2	-	3	6.2	5.6	12.0	-	16.8
Clay	32	17	27	21	27	14.6	7.6	12.2	10.2	14.3
Clinton	2	4	3	4	-	10.8	18.6	15.0	19.4	-
Cole	10	12	13	9	11	11.5	13.3	15.3	10.9	13.5
Cooper	5	4	4	2	3	17.6	14.3	12.9	6.8	10.1
Crawford	2	7	3	5	10	8.6	27.6	12.1	18.7	39.1
Dade	-	2	-	1	2	-	18.0	-	10.4	19.2
Dallas	3	1	2	1	3	21.3	8.1	16.4	6.2	21.6
Daviess	1	2	-	3	5	6.7	14.4	-	22.9	34.0
DeKalb	1	1	2	4	1	9.3	9.1	16.7	40.4	7.9
Dent	3	2	3	2	2	16.0	8.9	16.8	9.4	10.4
Douglas	-	2	4	-	4	-	13.0	23.0	-	25.8
Dunklin	5	17	8	11	14	6.3	18.1	9.1	13.3	15.6
Franklin	10	18	16	7	12	9.2	15.7	14.5	6.5	11.5
Gasconade	-	4	2	5	-	-	18.9	9.4	24.2	-
Gentry	1	2	1	2	5	6.8	12.8	7.2	14.5	37.0
Greene	34	30	42	37	29	13.2	11.1	15.6	14.0	11.9
Grundy	1	4	4	4	6	4.9	20.5	19.5	22.2	30.8
Harrison	2	6	4	2	4	10.7	30.8	20.7	9.2	18.5
Henry	5	4	4	4	9	14.9	12.3	11.8	11.7	27.1
Hickory	1	-	-	2	2	19.2	-	-	32.3	40.8
Holt	3	2	4	2	5	23.8	17.4	31.0	17.9	38.8
Howard	2	3	2	3	3	8.7	14.6	9.7	14.6	15.5
Howell	6	5	3	5	3	13.5	11.5	6.8	11.1	7.2
Iron	2	1	5	3	4	13.4	6.3	31.4	18.8	25.2
Jackson	219	217	228	249	234	14.5	13.8	14.2	15.6	15.0
Jasper	19	27	18	22	30	12.4	16.7	11.3	13.4	18.5
Jefferson	20	19	33	30	20	11.5	10.9	19.4	19.0	13.3
Johnson	12	11	7	11	7	23.3	20.0	14.0	21.6	12.5
Knox	3	1	2	2	3	29.7	8.8	14.8	13.8	25.0
Laclede	3	3	9	5	4	7.9	7.6	23.6	11.9	10.7
Lafayette	1	3	5	7	6	2.2	6.3	10.9	15.6	13.8
Lawrence	9	2	11	6	3	22.4	5.1	28.8	15.6	8.4
Lewis	4	7	4	2	4	17.7	31.5	17.9	8.6	18.9
Lincoln	4	9	3	8	4	12.9	28.3	10.8	24.5	13.9
Linn	3	3	4	3	3	12.4	12.2	14.2	10.8	10.2
Livingston	2	4	2	3	2	7.1	13.3	7.4	10.0	6.9
McDonald	5	2	5	1	2	25.8	10.4	23.3	5.0	9.7
Macon	3	3	4	2	4	12.0	11.2	14.5	7.4	15.7
Madison	3	3	4	4	5	18.4	15.5	23.4	24.1	23.3
Maries	2	3	-	3	3	15.6	25.9	-	20.0	22.2
Marion	7	9	6	8	13	12.0	13.9	10.0	11.4	21.9
Mercer	-	1	1	1	1	-	11.1	14.7	10.8	11.9
Miller	7	2	7	-	5	24.8	6.5	23.4	-	19.1
Mississippi	14	8	11	12	10	26.6	14.3	20.1	19.8	19.1
Moniteau	1	3	2	5	1	5.4	16.1	10.5	23.1	5.3
Monroe	1	-	4	2	5	5.6	-	18.6	10.1	26.7
Montgomery	4	7	3	4	1	19.1	31.8	13.2	17.2	4.5

TABLE 12 (CONTINUED). RESIDENT FETAL DEATHS AND FETAL DEATH RATES FOR COUNTIES AND CITIES WITH POPULATION OVER 10,000, MISSOURI: 1958-1962

Counties and Cities over 10,000	Number					Rates Per 1,000 Live Births				
	1962	1961	1960	1959	1958	1962	1961	1960	1959	1958
Morgan	2	1	2	3	2	14.2	6.0	13.9	20.1	12.7
New Madrid	18	11	18	9	11	23.4	13.6	20.2	11.0	13.5
Newton	11	9	5	7	9	18.0	15.4	8.3	12.2	15.4
Nodaway	1	6	5	9	8	2.5	14.9	12.5	19.8	19.2
Oregon	2	1	2	-	2	14.8	6.6	12.8	-	12.6
Osage	3	1	2	4	1	12.6	4.4	7.8	17.5	4.2
Ozark	-	-	2	1	1	-	-	17.2	11.0	8.3
Pemiscot	30	28	28	20	21	29.6	27.9	26.8	19.6	20.7
Perry	4	3	2	4	2	10.7	9.5	6.2	11.2	5.7
Pettis	12	11	17	9	15	16.6	13.9	22.5	11.7	19.1
Phelps	5	9	4	13	13	8.1	14.9	6.7	19.3	20.2
Pike	5	6	5	4	5	15.1	15.8	13.0	9.6	14.8
Platte	8	10	10	4	4	14.5	17.1	18.6	7.3	8.7
Polk	3	2	2	4	5	16.0	10.6	9.8	20.8	25.0
Pulaski	2	2	7	4	5	4.0	3.7	14.1	9.2	8.9
Putnam	1	5	2	1	1	8.8	42.7	17.4	9.3	8.5
Ralls	1	2	3	-	2	6.3	13.6	30.6	-	15.2
Randolph	3	1	6	4	7	7.8	2.3	14.7	9.4	17.8
Ray	4	8	5	7	6	13.1	22.6	18.2	23.3	22.1
Reynolds	4	-	-	1	1	54.1	-	-	14.7	12.8
Ripley	2	1	1	4	3	13.4	6.3	6.0	30.1	23.1
St. Charles	25	10	17	19	21	14.1	5.6	9.7	12.3	15.6
St. Clair	2	4	1	1	3	15.7	34.8	8.5	7.5	27.3
St. Francois	8	7	8	7	15	11.6	9.6	11.3	9.3	18.8
Ste. Genevieve	3	2	4	2	7	11.0	6.7	12.8	6.9	24.1
St. Louis County	208	221	227	204	195	12.9	13.5	13.8	12.4	12.2
Saline	9	6	7	6	10	19.9	13.5	15.7	14.5	23.5
Schuyler	2	1	2	1	2	24.1	10.3	25.6	10.3	23.3
Scotland	2	2	1	1	2	20.2	19.0	8.5	9.0	18.0
Scott	14	12	5	9	16	17.6	14.3	6.0	11.0	21.1
Shannon	2	2	3	2	5	12.9	13.2	20.8	12.9	38.5
Shelby	2	3	7	-	2	12.8	20.5	45.2	-	12.2
Stoddard	3	9	4	7	14	4.7	14.3	6.3	11.6	24.6
Stone	4	2	1	1	4	23.7	10.9	6.6	7.2	27.2
Sullivan	3	1	1	3	3	23.8	8.8	7.6	20.5	22.2
Taney	3	3	4	2	7	16.4	17.0	22.1	11.2	37.0
Texas	3	2	6	5	4	8.7	5.0	17.1	12.4	11.2
Vernon	6	3	3	4	3	21.1	9.5	10.7	13.2	10.5
Warren	1	-	5	1	1	5.4	-	33.1	5.6	6.2
Washington	8	3	3	8	8	23.4	8.9	8.5	24.6	20.9
Wayne	1	1	1	4	1	6.8	6.3	7.1	27.0	6.8
Webster	2	5	2	2	5	7.6	18.1	6.8	7.3	20.4
Worth	-	-	4	-	1	-	-	71.4	-	16.1
Wright	1	2	9	2	5	3.6	7.9	31.7	7.6	18.2
Cities over 10,000:										
Bellefontaine Neighbors	2	1	NA	NA	NA					
Berkeley	3	6	NA	NA	NA					
Brentwood	4	5	NA	NA	NA					
Cape Girardeau City	9	5	7	9	6					
Carthage	2	3	4	2	4					
Clayton	-	2	1	3	2					
Columbia	15	7	8	2	12					
Crestwood	3	3	NA	NA	NA					
Ferguson	8	4	8	9	6					
Florissant	21	17	NA	NA	NA					
Fulton	-	3	4	3	-					
Gladstone	4	1	NA	NA	NA					
Hannibal	4	6	5	6	10					
Independence	18	17	34	19	21					
Jefferson City	4	7	9	4	8					
Jennings	2	1	4	1	1					
Joplin	10	14	11	12	15					
Kansas City	156	173	155	213	200					
Kirksville	4	6	-	5	9					
Kirkwood	10	11	14	6	9					
Maplewood	6	6	7	2	-					
Mexico	5	2	3	1	3					
Moberly	2	1	5	2	3					
Overland	9	10	7	6	7					
Poplar Bluff	4	7	2	8	8					
Raytown	4	8	NA	NA	NA					
Richmond Heights	7	3	3	5	8					
Rolla	2	-	NA	NA	NA					
St. Ann	8	9	NA	NA	NA					
St. Charles	8	5	8	12	10					
St. Joseph	23	31	29	18	25					

NA - Not Available

TABLE 12 (CONTINUED). RESIDENT FETAL DEATHS AND FETAL DEATH RATES FOR COUNTIES AND CITIES WITH POPULATION OVER 10,000, MISSOURI: 1958-1962

Counties and Cities over 10,000	Number					Rates Per 1,000 Live Births				
	1962	1961	1960	1959	1958	1962	1961	1960	1959	1958
St. Louis City	375	394	382	461	414	21.6	21.3	19.7	22.7	19.8
Sedalia	11	9	10	7	12					
Sikeston	8	5	3	6	3					
Springfield	29	22	30	28	26					
University City	1	9	13	6	9					
Webster Groves	8	4	4	7	6					
Incl. in Above Cities:										
Hannibal-Ralls	-	-	-	-	-					
Joplin-Newton	2	1	1	-	1					
Kansas City-Clay	11	8	11	7	10					
Sikeston-New Madrid	-	-	-	-	-					
Kansas City-Platte	2	-	NA	NA	NA					

NA - Not Available

TABLE 13 RESIDENT AND RECORDED FETAL DEATHS BY COLOR AND WEIGHT, MISSOURI: 1962

Weight	Resident			Recorded		
	Total	White	Nonwhite	Total	White	Nonwhite
2 Pounds 3 Ounces or Less	259	183	76	257	186	71
2 Pounds 4 Ounces - 3 Pounds 4 Ounces	141	101	40	147	108	39
3 Pounds 5 Ounces - 4 Pounds 6 Ounces	123	79	44	116	76	40
4 Pounds 7 Ounces - 5 Pounds 8 Ounces	183	145	38	185	147	38
5 Pounds 9 Ounces - 6 Pounds 9 Ounces	149	110	39	157	119	38
6 Pounds 10 Ounces - 7 Pounds 11 Ounces	173	150	23	180	154	26
7 Pounds 12 Ounces - 8 Pounds 13 Ounces	80	70	10	80	71	9
8 Pounds 14 Ounces - 9 Pounds 14 Ounces	36	31	5	37	32	5
9 Pounds 15 Ounces or More	30	24	6	30	24	6
Unknown or Not Stated	239	177	62	261	190	71
Total	1,413	1,070	343	1,450	1,107	343

TABLE 14. RESIDENT FETAL DEATHS BY COLOR, ATTENDANT, COUNTY AND CITY, MISSOURI: 1962

Counties and Cities over 10,000	Grand Total	Total		M.D.		D.O.		Midwife		Other	
		White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
State Total	1,413	1,070	343	932	307	125	11	1	1	12	24
Cities over 10,000	789	498	291	446	263	43	4	-	-	9	24
Rural	624	572	52	486	44	82	7	1	1	3	-
Counties incl. Cities over 10,000:											
Adair	6	6	-	3	-	3	-	-	-	-	-
Andrew	3	3	-	3	-	-	-	-	-	-	-
Atchison	1	1	-	1	-	-	-	-	-	-	-
Audrain	10	9	1	9	-	-	1	-	-	-	-
Barry	1	1	-	1	-	-	-	-	-	-	-
Barton	2	2	-	2	-	-	-	-	-	-	-
Bates	3	3	-	3	-	-	-	-	-	-	-
Benton	3	3	-	2	-	1	-	-	-	-	-
Bollinger	1	1	-	-	-	1	-	-	-	-	-
Boone	19	16	3	15	3	-	-	-	-	1	-
Buchanan	25	24	1	20	1	4	-	-	-	-	-
Butler	9	7	2	6	2	-	-	-	-	1	-
Caldwell	2	2	-	2	-	-	-	-	-	-	-
Callaway	6	6	-	5	-	1	-	-	-	-	-
Camden	2	2	-	-	-	2	-	-	-	-	-
Cape Girardeau	14	14	-	13	-	1	-	-	-	-	-
Carroll	4	1	3	-	1	1	2	-	-	-	-
Carter	2	2	-	2	-	-	-	-	-	-	-
Cass	9	9	-	7	-	2	-	-	-	-	-
Cedar	2	2	-	2	-	-	-	-	-	-	-
Chariton	-	-	-	-	-	-	-	-	-	-	-
Christian	3	3	-	3	-	-	-	-	-	-	-
Clark	1	1	-	1	-	-	-	-	-	-	-
Clay	32	32	-	28	-	4	-	-	-	-	-
Clinton	2	2	-	2	-	-	-	-	-	-	-
Cole	10	10	-	9	-	1	-	-	-	-	-
Cooper	5	4	1	4	1	-	-	-	-	-	-
Crawford	2	2	-	2	-	-	-	-	-	-	-
Dade	-	-	-	-	-	-	-	-	-	-	-
Dallas	3	3	-	3	-	-	-	-	-	-	-
Daviess	1	1	-	-	-	1	-	-	-	-	-
DeKalb	1	1	-	1	-	-	-	-	-	-	-
Dent	3	3	-	2	-	1	-	-	-	-	-
Douglas	-	-	-	-	-	-	-	-	-	-	-
Dunklin	5	5	-	5	-	-	-	-	-	-	-
Franklin	10	9	1	9	-	-	1	-	-	-	-
Gasconade	-	-	-	-	-	-	-	-	-	-	-
Gentry	1	1	-	1	-	-	-	-	-	-	-
Greene	34	34	-	32	-	2	-	-	-	-	-
Grundy	1	1	-	1	-	-	-	-	-	-	-
Harrison	2	2	-	1	-	1	-	-	-	-	-
Henry	5	5	-	4	-	1	-	-	-	-	-
Hickory	1	1	-	1	-	-	-	-	-	-	-
Holt	3	3	-	1	-	2	-	-	-	-	-
Howard	2	1	1	1	1	-	-	-	-	-	-
Howell	6	6	-	6	-	-	-	-	-	-	-
Iron	2	2	-	2	-	-	-	-	-	-	-
Jackson	219	159	60	137	55	21	3	-	-	1	2
Jasper	19	19	-	18	-	1	-	-	-	-	-
Jefferson	20	20	-	20	-	-	-	-	-	-	-
Johnson	12	11	1	10	1	1	-	-	-	-	-
Knox	3	3	-	1	-	2	-	-	-	-	-
Laclede	3	3	-	3	-	-	-	-	-	-	-
Lafayette	1	1	-	1	-	-	-	-	-	-	-
Lawrence	9	9	-	6	-	3	-	-	-	-	-
Lewis	4	4	-	3	-	1	-	-	-	-	-
Lincoln	4	4	-	4	-	-	-	-	-	-	-
Linn	3	3	-	1	-	2	-	-	-	-	-
Livingston	2	2	-	1	-	1	-	-	-	-	-
McDonald	5	5	-	3	-	2	-	-	-	-	-
Macon	3	3	-	1	-	2	-	-	-	-	-
Madison	3	3	-	3	-	-	-	-	-	-	-
Maries	2	2	-	1	-	1	-	-	-	-	-
Marion	7	6	1	6	1	-	-	-	-	-	-
Mercer	-	-	-	-	-	-	-	-	-	-	-
Miller	7	7	-	2	-	5	-	-	-	-	-
Mississippi	14	9	5	4	4	5	1	-	-	-	-
Moniteau	1	1	-	1	-	-	-	-	-	-	-
Monroe	1	1	-	1	-	-	-	-	-	-	-
Montgomery	4	3	1	3	1	-	-	-	-	-	-

TABLE 14 (CONTINUED). RESIDENT FETAL DEATHS BY COLOR, ATTENDANT, COUNTY AND CITY,
MISSOURI: 1962

Counties and Cities over 10,000	Grand Total	Total		M.D.		D.O.		Midwife		Other	
		White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Morgan	2	2	-	2	-	-	-	-	-	-	-
New Madrid	18	12	6	9	4	3	1	-	1	-	-
Newton	11	11	-	6	-	4	-	-	-	1	-
Nodaway	1	1	-	1	-	-	-	-	-	-	-
Oregon	2	2	-	1	-	1	-	-	-	-	-
Osage	3	3	-	1	-	2	-	-	-	-	-
Ozark	-	-	-	-	-	-	-	-	-	-	-
Pemiscot	30	12	18	12	17	-	1	-	-	-	-
Perry	4	4	-	4	-	-	-	-	-	-	-
Pettis	12	8	4	7	4	1	-	-	-	-	-
Phelps	5	5	-	4	-	1	-	-	-	-	-
Pike	5	5	-	4	-	1	-	-	-	-	-
Platte	8	7	1	6	-	1	1	-	-	-	-
Polk	3	3	-	3	-	-	-	-	-	-	-
Pulaski	2	2	-	1	-	1	-	-	-	-	-
Putnam	1	1	-	-	-	1	-	-	-	-	-
Ralls	1	-	1	-	1	-	-	-	-	-	-
Randolph	3	2	1	2	1	-	-	-	-	-	-
Ray	4	4	-	4	-	-	-	-	-	-	-
Reynolds	4	4	-	4	-	-	-	-	-	-	-
Ripley	2	2	-	2	-	-	-	-	-	-	-
St. Charles	25	25	-	21	-	4	-	-	-	-	-
St. Clair	2	2	-	2	-	-	-	-	-	-	-
St. Francois	8	8	-	8	-	-	-	-	-	-	-
Ste. Genevieve	3	2	1	1	1	1	-	-	-	-	-
St. Louis County	208	189	19	178	19	11	-	-	-	-	-
Saline	9	8	1	8	1	-	-	-	-	-	-
Schuyler	2	2	-	1	-	1	-	-	-	-	-
Scotland	2	2	-	-	-	2	-	-	-	-	-
Scott	14	11	3	9	3	2	-	-	-	-	-
Shannon	2	2	-	1	-	1	-	-	-	-	-
Shelby	2	2	-	1	-	1	-	-	-	-	-
Stoddard	3	2	1	2	1	-	-	-	-	-	-
Stone	4	4	-	4	-	-	-	-	-	-	-
Sullivan	3	3	-	1	-	2	-	-	-	-	-
Taney	3	3	-	3	-	-	-	-	-	-	-
Texas	3	3	-	1	-	2	-	-	-	-	-
Vernon	6	6	-	6	-	-	-	-	-	-	-
Warren	1	1	-	1	-	-	-	-	-	-	-
Washington	8	8	-	4	-	2	-	1	-	1	-
Wayne	1	1	-	1	-	-	-	-	-	-	-
Webster	2	2	-	1	-	1	-	-	-	-	-
Worth	-	-	-	-	-	-	-	-	-	-	-
Wright	1	1	-	1	-	-	-	-	-	-	-
Cities over 10,000:											
Bellefontaine Neighbors	2	2	-	2	-	-	-	-	-	-	-
Berkeley	3	3	-	3	-	-	-	-	-	-	-
Brentwood	4	4	-	3	-	1	-	-	-	-	-
Cape Girardeau City	9	9	-	8	-	1	-	-	-	-	-
Carthage	2	2	-	2	-	-	-	-	-	-	-
Clayton	-	-	-	-	-	-	-	-	-	-	-
Columbia	15	12	3	11	3	-	-	-	-	1	-
Crestwood	3	3	-	3	-	-	-	-	-	-	-
Ferguson	8	8	-	7	-	1	-	-	-	-	-
Florissant	21	21	-	17	-	4	-	-	-	-	-
Fulton	-	-	-	-	-	-	-	-	-	-	-
Gladstone	4	4	-	3	-	1	-	-	-	-	-
Hannibal	4	3	1	3	1	-	-	-	-	-	-
Independence	18	18	-	13	-	4	-	-	-	-	-
Jefferson City	4	4	-	3	-	1	-	-	-	-	-
Jennings	2	2	-	1	-	1	-	-	-	-	-
Joplin	10	10	-	8	-	2	-	-	-	-	-
Kansas City	156	96	60	85	55	11	3	-	-	-	2
Kirksville	4	4	-	2	-	2	-	-	-	-	-
Kirkwood	10	2	8	2	8	-	-	-	-	-	-
Maplewood	6	6	-	5	-	1	-	-	-	-	-
Mexico	5	4	1	4	-	-	1	-	-	-	-
Moberly	2	1	1	1	1	-	-	-	-	-	-
Overland	9	9	-	8	-	1	-	-	-	-	-
Poplar Bluff	4	3	1	3	1	-	-	-	-	-	-
Raytown	4	4	-	4	-	-	-	-	-	-	-
Richmond Heights	7	5	2	5	2	-	-	-	-	-	-
Rolla	2	2	-	1	-	1	-	-	-	-	-
St. Ann	8	8	-	8	-	-	-	-	-	-	-
St. Charles	8	8	-	7	-	1	-	-	-	-	-
St. Joseph	23	22	1	18	1	4	-	-	-	-	-

TABLE 14 (CONTINUED). RESIDENT FETAL DEATHS BY COLOR, ATTENDANT, COUNTY AND CITY,
MISSOURI: 1962

Counties and Cities over 10,000	Grand Total	Total		M.D.		D.O.		Midwife		Other	
		White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
St. Louis City	375	169	206	159	184	3	-	-	-	7	22
Sedalia	11	7	4	6	4	1	-	-	-	-	-
Sikeston	8	5	3	5	3	-	-	-	-	-	-
Springfield	29	29	-	27	-	2	-	-	-	-	-
University City	1	1	-	1	-	-	-	-	-	-	-
Webster Groves	8	8	-	8	-	-	-	-	-	-	-
Incl. in Above Cities:											
Hannibal-Ralls	-	-	-	-	-	-	-	-	-	-	-
Joplin-Newton	2	2	-	1	-	1	-	-	-	-	-
Kansas City-Clay	11	11	-	11	-	-	-	-	-	-	-
Sikeston-New Madrid	-	-	-	-	-	-	-	-	-	-	-
Kansas City-Platte	2	2	-	2	-	-	-	-	-	-	-

GUIDE TO TABLES

CONTENT

GEOGRAPHIC AREAS

State

Counties

Cities, over 10,000 population

Cities, over 2,500 population

Rural

CHARACTERISTICS

Age of Father

Age of Mother

Attendant

Births, Live

Rates

Color

Death Rates

Deformities

Fetal Deaths

Rates

Illegitimacy

Rates

Month of Birth

Place of Delivery (Hospital, etc.)

Population

Race (See Color)

Recorded Data

Resident Data

Sex

Weight at Birth

Trends

[illegible]

MISSOURI VITAL STATISTICS, 1962

PART 1. N A T A L I T Y A N D
F E T A L D E A T H S

PART 2. M O R T A L I T Y


PART 3. A C C I D E N T A L D E A T H S

PART 4. M A R R I A G E A N D D I V O R C E

Department of Public Health and Welfare

MISSOURI DIVISION OF HEALTH
Statistical Services

State Office Building
Jefferson City, Missouri

A black and white photograph of the Missouri State Capitol building, featuring a large dome and classical columns. The building is set against a sky with scattered clouds. The image is used as a background for the report cover.

**M
I
S
S
O
U
R
I**

Mortality
PART 2

1962

PUBLIC HEALTH STATISTICS
VITAL STATISTICS

DEPARTMENT OF PUBLIC HEALTH AND WELFARE OF MISSOURI
DIVISION OF HEALTH

C O V E R

Photo by WALKER - MISSOURI DIVISION OF COMMERCE AND INDUSTRIAL DEVELOPMENT

Layout by DIVISION OF HEALTH

MISSOURI

PUBLIC HEALTH STATISTICS

PART 2 - MORTALITY

1962

by

STATISTICAL SERVICES

June, 1963

Department of Public Health and Welfare

MISSOURI DIVISION OF HEALTH

Statistical Services

Jefferson City, Missouri

P R E F A C E

This is one of four separately issued parts of the Public Health Statistics, Vital Statistics of Missouri, 1962. These replace the single edition of Vital Statistics published in subsequent years, 1949-1961. This is being done for several reasons: First, the data is processed in parts and printing in parts allows faster reporting. Secondly, demands for information vary, and printing separate parts allows more control over printing costs. Thirdly, this represents a change, a chance to do it different. In connection with this, comments from readers are welcome. Each part contains a statistical summary with general tables, charts, and graphs. The back cover indicates the type of data contained in each part.

If further statistical information is desired, such as more detailed breakdowns of the information contained in the report or copies of the enclosed data, such information may be obtained by contacting the Missouri Division of Health.

Statistical Services

June, 1963

DEFINITIONS

MORTALITY DATA

The data for this report were tabulated from the information appearing on the original death certificates for occurrences of events during the calendar year, 1962; and filed with the Vital Records Office of the Missouri Division of Health. Fetal deaths were excluded.

CAUSE OF DEATH CLASSIFICATION

The causes of death presented here were classified in accordance with the World Health Organization Regulations, nee "Manual of the International Statistical Classification of Diseases and Causes of Death", based on the recommendations of the Seventh Revision Conference, 1955.

RACE AND COLOR

The category "white" includes, in addition to persons reported as "white", those reported as Mexican, Puerto Rican, Chinese, Japanese, Indian, except Negro. In other words, persons reported as "Negro" are recorded as "nonwhite"; all other classes are recorded as "white". Any person reported as a mixed race which includes "Negro" is recorded as "nonwhite".

RESIDENT AND RECORDED

Vital statistics are presented in two forms "Resident" and "Recorded". It is important to understand the significance of these terms when analyzing vital statistics. As an example, this report shows infant deaths as follows:

Resident infant deaths, City of Springfield	-	63
Recorded infant deaths, City of Springfield	-	107
Resident infant deaths, Washington County	-	14
Recorded infant deaths, Washington County	-	2

What accounts for the difference in the above figures?

The difference seen in these data are between the resident and recorded deaths of an area mainly due to the facilities of the areas. If one is interested in the medical care given during delivery of a baby that later died, then he is interested in "recorded" data. If he is interested in the prenatal care given this baby, then he requires "resident" data. "Recorded" data are based on the number of events that occur in an area. "Resident" data are compiled for events that relate to persons residing in the area independent of where the events occurred. In the case of an infant death, the residence of the mother is considered the residence of the child.

The majority of information in this report are "resident" data.

POPULATION - BASES FOR COMPUTING RATES

Population data used for computing rates shown in this report were obtained from the following sources: Population estimates, 1911-1950 taken from United States Bureau of the Census Release, Series P-25, No. 139, June 27, 1956; 1960 population taken from United States Census of Population, Missouri, "General Characteristics", PC(1) 27B; 1951-1959 and 1961-1962, as computed by the Missouri Division of Health, Statistical Services. The components used to compute the July 1, 1961, and July 1, 1962 estimates* were the net change, natural increase, and net migration. The net migration is based upon the experience during the period, 1950-1960.

*Adjusted July, 1963.

PREFACE

DEFINITIONS

TABLE OF CONTENTS

	Page
Mortality Summary	1
Birth & Death Trends	1
Deaths by Age	1
Leading Causes of Death	2
Chronic Diseases	3
Infectious Diseases	5
External Causes of Death	7
Infant Mortality	7
Maternal Mortality	8

Summary Charts & Tables

	Page
Chart A Live Birth and Death Rates, Missouri: 1911-1962	1
Chart B Death Rates by Age Groups, Missouri: 1910-1961	1
Chart C Death Rates From Major Causes, Missouri: 1962	2
Chart D Ten Leading Causes of Death, Missouri: 1962	3
Table E Five Leading Causes of Death For All Ages and For Selected Age Groups, Number of Resident Deaths, Missouri: 1962	3
Table F Resident Deaths and Death Rates For Major Cardiovascular-Renal Diseases, Missouri: 1952 & 1962	3
Chart G Malignant Neoplasms, Percent by Major Sites, Missouri: 1962	4
Table H Cancer (140-205) Deaths by Age Groups with Percentages, Missouri: 1930 & 1962	4
Table I Resident Diabetes Mellitus (260) Deaths by Age and Sex, Missouri: 1962 & 1952	4
Table J Resident Cirrhosis of the Liver (158) Deaths, by Age and Sex, Missouri: 1952 & 1962	4
Chart K Resident Deaths From Selected Communicable Diseases, Missouri: 1930-1962	5
Chart L Reported Tuberculosis Cases, Missouri: 1930-1962	5
Chart M Venereal Disease Deaths, Missouri: 1930-1962	6
Chart N Reported Venereal Disease Cases, Missouri: 1934-1962	6
Chart O Trends in Poliomyelitis, Missouri: 1930-1962	7
Chart P Comparison of Infant Mortality, Percent by Age, Missouri: 1911 & 1962	7
Table Q Trends in Resident Infant Mortality Rates For Selected Causes, Missouri: 1953-1962	8
Chart R Trends in Infant Death Rates by Color, Missouri: 1932-1962	8
Table S Recorded Maternal Mortality Rates For Selected Causes, Missouri: 1953-1962	9
Chart T Trends in Maternal Death Rates by Color, Missouri: 1932-1962	9

TABLE OF CONTENTS (CONTINUED)

Appendix Tables

Table		Page
1	Population, Recorded Births and Deaths With Rates Per 1,000 Population and Excess of Births Over Deaths. Missouri: 1911-1944	11
2	Population, Recorded and Resident Births and Deaths With Rates Per 1,000 Population and Excess of Resident Births Over Deaths, Missouri: 1945-1962	11
3	Resident Deaths, Age Groups by Sex and Color and by Selected Causes of Death, Missouri: 1945-1962	12
4	Ten Leading Causes of Death and Rates, Resident Data, Missouri: 1962	13
5	Ten Leading Causes of Death for Nonwhite Population, Resident Data, Missouri: 1962	13
6	Resident Deaths and Death Rates by Counties and Cities With Population Over 10,000, Missouri: 1958-1962	13
7	Recorded Deaths From Selected Communicable Diseases by Counties and Cities Over 10,000 Population, Missouri: 1962	16
8	Resident and Recorded Deaths and Infant Deaths by Counties and Cities Over 2,500 Population, Missouri: 1962	19
9	Resident and Recorded Deaths, Infant Deaths, and Maternal Deaths by Counties and Cities Over 10,000 Population with Rates, Missouri: 1962	21
10	Resident Infant Deaths by Counties and Cities Over 10,000 Population by Color, Missouri: 1958-1962	24
11	Resident Infant Deaths by Age, Cause, and Color With Rates by Cause and Color, Missouri: 1962	26
12	Resident Infant Deaths For Selected Causes, Missouri: 1953-1962	27
13	Resident Maternal Deaths For Selected Causes, Missouri: 1953-1962	27
14	Recorded Maternal Deaths For Selected Causes, Missouri: 1953-1962	27
15	Resident Maternal Deaths by Counties and Cities Over 10,000 Population by Color, Missouri: 1958-1962	28
16	Recorded Maternal Deaths by Counties and Cities Over 10,000 Population by Color, Missouri: 1958-1962	30
17	Resident Deaths From Selected Causes by Color With Rates, State Total, and Population Groups, Missouri: 1962	33
18	Estimated Population, Resident Deaths From Selected Causes by Color, County Areas Including Cities, Missouri: 1962	35
19	Resident Deaths From Selected Causes by Color, Cities of 10,000 Population and Over, Missouri: 1962	54
	GUIDE TO TABLES	Inside Back Cover

PART 2. MORTALITY


Summary

BIRTH AND DEATH TRENDS

Deaths in Missouri totaled 49,016 for 1962, with a rate of 11.0 per 1,000 population, compared with 47,303 and a rate of 10.8 for 1961. The death rate increased two percent from 1961. Missouri has one of the highest death rates in the United States.

Chart A below shows the trend in the birth and death rates from 1910 to date. During this period, the death rate has declined from approximately 13 per 1,000 population to the present rate of 11 per 1,000 population. The birth rate was the lowest since 1945. A five-year trend in deaths may be seen by counties in Appendix Table 6.

CHART A. LIVE BIRTH AND DEATH RATES, MISSOURI : 1911-1962



Year ¹	Birth Rate ²	Death Rate	Year ¹	Birth Rate	Death Rate
1911	22.3	13.1	1931	16.2	11.9
1912	22.6	12.6	1932	16.0	11.7
1913	22.1	12.4	1933	15.3	11.5
1914	21.3	12.0	1934	15.9	12.3
1915	20.5	11.7	1935	15.1	11.4
1916	20.8	12.7	1936	14.7	12.8
1917	19.3	13.1	1937	15.1	11.9
1918	19.2	15.6	1938	15.7	11.3
1919	18.2	11.7	1939	15.8	11.3
1920	19.2	12.5	1940	16.5	11.6
1921	19.5	10.6	1941	17.4	11.4
1922	18.7	11.2	1942	19.0	11.0
1923	19.3	12.1	1943	20.2	12.0
1924	19.7	11.5	1944	19.7	11.9
1925	19.4	11.7	1945	18.7	12.1
1926	18.7	10.0	1946	21.5	11.3
1927	18.6	11.4	1947	23.4	11.6
1928	17.6	12.6	1948	22.1	11.1
1929	16.8	12.2	1949	21.5	11.1
1930	17.0	11.8	1950	21.6	11.0

¹Source: Missouri State Board of Health, Vital Statistics Reports, 1911-1934 and 1937-1948; Missouri Division of Health, Vital Statistics Reports, 1949-1962; United States Bureau of the Census, Mortality Statistics, 1935-1936; United States Census of Population, 1911-1950 and 1960; 1951-1959 and 1961-1962 as estimated by the Missouri Division of Health.

²More detailed birth data will appear in Part 1. Natality and Fetal Deaths.


CHART A (CONTINUED) LIVE BIRTH AND DEATH RATES, MISSOURI: 1911-1962

Year	Birth Rate	Death Rate	Year	Birth Rate	Death Rate
1951	22.5	11.0	1957	23.1	11.3
1952	22.4	11.2	1958	22.8	11.0
1953	22.5	11.1	1959	23.3	11.0
1954	22.8	10.7	1960	22.6	11.2
1955	22.7	10.4	1961	22.1	10.8
1956	23.1	10.7	1962	21.1	11.0

DEATHS BY AGE

When death rates are examined by specific ages, it may be seen that broad age groups exhibit different patterns or trends. Based on broad age groups, Chart B indicates that the number of deaths per thousand population has declined very little except in the age group under one year of age. The infant death rate decreased 74 percent from 1910 to 1960.³ The death rate for the age group 65 years and over decreased by 17 percent; however, this age is an open-end category and is not strictly comparable to other age groups. If it were divided into two age groups, such as ages 65-84 and 85 years and over, the first group would show a decrease and the second a sharp increase.

CHART B. DEATH RATES BY AGE GROUPS, MISSOURI : 1910-1961³



Year ⁴	Deaths	All Ages		Age Groups				
		Average	Rate	Under 1	1-24	25-44	45-64	65+
1910	43,434	43,434.00	13.2	96.7	5.3	7.7	17.7	73.5
1919	40,040							
1920	42,638	39,916.33	11.7	78.3	4.5	6.7	14.6	65.5
1921	37,071							

³Rates are based on census year population figures and a three-year average of deaths (three years around the census year).

⁴Source: United States Bureau of the Census, Mortality Statistics, 1911-1931, and the annual Vital Statistics of the United States, 1939-1951; 1959-1961, Missouri Division of Health, Vital Statistics; United States Department of Commerce, Bureau of the Census, 1950 Population Census Report (Missouri), Series P-B25; Current Population Reports, Population Estimates, Series P-25, Number 214; 1960 Census of Population PC(1) 27B, Mo. Rates are per 1,000 population.

Summary

CHART B (CONTINUED) DEATH RATES BY AGE GROUPS, MISSOURI: 1910-1961

Year	Deaths	All Ages		Age Groups					
		Average	Rate	Under 1	1-24	25-44	45-64	65+	
1929	44,281								
1930	43,099	43,833.33	12.1	64.4	3.1	5.6	16.1	72.3	
1931	44,120								
1939	42,602								
1940	43,777	43,124.33	11.4	52.3	1.7	3.8	14.0	67.9	
1941	42,994								
1949	43,825								
1950	43,710	43,886.00	11.1	33.7	1.0	2.6	12.6	63.4	
1951	44,123								
1959	46,465								
1960	48,287	47,351.67	11.0	25.4	.8	2.2	11.2	61.1	
1961	47,303								

LEADING CAUSES OF DEATH

An interesting feature in mortality are death rates for the major causes. During the decade 1910-1920, pneumonia and influenza, tuberculosis, and heart disease were the leading causes of death. Today, our leading causes are heart disease, cancer, vascular lesions, and accidents. This change is due to control of communicable diseases and better medical care, which in turn effects the aging of the population. This aging is reflected by an increase in the deaths due to chronic diseases such as cardiovascular renal diseases.

As shown in Chart C, the death rates for all causes decreased by 15.8 percent between 1911 and 1962. During this same period, the death rates from heart disease (410-443) and cancer (140-205) increased by 184.1 and 183.3 percent respectively, while the death rates from influenza and pneumonia (480-493) decreased by 72.5 percent. The trend in tuberculosis will be discussed later in the summary, under infectious diseases.

CHART C. DEATH RATES FROM MAJOR CAUSES, MISSOURI : 1911-1962




CHART C (CONTINUED) DEATH RATES FROM MAJOR CAUSES, MISSOURI: 1911-1962

Year ⁵	All Causes	Heart Disease (410-443)	Cancer (140-205)	Influenza and Pneumonia (480-494)
1911	131.1	15.1	6.0	15.3
1915	117.0	13.7	6.2	15.3
1920	125.1	18.8	7.5	27.7
1925	117.2	15.2	9.5	16.4
1930	117.7	21.0	10.7	11.6
1939	112.9	28.2	13.3	9.4
1940	116.1	30.3	13.4	9.8
1941	113.6	28.5	14.0	9.7
1942	110.0	30.0	14.2	8.0
1943	119.9	35.1	14.5	9.2
1944	119.0	35.7	15.6	8.7
1945	120.9	35.8	15.5	7.5
1946	113.1	33.9	14.7	6.4
1947	115.7	38.0	15.0	6.4
1948	111.2	37.0	16.0	4.9
1949	110.5	38.2	15.8	3.6
1950	110.4	40.0	16.1	3.9
1951	110.3	40.5	16.2	4.0
1952	111.9	41.3	16.3	3.9
1953	111.2	41.0	16.6	4.7
1954	107.0	39.6	16.7	3.3
1955	104.3	40.0	16.3	3.4
1956	106.8	41.9	16.6	2.9
1957	112.5	43.3	17.2	4.2
1958	110.2	42.8	16.7	4.0
1959	109.8	42.8	17.4	3.2
1960	111.8	43.4	17.3	4.4
1961	107.8	42.3	17.3	3.5
1962	110.4	42.9	17.0	4.2

The ten leading causes of death remained the same in Missouri from 1953-1959 at which time the tenth leading cause changed from nephritis and nephrosis to suicides and remained the same through 1962 (Chart D).

The ten leading causes of death for the white population of Missouri reflect the same causes as the total population. (See Appendix Table 4.) For the nonwhite population, the three leading causes also remain the same as the white population. For the other leading causes, malformations and diseases of early infancy were higher than accidents, and pneumonia was higher than diseases of digestive system (Appendix Table 5). The tenth leading cause of death in the white population was suicide, while homicides were the ninth leading cause of death for nonwhite.

The age distribution of the population and the nature of its environment greatly influence the causes of death and their relative frequency. After a child passes the age of one year, accidents are the chief threat to his life until he reaches middle age. His second threat is cancer (Table E). From about age 35 years, accidents are replaced by heart disease and cancer. This continues until age 75 years where cancer moves to third place and heart disease and vascular lesions⁶ become the leading causes of death.

⁵Source: Missouri State Board of Health Reports, 1925-1934 and 1937-1948; Missouri Division of Health, Vital Statistics Reports, 1949-1962; United States Bureau of the Census, Mortality Statistics, 1935-1936. Rates are per 10,000 population. Estimated population 1911-1950 taken from United States Bureau of the Census Release, Series P-25, No. 139, June 27, 1956; 1951-1959 and 1961-1962 as computed by the Missouri Division of Health; 1960 taken from Census of Population, PC(1) 27B, Mo. 1910-1944 Recorded; 1945-1962 Resident.

⁶Vascular lesions affecting central nervous system.

Mortality

CHART D. TEN LEADING CAUSES OF DEATH, MISSOURI: 1962




TABLE E. FIVE LEADING CAUSES OF DEATH FOR ALL AGES AND FOR SELECTED AGE GROUPS, NUMBER OF RESIDENT DEATHS, MISSOURI: 1962

Cause by Age Groups	Deaths
All Ages	
1. Heart Disease	19,112
2. Cancer	7,560
3. Vascular Lesions Affecting Central Nervous Sys.	6,091
4. Accidents	2,568
5. Diseases of Early Infancy	1,519
Under 1 Year	
1. Diseases of Early Infancy	1,519
2. Malformations	362
3. Influenza and Pneumonia	174
4. Diseases of Digestive System	81
5. Accidents	73
1-4 Years	
1. Accidents	142
2. Influenza and Pneumonia	52
3. Malformations	43
4. Cancer	32
5. Diseases of Digestive System	17
5-14 Years	
1. Accidents	148
2. Cancer	62
3. Malformations	40
4. Influenza and Pneumonia	22
5. Diseases of Digestive System	18
15-24 Years	
1. Accidents	373
2. Cancer	61
3. Suicide	33
4. Homicide	26
5. Influenza and Pneumonia	20
25-34 Years	
1. Accidents	216
2. Cancer	85
3. Heart Disease	62
4. Suicide	60
5. Homicide	53
35-44 Years	
1. Heart Disease	362
2. Cancer	340
3. Accidents	221
4. Diseases of Digestive System	109
5. Suicide	83
45-54 Years	
1. Heart Disease	1,196
2. Cancer	899
3. Accidents	257
4. Diseases of Digestive System	236
5. Vascular Lesions Affecting Central Nervous Sys.	223

TABLE E (CONTINUED) FIVE LEADING CAUSES OF DEATH FOR ALL AGES AND FOR SELECTED AGE GROUPS, NUMBER OF RESIDENT DEATHS, MISSOURI: 1962

Cause by Age Groups	Deaths
55-64 Years	
1. Heart Disease	2,845
2. Cancer	1,647
3. Vascular Lesions Affecting Central Nervous Sys.	576
4. Diseases of Digestive System	292
5. Accidents	253
65-74 Years	
1. Heart Disease	5,198
2. Cancer	2,233
3. Vascular Lesions Affecting Central Nervous Sys.	1,471
4. Diseases of Digestive System	421
5. Influenza and Pneumonia	347
75-84 Years	
1. Heart Disease	6,178
2. Vascular Lesions Affecting Central Nervous Sys.	2,342
3. Cancer	1,689
4. Influenza and Pneumonia	534
5. Arteriosclerosis	515
85 Years and Over	
1. Heart Disease	3,140
2. Vascular Lesions Affecting Central Nervous Sys.	1,358
3. Cancer	502
4. Arteriosclerosis	436
5. Influenza and Pneumonia	370

CHRONIC DISEASES

Cardiovascular-Renal: More than half of all deaths in Missouri during the past decade were caused by the major cardiovascular-renal diseases, reflecting the rise in importance of this group of diseases since 1910 when it was responsible for approximately 11 percent of all deaths. The death rate for this major category was 624.5 per 100,000 estimated population in 1962, as compared with a rate of 610.2 in 1952 (Table F). The national⁷ cardiovascular disease death rate in 1959 was 516.2 per 100,000 population.

TABLE F. RESIDENT DEATHS AND DEATH RATES FOR MAJOR CARDIO-VASCULAR-RENAL DISEASES, MISSOURI: 1952 & 1962 (Rates are per 100,000 estimated population)

	1962		1952	
Cardiovascular-Renal Diseases	Deaths	Rate	Deaths	Rate
Major Cardiovascular-Renal Dis. (330-334, 400-468, 592-594)	27,812	624.5	24,565	610.2
Diseases of Cardiovascular System (330-334, 400-468)	27,490	617.3	23,838	592.1
Vascular Lesions (330-334) ⁸	6,091	136.8	5,407	134.3
Diseases of Heart (400-402, 410, 443)	18,927	425.0	16,685	414.4
General Arteriosclerosis (450)	1,249	28.0	1,025	25.5
Chronic & Unspecified Nephritis & Other Renal Sclerosis (592-594)	322	7.2	727	18.1

The death rate for diseases of cardiovascular system has increased 4.3 percent, 1952 to 1962; whereas, chronic and unspecified nephritis and other renal sclerosis have decreased 60.2 percent during the same period. Therefore, the major cardiovascular disease category increased 2.3 percent during the past decade.

Cancer: The death rate from malignant neoplasms including neoplasms of lymphatic and hematopoietic tissues has steadily increased since the beginning of the century.

Missouri cancer deaths in 1962 totaled 7,560. The cancer death rate was 169.8 per 100,000 estimated population as compared with 3,919 deaths and a rate of 108.0 per 100,000 population in 1930. The cancer death rate increased 57.2 percent from 1930 to date. In 1930, 36 percent of the cancer deaths were charged to cancer of the stomach and liver, 14 percent to the peritoneum, intestines and rectum, and 13 percent to cancer of the female genital organs.

⁷Source: Vital Statistics of the United States, 1959, Section 6, Mortality Statistics, Volume 1.


⁸Vascular lesions affecting central nervous system.

Summary

TABLE H. CANCER (140-205) DEATHS BY AGE GROUPS WITH PERCENTAGES, MISSOURI: 1930 & 1962

Age Groups	1962		1930	
	Number	Percent	Number	Percent
Total	7,560	100.0%	3,919	100.0%
Under 1 Year	8	0.1	-	-
1-19	126	1.7	24	0.6
20-39	237	3.1	216	5.5
40-59	1,831	24.2	1,337	34.1
60-79	4,173	55.3	2,003	51.2
80 & Over	1,183	15.6	334	8.5
Not Stated	2	0.0	5	0.1

CHART G. MALIGNANT NEOPLASMS, PERCENT BY MAJOR SITES, MISSOURI: 1962



Kind of Neoplasm	Number	Percent Of Total
All Cancer Deaths	7,560	100.0%
Malignant Neoplasm of Buccal Cavity and Pharynx (140-148)	187	2.5
Malignant Neoplasm of Digestive Organs and Peritoneum (150-159)	2,478	32.8
Malignant Neoplasm of Respiratory System (160-165)	1,263	16.7
Malignant Neoplasm of Breast and Genito-Urinary Organs (170-181)	2,093	27.6
Malignant Neoplasm of Other and Unspecified Sites (190-199)	845	11.2
Neoplasms of Lymphatic and Haematopoietic Tissues (200-205)	694	9.2

In 1962, one-third of the cancer deaths were neoplasms of the digestive organs and peritoneum (150-159), 45 percent of which were cancer of the large intestines and rectum, these being 14.7 percent of all cancer deaths (Chart G). Malignant neoplasms of genito-urinary organs (170-181) were charged with 27.6 percent of all cancer deaths, the largest single class being cancer of the breast with 665 deaths. Cancer of the female genital organs represents 17.2 percent of all cancer deaths; whereas, for the male genital organs, it was six percent.

The third largest major group was malignant neoplasms of respiratory system (160-165) having 16.7 percent of the total cancer deaths in Missouri during 1962, 91 percent of which were bronchus and lung cancer. Bronchus and lung cancer (162-163) represents 15.3 percent of all cancer deaths.

Seventy-one percent of the 1962 cancer deaths occurred to persons 60 years and older, as compared with 60 percent in 1930 (Table H).

Diabetes: The death rate for diabetes mellitus in Missouri for 1962 was 17.0 per 100,000 estimated population. This was a slight decrease over the 1952 rate of 17.2. In 1959, the national⁹ diabetes mellitus death rate was 15.9 per 100,000 population.

In 1962, 56 percent of the Missouri diabetes deaths were females as compared with 62 percent in 1952. For the ages under 25 years, this disease is a relatively minor cause of death. In ages under 45 years, the number of diabetes deaths were higher for males than females. Above this age, the reverse was true (Table I).

TABLE I. RESIDENT DIABETES MELLITUS (260) DEATHS BY AGE AND SEX, MISSOURI: 1962 & 1952

		Age Groups			
Sex	Total	0-24 Years	25-44 Years	45-64 Years	65 Years & Over
<u>1962</u>					
Total	775	6	27	202	540
Male	341	4	12	100	225
Female	434	2	15	102	315
<u>1952</u>					
Total	693	10	47	183	453
Male	260	5	25	64	166
Female	433	5	22	119	287

TABLE J. RESIDENT CIRRHOSIS OF THE LIVER (158) DEATHS, BY AGE AND SEX, MISSOURI: 1952 & 1962

Sex	Total	0-24 Years	Age Groups		
			25-44 Years	45-64 Years	65 Years & Over
<u>1962</u>					
Total	458	3	67	231	157
Male	291	-	32	155	104
Female	167	3	35	76	53
<u>1952</u>					
Total	487	6	63	235	183
Male	328	1	39	169	119
Female	159	5	24	66	64

The death rate for cirrhosis of the liver showed a decline from 1952 to 1962. At ages under 25 years, this is a minor cause of death; but rises steadily with increasing age. In the age group 45 years and over, two-thirds of the deaths were males (Table J).

⁹Source: Vital Statistics of the United States, 1959, Section 6, Volume 1, Mortality Statistics.

INFECTIOUS DISEASES


Mortality

CHART K (CONTINUED) RESIDENT DEATHS FROM SELECTED COMMUNICABLE DISEASES, MISSOURI: 1930-1962

The mortality from most of the infectious diseases has been greatly reduced; in several instances, they are approaching or actually reaching the vanishing point. In the early part of this century, such diseases as tuberculosis, typhoid fever, diarrhea, and enteritis under two years of age, measles, diphtheria, influenza, whooping cough, malaria, and scarlet fever were responsible for approximately 11,500 deaths a year or 26 percent of the total deaths. In 1962, these same diseases caused 492 deaths or one percent of the total (Chart K). Types of communicable diseases may be seen by county in Appendix Table 7.

Year	Diphtheria	Malaria	Meningococcal Infections	Small-pox	TB	Typhoid Fever
1952	5	1	31	-	703	1
1953	1	2	27	-	620	4
1954	2	3	23	-	509	1
1955	-	-	15	-	405	2
1956	-	-	14	-	396	1
1957	-	-	12	-	402	1
1958	1	-	21	-	343	2
1959	2	-	14	-	309	-
1960	-	-	7	-	312	-
1961	-	-	11	-	273	-
1962	-	-	9	-	264	-


CHART K. RESIDENT DEATHS FROM SELECTED COMMUNICABLE DISEASES MISSOURI : 1930-1962



The number of tuberculosis deaths are decreasing on the average of 80 deaths per year. However, they seem to have leveled off since 1955. The decrease in tuberculosis cases is somewhat less than for deaths. Their annual rate of decline was 34 cases per year from 1930-1962 (Charts K & L).

The high peak in the number of cases during the years 1946-1953 may have been due to a change in emphasis in reporting procedures.

CHART L. REPORTED TUBERCULOSIS CASES, MISSOURI : 1930-1962



Year	Diphtheria	Malaria	Meningococcal Infections	Small-pox	TB	Typhoid Fever
1930	162	125	205	7	2,544	263
1931	251	146	93	8	2,617	255
1932	273	114	34	2	2,418	203
1933	238	201	47	1	2,307	214
1934	204	187	52	2	2,218	224
1935	181	164	114	-	2,199	143
1936	79	104	79	1	2,305	205
1937	93	91	46	6	2,146	152
1938	114	78	21	4	1,929	105
1939	78	66	14	6	1,775	97
1940	62	43	13	-	1,709	58
1941	44	27	17	5	1,748	47
1942	43	20	20	-	1,581	29
1943	40	25	100	1	1,653	32
1944	29	14	103	-	1,487	25
1945	43	14	44	-	1,411	20
1946	25	13	29	-	1,291	9
1947	16	7	17	-	1,288	16
1948	10	5	15	-	1,001	11
1949	20	1	24	-	1,066	4
1950	8	1	23	-	920	4
1951	10	2	29	-	833	2

Year	No. of Cases Reported ¹¹	Year	No. of Cases Reported	Year	No. of Cases Reported
1930	2,485	1941	2,379	1952	2,302
1931	2,740	1942	2,339	1953	2,511
1932	2,482	1943	2,221	1954	2,101
1933	2,294	1944	2,406	1955	1,904
1934	2,761	1945	1,883	1956	1,722
1935	2,694	1946	2,045	1957	1,630
1936	2,661	1947	3,078	1958	1,534
1937	2,417	1948	2,632	1959	1,416
1938	2,564	1949	2,541	1960	1,415
1939	2,203	1950	2,989	1961	1,394
1940	2,215	1951	2,152	1962	1,361

¹⁰ Source: Missouri State Board of Health Reports, 1925-1934 and 1937-1948; Missouri Division of Health, Vital Statistics Reports, 1949-1962; United States Bureau of the Census, Mortality Statistics, 1935-1936. 1910-1944 Recorded; 1945-1962 Resident.


¹¹ Source: Above figures obtained from the Missouri Division of Health, Section of Chronic Diseases, Tuberculosis Control.

Summary

The downward trend in deaths from syphilis and its sequelae began in the early 1940's. It is quite possible that the rise in these deaths prior to the 1940's was due to a renewed interest in the disease during the period surrounding the war years. Syphilis is an insidious disease in which a time lag is normally observed between onset and death. By examining the number of cases reported during the war years, a similar peaking can be observed (Charts M and N).

The number of syphilis cases appear to be increasing since 1960. However, a cycle may be developing; and if so, they will begin dropping in 1963 or 1964.


CHART M. VENEREAL DISEASE DEATHS, MISSOURI : 1930-1962



Year ¹²	Gonococcus			Year	Gonococcus		
	Total Syphilis	Infections			Total Syphilis	Infections	
1930	291	261	30	1947	406	401	5
1931	329	295	34	1948	353	351	2
1932	326	301	25	1949	252	250	2
1933	319	302	17	1950	252	252	-
1934	387	344	43	1951	261	257	4
1935	430	380	50	1952	184	182	2
1936	474	430	44	1953	207	202	5
1937	413	376	37	1954	102	190	2
1938	399	371	28	1955	139	137	2
1939	420	400	20	1956	131	131	-
1940	496	472	14	1957	127	127	-
1941	560	546	14	1958	130	130	-
1942	512	504	8	1959	83	82	1
1943	519	513	6	1960	94	92	2
1944	464	459	5	1961	87	86	1
1945	459	456	3	1962	83	83	-
1946	420	419	1				

¹²Source: Missouri State Board of Health Reports, 1925-1934 and 1937-1948; Missouri Division of Health, Vital Statistics Reports, 1949-1962; United States Bureau of the Census, Mortality Statistics, 1935-1936. 1910-1944 Recorded; 1945-1962 Resident.

CHART N. REPORTED VENEREAL DISEASE CASES, MISSOURI : 1934-1962



Year	Syphilis	Gonorrhea	Total ¹³	Year	Syphilis	Gonorrhea	Total
1934			2,050	1949	6,199	4,992	11,191
1935			1,711	1950	5,753	4,483	10,236
1936			1,604	1951	5,160	4,261	9,421
1937			3,430	1952	4,541	4,361	8,908
1938	5,075	1,100	6,175	1953	3,291	3,913	7,204
1939	4,354	717	5,071	1954	2,990	3,577	6,567
1940	6,941	1,851	8,792	1955	4,387	5,281	9,668
1941	11,325	3,964	15,289	1956	4,624	5,311	9,935
1942	16,774	6,124	22,898	1957	4,156	5,255	9,411
1943	12,547	7,835	20,382	1958	3,782	6,599	10,381
1944	16,621	8,395	25,016	1959	3,132	6,454	9,586
1945	10,075	11,318	21,393	1960	3,087	8,052	11,139
1946	10,756	8,544	19,300	1961	3,954	8,094	12,048
1947	8,501	6,408	14,909	1962	4,252	7,640	11,892
1948	7,083	6,176	13,259				

The cyclical phenomenon associated with many diseases can be observed in Chart O. In polio, there seems to be a three-year cycle. It is quite possible that a secondary cycle of a longer period of time could account for the rise observed around 1949.


Salk vaccine was in the experimental stage in Missouri during 1954. It was licensed in April of 1955 and first used among first and second grade children. In 1956, it became available to all children of school age. Following this, the number of cases in 1957 was the lowest in 20 years. A record low for deaths was also observed.

As noted in Chart O, Missouri experienced a polio epidemic in 1959; however, this epidemic cannot compare with the magnitude of the epidemics of 1946, 1949, and 1952. The 1959 epidemic occurred in the western half of Missouri, centered around Kansas City. The extreme lower economic class was hardest hit by this disease with 40 percent of the cases being among the negro population. Since that time, polio cases and deaths have dropped to an all-time low. Deaths were nil in 1962. As stated earlier, polio is a cyclic disease and Missouri was due for a slight peak in 1962.

¹³Above figures obtained from the Missouri Division of Health, Section of Local Health Services, Venereal Disease Control.

Mortality

CHART O. TRENDS IN POLIOMYELITIS, MISSOURI : 1930-1962



Year ¹⁴	All Polio Deaths	Reported Cases ¹⁵	Year	All Polio Deaths	Reported Cases
1930	42	259	1947	17	131
1931	18	83	1948	31	319
1932	12	20	1949	133	1,319
1933	16	40	1950	34	412
1934	19	37	1951	53	717
1935	17	52	1952	77	1,193
1936	22	105	1953	30	877
1937	78	393	1954	31	659
1938	15	26	1955	9	271
1939	18	29	1956	17	414
1940	37	314	1957	7	122
1941	14	40	1958	12	195
1942	17	87	1959	37	507
1943	37	209	1960	5	43
1944	17	187	1961	3	27
1945	34	299	1962	-	12
1946	97	1,267			

¹⁴Source: Missouri State Board of Health Reports, 1925-1934 and 1937-1948; Missouri Division of Health, Vital Statistics Reports, 1949-1962; United States Bureau of the Census, Mortality Statistics, 1935-1936. 1910-1944 Recorded; 1945-1962 Resident.

¹⁵The number of reported cases was obtained from the Division of Health, Section of Consultant Services.

EXTERNAL CAUSES OF DEATH

Accidents were responsible for 2,567 deaths in the State during 1962, a death rate of 57.6 per 100,000 population. In 1911 there was an accidental death rate of 66.7. Despite the ever increasing number of automobiles and machinery, the accidental death rate shows a gradual decline of 13 percent since the early 1900's.


In the early 1900's, Missouri had a suicide rate of 18.5 per 100,000 population increasing to 11.2 around 1920 and peaking at 19.6 in 1932. In 1962, there were 549 suicides or a rate of 12.3 per 100,000 population. Today, suicides have become Missouri's tenth leading cause of death. As shown in Table E, suicides were the third leading cause of death in the ages 15-24 years; the fourth for ages 25-34 years; and fifth for 35-44 years of age. Of the 549 suicides reported in this State during 1962, 299 were caused by firearms and explosives, 75 by hanging and strangulation, and 65 by carbon monoxide and other nondomestic gases. The remaining were caused by various other means.

The rates for homicides increased from 8.9 per 100,000 population in 1911 to a high of 12.3 in 1933 and have since declined to 5.0 in 1962.

INFANT MORTALITY

For many years, the infant death rate has been considered a sensitive index of the sanitary conditions in an area. Today, 67 percent of the deaths under one year of age occur during the first week of life. The infant death rate is now composed largely of deaths due to causes associated with prenatal and delivery conditions. From 1911¹⁶ to 1962, the annual number of infant deaths dropped from 7,050 to 2,397. This is a drop in the infant death rate from 95.1 per 1,000 live births to 25.5. Most of this decline was in the age group "over one week, under one year". Sixty-eight percent of the infant deaths in 1911 were in this age group as compared with 33 percent in 1962 (Chart P).¹⁷

CHART P. COMPARISON OF INFANT MORTALITY, PERCENT BY AGE, MISSOURI : 1911 and 1962



¹⁶Recorded data.

¹⁷Infant deaths by cause by age may be observed in Appendix Table 11.

Summary

CHART P (CONTINUED). COMPARISON OF INFANT MORTALITY, PERCENT BY AGE, MISSOURI: 1911 and 1962

Age	1962		1911	
	No. of Deaths	Percent	No. of Deaths	Percent
Total	2,397	100.0%	7,050	100.0%
Under 1 Week	1,610	67.0	2,276	32.0
Over 1 Week - Under 28 Days	179	7.0	1,069	15.0
Over 28 Days - Under 3 Months	258	11.0	1,190	17.0
Over 3 Months - Under 1 Year	350	15.0	2,515	36.0

Table Q shows trends in resident infant death mortality by causes for a ten-year period. The infant death rate is up slightly from 1961. This may be due to a decrease in births during 1962. Malformations have remained steady during this period, but is the second leading factor contributing to infant deaths. Deaths due to immaturity or a premature birth have decreased 43.7 percent during the past decade; however, it is still the leading cause in infant deaths.¹⁹

TABLE Q. TRENDS IN RESIDENT INFANT MORTALITY RATES FOR SELECTED CAUSES, MISSOURI: 1953-1962 (Rates are per 1,000 live births)

Infant Deaths ¹⁸	1962	1961	1960	1959	1958
All Causes	25.5	24.5	24.7	24.5	26.4
Infectious Diseases (020-138)	2.0	0.1	0.2	0.3	0.3
Respiratory Diseases (001-019, 470-527)	2.4	2.6	2.5	2.4	2.8
Gastro-Intestinal Diseases (543-545, 571-572)	0.5	0.5	0.5	0.4	0.5
Malformations (750-759)	3.9	4.1	3.8	3.7	3.9
Injury at Birth (760-761)	2.1	2.3	2.0	2.1	2.9
Other Diseases of Early Infancy (762-773)	10.0	9.4	9.8	8.7	9.5
Premature Birth (774-776)	4.0	3.5	3.5	4.2	4.2
All Other Causes	2.4	2.1	2.5	2.7	2.4


Infant Deaths	1957	1956	1955	1954	1953
All Causes	24.8	24.5	25.3	26.8	27.7
Infectious Diseases (020-138)	0.3	0.3	0.3	0.5	0.5
Respiratory Diseases (001-019, 470-527)	2.9	2.4	2.6	2.6	2.5
Gastro-Intestinal Diseases (543-545, 571-572)	0.4	0.5	0.7	0.9	0.9
Malformations (750-759)	4.1	4.2	3.8	4.1	4.0
Injury at Birth (760-761)	2.5	2.6	2.6	2.2	2.7
Other Diseases of Early Infancy (762-773)	7.2	7.3	7.9	8.3	7.3
Premature Birth (774-776)	5.1	4.8	5.0	5.6	7.1
All Other Causes	2.2	2.3	2.3	2.6	2.7

The color differentiation in the infant death rate shows the non-white rate to be still higher than the white rate. However, both rates seem to be decreasing at about the same proportion. This decrease in the infant death rate has one of the greatest effects on the aging of the population, for the first year of life is the most vulnerable portion of the life cycle, and a decrease in this period adds a larger portion to the total average length of life. Five-year trend in infant deaths by race by counties may be observed in Appendix Table 10.

¹⁸Numbers following causes of death are coded from the International List, 1955 Revision.

¹⁹Infant deaths by cause by age may be observed in Appendix Table 11.

CHART R. TRENDS IN INFANT DEATH RATES BY COLOR, MISSOURI: 1932-1962



Year ²⁰	Rates by Race ²¹			Year	Rates by Race		
	White	Nonwhite	Total		White	Nonwhite	Total
1932	53.9	113.6	57.4	1947	30.1	59.9	32.4
1933	54.5	94.3	56.9	1948	28.6	49.3	30.4
1934	59.4	107.6	62.3	1949	28.7	43.4	30.0
1935	55.2	83.1	56.9	1950	27.1	49.0	29.2
1936	55.7	90.0	57.9	1951	25.8	45.0	27.7
1937	61.7	96.5	64.0	1952	25.9	49.4	28.3
1938	48.1	93.0	51.1	1953	25.4	46.9	27.7
1939	42.2	83.8	45.0	1954	24.2	46.6	26.8
1940	44.7	78.4	47.0	1955	23.1	41.7	25.3
1941	44.2	83.1	46.8	1956	22.4	38.9	24.5
1942	37.1	64.8	39.0	1957	22.4	40.5	24.8
1943	37.5	69.5	39.8	1958	23.2	46.9	26.4
1944	35.1	63.7	37.3	1959	21.5	43.6	24.5
1945	35.1	65.8	37.5	1960	21.4	45.9	24.7
1946	31.1	55.8	33.0	1961	21.9	41.6	24.5
				1962	23.2	40.0	25.5

MATERNAL MORTALITY

The concentration of efforts on a single group of diseases and the excellent results obtainable are well demonstrated by the decline in maternal mortality. The number of recorded deaths reported as being due to causes of the puerperal state has dropped from 574 in 1911 to 294 in 1937 to 46 in 1962. This represents a decline from 77.0 per 10,000 live births in 1911 to 51.0 in 1937 and 4.7 in 1962. The leading causes in 1911 were puerperal septicaemia, albuminuria, and convulsions. Puerperal hemorrhage and toxemias of pregnancy were leading causes in 1962. The following table shows the trends in recorded maternal mortality by selected causes for the past decade.

²⁰Source: Missouri State Board of Health, Vital Statistics Reports, 1932-1934 and 1937-1948; United States Bureau of the Census, Mortality Statistics, 1935-1936; Missouri Division of Health, Vital Statistics Reports, 1949-1962. 1932-1944 Recorded; 1945-1962 Resident.

²¹Rates are per 1,000 live births.

Mortality

TABLE S. RECORDED MATERNAL MORTALITY RATES FOR SELECTED CAUSES, MISSOURI: 1953-1962 (Rates are per 10,000 live births)²³


Maternal Deaths ²²	1962	1961	1960	1959	1958
All Puerperal Causes	4.7	2.2	5.1	4.3	3.8
Abortion with Infection (651)	0.2	0.2	0.3	0.3	0.1
Abortion without Infection (650, 652)	0.3	0.1	-	-	0.4
Puerperal Hemorrhage (643, 648, 670-672, 687)	1.7	0.6	1.6	1.6	1.1
Puerperal Infection (640-641, 645.1, 680-681)	0.3	0.4	0.2	0.2	0.1
Toxemias of Pregnancy (642, 685-686)	1.1	0.2	1.5	1.2	1.2
All Other Accidents of Childbirth (673-678)	0.4	0.3	0.7	0.7	0.2
All Other Puerperal Causes	0.6	0.4	0.9	0.4	0.7
Maternal Deaths	1957	1956	1955	1954	1953
All Puerperal Causes	3.6	5.4	4.7	4.8	6.6
Abortion with Infection (651)	-	0.2	0.2	0.3	0.3
Abortion without Infection (650, 652)	0.2	0.2	0.3	0.5	0.5
Puerperal Hemorrhage (643, 648, 670-672, 687)	1.4	1.3	1.1	1.4	1.6
Puerperal Infection (640-641, 645.1, 680-681)	-	-	0.4	0.1	0.6
Toxemias of Pregnancy (642, 685-686)	1.1	1.6	0.9	1.1	1.7
All Other Accidents of Childbirth (673-678)	0.5	0.9	1.1	0.5	0.7
All Other Puerperal Causes	0.4	1.2	0.6	0.8	0.8

The recorded maternal death rate depicts the decline in risks relating to childbirth. By separating white and nonwhite rates, observe the peaking in the nonwhite rate which could be due to random fluctuation or to possible sporadic changes in the health conditions which, for some reason, affected the nonwhite population more than the white population. A five-year trend in maternal deaths by race by counties may be observed in Appendix Tables 15 and 16.

²²Numbers in parentheses refer to code numbers in the 7th Revision of International Statistical Classification of Causes of Death, 1955.

²³Number of recorded maternal deaths by cause may be seen in Appendix Table 14. This same information is shown in Appendix Tables 12 and 13 for resident maternal deaths.

CHART T. TRENDS IN MATERNAL DEATH RATES BY COLOR, MISSOURI : 1932-1962



Year ²⁴	Rates by Race ²⁵			Year	Rates by Race		
	White	Nonwhite	Total		White	Nonwhite	Total
1932	58.5	107.6	61.4	1947	11.6	28.5	13.0
1933	49.9	77.9	51.6	1948	7.9	21.9	9.2
1934	55.3	109.6	58.5	1949	7.0	20.1	8.2
1935	55.0	87.0	57.0	1950	6.9	19.4	8.2
1936	60.0	85.0	61.0	1951	6.4	16.9	7.4
1937	49.9	71.2	51.3	1952	6.3	15.3	7.2
1938	36.6	61.3	38.2	1953	5.4	16.1	6.6
1939	35.4	59.9	37.0	1954	3.4	12.4	4.8
1940	35.0	56.7	36.5	1955	4.8	4.4	4.7
1941	28.6	75.1	31.7	1956	3.7	17.4	5.4
1942	23.2	38.0	24.3	1957	2.7	9.0	3.6
1943	21.9	33.7	22.7	1958	3.0	8.8	3.8
1944	18.4	50.6	20.9	1959	3.7	7.9	4.3
1945	15.4	31.8	16.7	1960	3.7	13.8	5.1
1946	12.3	40.6	14.5	1961	1.5	6.6	2.2
				1962	4.1	8.3	4.7

²⁴Source: Missouri State Board of Health, Vital Statistics Reports, 1932-1934 and 1937-1948; United States Bureau of the Census, Mortality Statistics, 1935-1936; Missouri Division of Health, Vital Statistics Reports, 1949-1962. 1932-1962 Resident.

²⁵Rates are per 10,000 recorded live births.

APPENDIX TABLES

TABLE 1. POPULATION, RECORDED BIRTHS AND DEATHS WITH RATES PER 1,000 POPULATION AND EXCESS OF BIRTHS OVER DEATHS. MISSOURI: 1911-1944

Year	Estimated Mid-Year Population (Thousands)	Births		Deaths		Excess Births Over Deaths	Year	Estimated Mid-Year Population (Thousands)	Births		Deaths		Excess Births Over Deaths
		Number	Rate	Number	Rate				Number	Rate	Number	Rate	
1911	3,317	74,130	22.3	43,479	13.1	30,651	1928	3,601	63,401	17.6	45,219	12.6	18,182
1912	3,344	75,452	22.6	42,139	12.6	33,313	1929	3,622	60,980	16.8	44,262	12.2	16,718
1913	3,409	75,231	22.1	42,130	12.4	33,101	1930	3,646	62,011	17.0	42,924	11.8	19,087
1914	3,467	73,925	21.3	41,743	12.0	32,182	1931	3,711	60,201	16.2	43,999	11.9	16,202
1915	3,492	71,543	20.5	40,863	11.7	30,680	1932	3,746	59,755	16.0	43,695	11.7	16,060
1916	3,527	73,486	20.8	44,705	12.7	28,781	1933	3,773	57,717	15.3	43,368	11.5	14,349
1917	3,470	67,041	19.3	45,564	13.1	21,477	1934	3,784	60,317	15.9	46,685	12.3	13,632
1918	3,325	64,001	19.2	51,925	15.6	12,076	1935	3,798	57,299	15.1	43,201	11.4	14,098
1919	3,371	61,193	18.2	39,282	11.7	21,911	1936	3,801	55,916	14.7	48,767	12.8	7,149
1920	3,404	65,416	19.2	42,572	12.5	22,844	1937	3,794	57,270	15.1	45,160	11.9	12,110
1921	3,429	66,970	19.5	36,210	10.6	30,760	1938	3,781	59,365	15.7	42,578	11.3	16,787
1922	3,437	64,388	18.7	38,417	11.2	25,971	1939	3,783	59,688	15.8	42,693	11.3	16,995
1923	3,454	66,691	19.3	41,853	12.1	24,838	1940	3,786	62,545	16.5	43,950	11.6	18,595
1924	3,508	68,961	19.7	40,463	11.5	28,498	1941	3,811	66,268	17.4	43,295	11.4	22,973
1925	3,526	68,293	19.4	41,332	11.7	26,961	1942	3,829	72,575	19.0	42,117	11.0	30,458
1926	3,556	66,611	18.7	42,684	10.0	23,927	1943	3,705	74,820	20.2	44,437	12.0	30,383
1927	3,576	66,401	18.6	40,853	11.4	25,548	1944	3,560	69,982	19.7	42,347	11.9	27,635

Sources: 1911-1934 and 1937-1944 Vital Statistics Reports of the Missouri State Board of Health. 1935-1936, Special Reports of the United States Bureau of the Census. Population estimates 1911 to 1944 taken from United States Bureau of the Census Release, Series P-25, No. 139, June 27, 1956.

TABLE 2. POPULATION, RECORDED AND RESIDENT BIRTHS AND DEATHS WITH RATES PER 1,000 POPULATION AND EXCESS OF RESIDENT BIRTHS OVER DEATHS, MISSOURI: 1945-1962

	Estimated Mid-Year Population (Thousands)	Recorded				Resident				Excess Births Over Deaths
Year		Births		Deaths		Births		Deaths		
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	
1945	3,516	67,693	19.3	42,757	12.2	65,691	18.7	42,496	12.1	23,195
1946	3,746	82,901	22.1	42,640	11.4	80,698	21.5	42,377	11.3	38,321
1947	3,845	92,369	24.0	44,762	11.6	89,902	23.4	44,474	11.6	45,428
1948	3,844	87,005	22.6	42,921	11.2	85,096	22.1	42,753	11.1	42,342
1949	3,955	87,372	22.1	43,995	11.1	85,206	21.5	43,708	11.1	41,498
1950	3,961	87,948	22.2	43,962	11.1	85,704	21.6	43,714	11.0	41,990
1951	3,992	92,664	23.2	44,318	11.1	89,977	22.5	44,051	11.0	45,926
1952	4,026	92,931	23.1	45,245	11.2	90,118	22.4	45,051	11.2	45,067
1953	4,061	94,419	23.3	45,686	11.2	91,447	22.5	45,148	11.1	46,299
1954	4,095	97,278	23.8	44,404	10.8	93,453	22.8	43,835	10.7	49,618
1955	4,124	97,591	23.7	43,531	10.6	93,797	22.7	43,000	10.4	50,797
1956	4,163	100,112	24.0	45,003	10.8	96,099	23.1	44,458	10.7	51,641
1957	4,206	101,287	24.1	47,784	11.4	97,161	23.1	47,333	11.3	49,828
1958	4,240	100,729	23.8	47,338	11.2	96,721	22.8	46,729	11.0	49,992
1959	4,233	102,461	24.2	47,099	11.1	98,537	23.3	46,465	11.0	52,072
1960	4,320	101,778	23.6	48,955	11.3	97,723	22.6	48,287	11.2	49,436
1961	4,397	101,462	23.1	47,933	10.9	97,321	22.1	47,303	10.8	50,018
1962	4,453					93,879	21.1	49,016	11.0	44,863

Sources: Vital Statistics Reports of the Missouri Division of Health. Population estimates 1945-1950 taken from United States Bureau of the Census Release, Series P-25, No. 139, June 27, 1956; 1951-1959 and 1961-1962 as computed by the Missouri Division of Health; 1960, from the United States Census of Population, PC(1) 27B.

TABLE 3. RESIDENT DEATHS, AGE GROUPS BY SEX AND COLOR AND BY SELECTED CAUSES OF DEATH, MISSOURI: 1962

	Under																					95	
	All	1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	and	
	Ages	Years	Years	Years	Years	Years	Years	Years	Years	Years	Years	Years	Years	Years	Years	Years	Years	Years	Years	Years	Years	Over	
TOTAL DEATHS	49,016	2,397	392	208	169	332	317	286	398	595	956	1,319	2,270	3,023	4,003	5,310	6,477	7,145	6,429	4,482	1,944	540	
Male	27,352	1,400	205	105	110	233	216	182	246	355	595	836	1,468	1,989	2,563	3,323	3,779	3,862	2,995	1,928	760	187	
Female	21,664	997	187	103	59	99	101	104	152	240	361	483	802	1,034	1,440	1,987	2,698	3,283	3,434	2,554	1,184	353	
TOTAL WHITE	44,076	1,879	297	175	151	297	273	217	311	459	747	1,097	1,921	2,603	3,466	4,699	5,915	6,727	6,147	4,311	1,870	499	
Male	24,671	1,121	155	91	99	214	187	137	197	282	481	713	1,267	1,762	2,265	2,971	3,475	3,650	2,845	1,847	728	174	
Female	19,405	758	142	84	52	83	86	80	114	177	266	384	654	841	1,201	1,728	2,440	3,077	3,302	2,464	1,142	325	
TOTAL NONWHITE	4,940	518	95	33	18	35	44	69	87	136	209	222	349	420	537	611	562	418	282	171	74	41	
Male	2,681	279	50	14	11	19	29	45	49	73	114	123	201	227	298	352	304	212	150	81	32	13	
Female	2,259	239	45	19	7	16	15	24	38	63	95	99	148	193	239	259	258	206	132	90	42	28	
CAUSES OF DEATH																							
Tuberculosis of respiratory system (001-008)	246	1	1			1		4	7	12	10	21	14	24	27	26	30	34	28	5		1	
Tuberculosis, other forms (010-019)	18	1	1				2	1				2		1	3	3	3		1				
Syphilis, under 1 year (020-029)	-																						
Syphilis, age 1 year and over (020-029)	83					1	1			1		3	6	8	20	16	10	11	3	3			
Typhoid fever (040)	-																						
Paratyphoid fever (041)	-																						
Undulant fever (044)	1															1							
Bacillary dysentery (045)	-																						
Amebic dysentery (046)	2															1				1			
Other and unspecified dysentery (047-048)	1	1																					
Scarlet fever and streptococcal sore throat (050-051)	2								1												1		
Diphtheria (055)	-																						
Whooping cough (056)	1	1																					
Meningococcal infections (057)	9	3	1	1		3	1																
Tularemia (059)	-																						
Tetanus (061)	4				1										1		1	1					
Acute poliomyelitis (080)	-																						
Acute infectious encephalitis (082)	12	1	3	2			2					2					1			1			
Measles (085)	5		5																				
Infectious hepatitis (092)	15	1	2		1	1	1					4		1	2	1				1			
Rabies (094)	-																						
Rocky mountain spotted fever (104)	-																						
Typhus & other rickettsial diseases (100-103; 105-108)	-																						
Malaria (110-117)	-																						
Other infectious & parasitic diseases (030-138, exc. above)	94	12	5	3					3	4	4	1	8	4	7	10	6	7	9	7	3	1	
Malignant neoplasms (140-205)	7,560	8	32	44	18	32	29	30	55	123	217	318	581	715	932	1,085	1,148	1,008	681	358	127	17	
Benign and unspecified neoplasms (210-239)	101	1	1	1	5	4		1	5	5	8	7	7	10	7	8	12	7	5	3	4		
Diabetes mellitus (260)	775		1	1	1	2	2	5	4	6	12	16	32	66	88	108	141	154	79	45	11	2	
Anemias (290-293)	96	2	7	4	1	1		2	1	1		2	5	5	6	8	8	18	13	8	2	1	
Vascular lesions affecting central nervous system (330-334)	6,091	3	4	3	3	4	3	13	10	27	49	80	143	234	342	541	930	1,166	1,176	914	335	109	
Nonmeningococcal meningitis (340)	45	15	9	1		1	1	1		6	1	1	1	4	2	2	1		1				
Rheumatic fever (400-402)	15				1		1	2		1	2	1	2	1	2	1	1		1				
Chronic rheumatic heart disease (410-416)	407					1	4	4	12	19	21	34	49	60	50	42	34	35	22	14	5	1	
Arteriosclerotic & degenerative heart disease (420-422)	16,359	2			1	2	2	6	29	64	208	342	658	994	1,471	2,071	2,449	2,765	2,546	1,758	773	213	
Other diseases of heart (430-434)	775	5	3	2	2	5	4	2	5	10	20	14	32	51	59	78	107	117	112	90	42	14	
Hypertension with heart disease (440-443)	1,571				1	1		2	1	5	15	27	40	69	91	180	237	296	285	218	84	18	
Hypertension w/o mention of heart (444-447)	393						2	2	2	7	9	5	13	19	26	28	54	79	74	51	17	5	
Other diseases of circulatory system (450-468)	1,879			1		2	2	3	7	3	20	26	58	66	98	166	242	325	354	276	169	61	
Influenza (480-483)	164	6	5		2	1				3	2	4	6	6	8	15	13	22	28	23	14	6	
Lobar pneumonia 4 weeks (490)	323	22	10	1	3	2	2	4	2	10	8	10	15	21	24	26	24	38	44	33	18	6	
Bronchopneumonia 4 weeks (491)	861	78	19	5	2	6	1	4	3	5	8	16	16	29	54	64	113	124	132	113	55	13	
Pneumonia, other forms 4 weeks (492-493)	512	68	18	6	3	3	5		5	7	6	15	13	12	24	38	54	63	93	45	37	7	
Bronchitis (500-502)	117	8	4								2	1	4	8	16	22	19	11	10	8	3	1	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	51	44	7																				
Gastro Enteritis and colitis, 2 years (571.1)	48		2	1	1						1	1	3	3	6	6	6	7	5	5	6		
Cirrhosis of liver (581)	458				1	1	1	1	11	22	33	45	83	58	45	60	45	22	18	10	2		
Other diseases of digestive system (530-587 excl. above)	1,203	37	7	11	4	7	6	3	10	19	34	31	75	81	102	131	173	180	154	97	33	8	
Nephritis and nephrosis (590-594)	370	1	1	3	4	1	4	4	9	10	10	14	20	28	25	31	37	54	56	33	22	3	
Complications of pregnancy & puerperium (640-652; 660-689)	43					4	8	7	12	9	3												
Congenital malformations (750-759)	513	362	43	27	13	6	7	6	4	5	6	7	8	4	8	4	1	1			1		
Birth injuries, asphyxia (under 4 weeks) (760-762)	668	668																					
Pneumonia of newborn (under 4 weeks) (763)	100	100																					
Diarrhea of newborn (under 4 weeks) (764)	5	5																					
Other infections of newborn (under 4 weeks) (765-768)	17	17																					
Other diseases of early infancy (under 4 weeks) (769-776)	729	729																					
Senility, ill defined and unknown causes (780-795)	755	34	8	3	1	3	3	5	8	8	10	25	45	60	55	86	83	93	97	62	44	19	
All other diseases (residual)	2,179	84	50	18	20	17	11	13	25	36	46	67	106	182	217	269	287	302	213	143	53	18	
Motor vehicle accidents (810-835)	1,021	11	32	24	28	144	125	69	60	51	65	64	66	62	61	53	42	35	22	5	2		
All other accidents (800-802; 840-962)	1,546	62	110	46	50	61	43	35	52	53	52	48	78	62	68	80	114	139	153	138	81	16	
Suicide and self-inflicted injury (970-979)	549					12	21	27	33	38	45	44	69	58	55	38	47	28	23	10	1		
Homicide (980-985)	224	4	1	1	3	4	22	32	21	30	25	20	17	14	5	12	5	3	1	3		1	

TABLE 4. TEN LEADING CAUSES OF DEATH AND RATES, RESIDENT DATA, MISSOURI: 1962

Rank	Cause of Death	White	Non-white	Total	Rates
1.	Heart Disease (410-443)	17,646	1,466	19,112	429.2
2.	Malignant Neoplasms (140-205)	6,871	689	7,560	169.8
3.	Vascular Lesions* (330-334)	5,516	575	6,091	136.8
4.	Accidents (800-962)	2,265	302	2,567	57.6
5.	Malformations and Diseases of Early Infancy (750-776)	1,649	383	2,032	45.6
6.	Diseases of Digestive System (530-587)	1,553	207	1,760	39.5
7.	Pneumonia (490-493)	1,420	276	1,696	38.1
8.	Arteriosclerosis (450)	1,125	124	1,249	28.0
9.	Diabetes Mellitus (260)	690	85	775	17.4
10.	Suicides (970-979)	531	18	549	12.3
Totals		39,266	4,125	43,391	
Total Resident Deaths - 49,016					
Estimated population, July 1, 1962 - 4,453,237					

Rates are per 100,000 population.

Numbers in parentheses refer to code numbers in the 7th Revision of International Statistical Classification of Causes of Death, 1955.

*Vascular lesions affecting central nervous system.

TABLE 5. TEN LEADING CAUSES OF DEATH FOR NONWHITE POPULATION, RESIDENT DATA, MISSOURI: 1962

Rank	Cause of Death	Number of Deaths
1.	Heart Disease (410-443)	1,466
2.	Malignant Neoplasms (140-205)	689
3.	Vascular Lesions* (330-334)	575
4.	Malformations and Diseases of Early Infancy (750-776)	383
5.	Accidents (800-962)	302
6.	Pneumonia (490-493)	276
7.	Diseases of Digestive System (530-587)	207
8.	Arteriosclerosis (450)	124
9.	Homicides (980-985)	114
10.	Diabetes Mellitus (260)	85
Total Resident Nonwhite Deaths (All Causes) - 4,940		

Numbers in parentheses refer to code numbers in the 7th Revision of International Statistical Classification of Causes of Death, 1955.

*Vascular lesions affecting central nervous system.

TABLE 6. RESIDENT DEATHS AND DEATH RATES BY COUNTIES AND CITIES WITH POPULATION OVER 10,000, MISSOURI: 1958-1962

Counties and Cities Over 10,000	Number of Deaths					Rates Per 1,000 Estimated Population*				
	1962	1961	1960	1959	1958	1962	1961	1960	1959	1958
State Total	49,016	47,303	48,287	46,465	46,729	11.0	10.8	11.2	11.0	11.0
Counties incl. Cities over 10,000:										
Adair	251	226	256	246	214	12.4	11.2	12.7	12.3	10.8
Andrew	133	125	126	133	129	12.1	11.4	11.4	12.1	11.7
Atchison	111	119	119	126	98	12.6	13.3	12.9	13.5	10.4
Audrain	277	270	279	255	258	10.4	10.3	10.7	9.9	10.1
Barry	243	270	273	251	231	13.2	14.5	14.4	13.4	10.8
Barton	146	153	188	138	174	13.6	14.1	16.9	12.3	17.4
Bates	280	223	259	256	245	18.0	14.2	16.3	15.9	15.2
Benton	155	131	112	108	121	18.0	15.1	12.8	12.4	14.8
Bollinger	124	80	112	111	95	14.0	8.9	12.2	12.0	9.5
Boone	460	489	458	415	451	8.0	8.7	8.3	7.7	9.1
Bucanan	1,253	1,199	1,138	1,125	1,198	13.9	13.3	12.6	12.5	12.2
Butler	465	415	414	388	429	13.7	12.1	11.9	11.3	11.3
Caldwell	142	133	154	141	150	16.5	15.3	17.4	16.0	16.5
Callaway	255	256	278	243	241	10.6	10.7	11.6	10.2	10.3
Camden	125	130	84	103	94	13.4	14.0	9.2	11.6	12.1
Cape Girardeau	434	401	405	371	363	10.2	9.5	9.6	8.9	9.5
Carroll	215	204	188	200	176	15.9	14.9	13.6	14.4	12.3
Carter	60	59	42	59	52	15.6	15.1	10.6	14.8	12.4
Cass	274	283	273	265	223	8.3	8.9	9.2	9.3	10.4
Cedar	139	130	142	156	128	15.5	14.4	15.5	16.8	13.1
Chariton	169	172	203	200	170	13.7	13.8	16.0	15.6	12.5
Christian	153	140	159	122	115	12.4	11.3	12.9	9.9	9.7
Clark	99	115	124	104	137	11.4	13.2	14.2	11.9	16.5
Clay	602	566	564	536	535	5.8	5.8	6.4	6.5	7.3
Clinton	170	164	180	178	186	14.7	14.2	15.5	15.5	16.9
Cole	379	367	372	314	317	9.0	8.8	9.1	7.8	8.6
Cooper	185	194	200	192	203	12.1	12.7	12.9	12.4	12.9
Crawford	182	162	162	177	136	14.2	12.7	12.8	14.2	12.7
Dade	118	117	97	126	114	16.2	15.8	12.8	16.3	13.6
Dallas	122	124	114	100	113	13.5	13.6	12.2	10.7	11.9

*Populations for 1958-1959 and 1961-1962 were estimated by Missouri Division of Health Statistical Services. 1960 population taken from United States Census of Population 1960, Missouri, "General Population Characteristics", PC(1)-27B, Mo., United States Bureau of the Census.

TABLE 6 (CONTINUED). RESIDENT DEATHS AND DEATH RATES BY COUNTIES AND CITIES
WITH POPULATION OVER 10,000, MISSOURI: 1958-1962

Counties and Cities Over 10,000	Number of Deaths					Rates Per 1,000 Estimated Population*				
	1962	1961	1960	1959	1958	1962	1961	1960	1959	1958
Daviess	151	181	148	168	143	16.5	19.5	15.6	17.5	14.2
DeKalb	107	91	85	92	106	15.1	12.7	11.8	12.7	14.5
Dent	166	147	128	128	135	16.1	14.2	12.3	12.3	12.9
Douglas	115	102	89	92	106	12.5	10.9	9.2	9.2	9.7
Dunklin	421	407	443	409	389	11.1	10.6	11.3	10.4	9.5
Franklin	479	459	484	474	445	10.2	10.0	10.9	10.9	11.5
Gasconade	145	156	130	154	157	11.9	12.8	10.7	12.6	12.7
Gentry	154	146	136	150	154	18.3	17.0	15.5	16.9	15.4
Greene	1,331	1,316	1,368	1,214	1,164	10.1	10.2	10.8	9.8	10.0
Grundy	242	203	214	191	181	20.2	16.8	17.5	15.6	15.0
Harrison	192	173	183	193	161	17.3	15.3	15.8	16.4	12.5
Henry	301	274	318	276	279	15.8	14.3	16.5	14.5	14.7
Hickory	75	53	62	68	52	17.3	12.0	13.7	15.0	10.6
Holt	129	121	136	139	127	17.2	15.9	17.2	17.2	14.6
Howard	138	162	166	144	161	12.9	15.1	15.3	13.2	14.4
Howell	294	241	248	238	269	13.4	11.0	11.3	10.8	13.8
Iron	152	142	143	126	125	19.6	18.1	17.8	15.5	15.4
Jackson	6,847	6,718	6,928	6,672	6,637	10.7	10.6	11.1	11.1	10.8
Jasper	1,112	1,077	1,133	1,028	1,088	14.1	13.7	14.4	13.1	14.0
Jefferson	563	523	514	527	513	7.4	7.2	7.7	8.4	10.1
Johnson	284	280	270	290	278	9.0	9.2	9.3	10.4	11.1
Knox	96	88	88	101	101	15.0	13.6	13.4	15.2	14.6
Laclede	242	227	213	202	186	12.8	12.0	11.2	10.7	9.4
Lafayette	338	324	341	318	337	13.4	12.8	13.5	12.7	13.8
Lawrence	306	311	299	310	309	13.2	13.4	12.9	13.7	14.8
Lewis	159	136	144	150	148	14.3	12.3	13.1	13.8	14.8
Lincoln	222	198	197	205	216	14.7	13.2	13.3	14.0	13.3
Linn	297	260	276	224	279	18.2	15.7	16.4	13.3	15.9
Livingston	213	203	203	226	229	13.6	13.0	12.9	14.4	14.3
McDonald	168	142	176	160	147	14.7	12.3	14.9	13.4	10.7
Macon	268	260	238	259	276	16.6	16.0	14.4	15.6	16.6
Madison	132	118	121	95	98	14.5	12.8	12.9	10.1	9.3
Maries	87	79	87	65	69	12.1	10.9	11.9	8.9	9.9
Marion	416	438	450	357	369	14.1	14.9	15.2	12.1	12.9
Mercer	77	82	85	84	85	14.1	14.7	14.8	14.3	13.3
Miller	178	145	175	174	162	12.9	10.5	12.7	12.7	11.7
Mississippi	256	214	234	216	239	12.6	10.5	11.3	10.8	11.2
Moniteau	162	154	151	164	175	15.6	14.7	14.4	15.6	17.2
Monroe	145	147	153	162	171	13.6	13.8	14.3	15.1	16.4
Montgomery	156	161	178	136	181	13.7	14.1	16.0	12.3	16.5
Morgan	123	128	119	124	122	13.2	13.6	12.6	13.1	12.6
New Madrid	329	288	307	283	291	10.9	9.4	9.8	8.9	8.1
Newton	308	314	272	299	332	10.1	10.3	9.0	10.1	11.4
Nodaway	288	276	288	310	261	13.2	12.6	13.0	14.0	11.2
Oregon	124	127	121	106	110	13.1	13.2	12.3	10.6	10.3
Osage	131	97	108	114	107	12.1	9.0	9.9	10.5	9.9
Ozark	80	74	95	75	66	12.6	11.4	14.1	10.8	8.0
Pemiscot	406	385	445	410	411	11.0	10.0	11.7	10.6	9.5
Perry	169	158	156	156	143	11.6	10.8	10.7	10.7	10.8
Pettis	481	401	444	443	428	13.3	11.2	12.6	12.8	13.1
Phelps	261	254	236	237	231	9.9	9.8	9.3	9.5	9.8
Pike	247	219	229	243	244	14.8	13.1	13.7	14.5	15.4
Platte	197	199	186	192	169	7.6	8.0	8.0	8.7	8.0
Polk	175	204	187	191	198	13.2	15.1	13.6	13.8	13.1
Pulaski	154	159	166	163	178	3.3	3.4	3.6	3.8	13.0
Putnam	123	101	114	113	108	18.5	14.9	16.3	15.6	13.0
Ralls	91	93	117	88	102	11.5	11.7	14.5	10.9	12.8
Randolph	350	322	347	322	342	16.0	14.7	15.8	14.7	15.7
Ray	206	215	208	235	206	12.7	13.3	12.9	14.9	13.7
Reynolds	68	76	50	69	56	13.9	15.2	9.7	13.1	10.2
Ripley	120	121	138	110	130	13.8	13.7	15.2	11.9	12.3
St. Charles	421	383	350	375	373	6.8	6.6	6.6	7.4	10.0
St. Clair	140	123	120	114	131	17.4	15.0	14.3	13.5	14.2
St. Francois	435	450	416	399	406	11.9	12.3	11.4	11.0	11.5

*Populations for 1958-1959 and 1961-1962 were estimated by Missouri Division of Health Statistical Services. 1960 population taken from United States Census of Population 1960, Missouri. "General Population Characteristics", PC(1)-27B, Mo., United States Bureau of the Census.

TABLE 6 (CONTINUED). RESIDENT DEATHS AND DEATH RATES BY COUNTIES AND CITIES WITH POPULATION OVER 10,000, MISSOURI: 1958-1962

Counties and Cities Over 10,000	Number of Deaths					Rates Per 1,000 Estimated Population*				
	1962	1961	1960	1959	1958	1962	1961	1960	1959	1958
Ste. Genevieve	117	111	105	112	116	9.5	9.1	8.7	9.3	9.7
St. Louis County	5,248	5,144	5,028	4,677	4,618	6.6	6.8	7.1	7.0	7.8
Saline	369	334	335	320	314	14.8	13.4	13.3	12.8	13.2
Schuyler	87	94	72	76	70	17.7	18.9	14.3	14.8	14.6
Scotland	92	112	94	92	89	14.5	17.5	14.5	14.1	13.7
Scott	331	273	349	293	271	10.1	8.3	10.7	9.0	8.7
Shannon	80	83	70	71	70	11.6	11.9	9.9	9.9	10.1
Shelby	152	141	160	136	159	17.1	15.7	17.7	14.9	17.9
Stoddard	290	292	292	281	266	10.0	10.1	9.9	9.3	8.6
Stone	95	79	72	77	85	11.9	9.8	8.8	9.3	9.3
Sullivan	129	138	130	162	158	15.5	16.2	14.8	18.1	15.3
Taney	127	121	87	119	104	12.3	11.8	8.5	11.8	9.7
Texas	194	200	226	198	188	11.1	11.4	12.7	11.1	10.2
Vernon	285	258	277	278	274	14.1	12.7	13.5	13.5	12.7
Warren	115	109	95	114	106	12.7	12.2	10.9	13.2	12.9
Washington	167	122	165	154	142	11.7	8.5	11.5	10.9	10.0
Wayne	128	116	107	125	116	15.4	13.8	12.4	14.3	11.7
Webster	188	155	163	168	157	13.9	11.4	11.9	12.2	10.7
Worth	62	57	60	64	65	16.6	15.0	15.2	15.8	14.4
Wright	192	183	183	169	156	13.9	13.1	12.9	11.9	11.2
Cities Over 10,000:										
Bellefontaine Neighbors	83	87	NA	NA	NA					
Berkeley	72	78	NA	NA	NA					
Brentwood	73	88	NA	NA	NA					
Cape Girardeau City	260	239	237	213	207					
Carthage	168	171	196	164	157					
Clayton	181	173	154	160	163					
Columbia	263	281	235	236	251					
Crestwood	38	34	NA	NA	NA					
Ferguson	160	144	134	123	120					
Florissant	179	157	NA	NA	NA					
Fulton	104	108	118	111	92					
Gladstone	19	19	NA	NA	NA					
Hannibal	317	326	339	256	282					
Independence	684	643	574	530	458					
Jefferson City	264	271	276	205	226					
Jennings	162	188	174	131	186					
Joplin	550	534	582	488	558					
Kansas City	5,749	5,664	5,815	5,642	5,708					
Kirksville	162	140	174	156	130					
Kirkwood	250	244	248	241	228					
Maplewood	145	137	135	145	165					
Mexico	153	127	140	133	122					
Moberly	215	200	214	182	201					
Overland	209	227	171	158	150					
Poplar Bluff	257	237	237	216	223					
Raytown	151	128	NA	NA	NA					
Richmond Heights	168	166	157	146	159					
Rolla	92	84	NA	NA	NA					
St. Ann	73	83	NA	NA	NA					
St. Charles	214	184	188	174	172					
St. Joseph	1,126	1,063	1,016	1,018	1,032					
St. Louis City	10,104	9,938	10,388	10,088	10,517	13.8	13.5	13.9	13.4	12.0
Sedalia	342	292	334	308	298					
Sikeston	128	114	153	108	113					
Springfield	1,074	1,050	1,104	948	932					
University City	481	545	546	468	473					
Webster Groves	270	301	261	241	246					
Incl. in Above Cities:										
Hannibal - Ralls	3	4	4	5	4					
Joplin - Newton	9	22	23	4	14					
Kansas City - Clay	167	145	133	143	130					
Sikeston - New Madrid	-	-	-	-	-					
Kansas City - Platte	14	-	NA	NA	NA					

*Populations for 1958-1959 and 1961-1962 were estimated by Missouri Division of Health Statistical Services. 1960 population taken from United States Census of Population 1960, Missouri, "General Population Characteristics", PC(1)-27B, Mo., United States Bureau of the Census.

NA - Not Available

TABLE 7. RECORDED DEATHS FROM SELECTED COMMUNICABLE DISEASES BY COUNTIES AND CITIES OVER 10,000 POPULATION, MISSOURI: 1962

Counties and Cities Over 10,000	Totals	Tuberculosis of Respiratory System (001-008)	Tuberculosis, other forms (010-019)	Syphilis, age 1 year and over (020-029)	Typhoid Fever (040)	Undulant Fever (044)	Bacillary Dysentery (045)	Other and Unspecified Dysentery (046-048)	Scarlet Fever and Streptococcal Sore Throat (050-051)	Diphtheria (055)	Whooping Cough (056)	Meningococcal Infections (057)	Tularemia (059)	Tetanus (061)	Acute Poliomyelitis (080)	Acute Infectious Encephalitis (082)	Measles (085)	Infectious Hepatitis (092)	Rocky Mountain Spotted Fever (104)	Other Infectious and Parasitic Diseases (030-138) exc. above
State Total	499	246	17	83	-	1	-	3	2	-	1	8	-	5	13	5	18	-	97	
Cities over 10,000	320	133	15	62	-	1	-	2	1	-	-	6	-	5	11	4	12	-	68	
Rural	179	113	2	21	-	-	-	1	1	-	1	2	-	-	2	1	6	-	29	
Counties excl. Cities over 10,000:																				
Adair	1																			1
Andrew	-																			
Atchison	-																			
Audrain	-																			
Barry	1																			1
Barton	-																			
Bates	2	2																		
Benton	1																			1
Bollinger	-																			
Boone	-																			
Buchanan	-																			
Butler	1	1																		
Caldwell	-																			
Callaway	-																			
Camden	-																			
Cape Girardeau	-																			
Carroll	-																			
Carter	-																			
Cass	-																			
Cedar	1	1																		
Chariton	-																			
Christian	-																			
Clark	-																			
Clay	9	6										1					1			1
Clinton	-																			
Cole	-																			
Cooper	-																			
Crawford	1	1																		
Dade	-																			
Dallas	-																			
Daviess	2			2																
DeKalb	-																			
Dent	1			1																
Douglas	-																			
Dunklin	1																1			
Franklin	2	1																		1
Gasconade	-																			
Gentry	1																			1
Greene	-																			
Grundy	-																			
Harrison	1								1											
Henry	1																			1
Hickory	-																			
Holt	1																			1
Howard	-																			
Howell	2			2																
Iron	-																			
Jackson	1																			1
Jasper	2	2																		
Jefferson	2	1		1																
Johnson	1																1			
Knox	-																			
Laclede	1	1																		
Lafayette	-																			
Lawrence	38	36	1																	1
Lewis	-																			
Lincoln	-																			
Linn	3	1		2																
Livingston	1																			1
McDonald	-																			

TABLE 7 (CONTINUED). RECORDED DEATHS FROM SELECTED COMMUNICABLE DISEASES BY COUNTIES AND CITIES OVER 10,000 POPULATION, MISSOURI: 1962

Counties and Cities over 10,000	Tuberculosis of Respiratory System (001-008)	Tuberculosis, other forms (010-019)	Syphilis, age 1 year and over (020-029)	Typhoid Fever (040)	Undulant Fever (044)	Bacillary Dysentery (045)	Other and Unspecified Dysentery (046-048)	Scarlet Fever and Streptococcal Sore Throat (050-051)	Diphtheria (055)	Whooping Cough (056)	Meningococcal Infections (057)	Tularemia (059)	Tetanus (061)	Acute Infectious Encephalitis (082)	Acute Poliomyelitis (080)	Measles (085)	Infectious Hepatitis (092)	Rocky Mountain Spotted Fever (104)	Other Infectious and Parasitic Diseases (030-138) exc. above
Macon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Madison	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Maries	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Marion	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mercer	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Miller	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mississippi	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Moniteau	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Monroe	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Montgomery	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Morgan	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
New Madrid	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Newton	10	3	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	4
Nodaway	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oregon	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Osage	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ozark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pemiscot	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perry	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pettis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phelps	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pike	3	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-
Platte	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Polk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pulaski	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2
Putnam	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ralls	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Randolph	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ray	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Reynolds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ripley	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
St. Charles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Clair	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Francois	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Ste. Genevieve	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Louis County	46	39	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
Saline	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Schuyler	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scotland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scott	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Shannon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Shelby	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stoddard	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Stone	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sullivan	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Taney	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Texas	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Vernon	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Warren	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Washington	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wayne	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Webster	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Worth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wright	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Cities Over 10,000:																			
Bellefontaine Neighbors	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Berkeley	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Brentwood	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cape Girardeau City	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Carthage	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Clayton	5	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
Columbia	11	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	8
Crestwood	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ferguson	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Florissant	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 7 (CONTINUED). RECORDED DEATHS FROM SELECTED COMMUNICABLE DISEASES BY COUNTIES AND CITIES OVER 10,000 POPULATION, MISSOURI: 1962

Counties and Cities over 10,000	Totals	Tuberculosis of Respiratory System (001-008)	Tuberculosis, other forms (010-019)	Syphilis, age 1 year and over (020-029)	Typhoid Fever (040)	Undulant Fever (044)	Bacillary Dysentery (045)	Other and Unspecified Dysentery (046-048)	Scarlet Fever and Streptococcal Sore Throat (050-051)	Diphtheria (055)	Whooping Cough (056)	Meningococcal Infections (057)	Tetanus (061)	Typhoid Fever (069)	Acute Infectious Encephalitis (082)	Acute Poliomyelitis (080)	Measles (085)	Infectious Hepatitis (092)	Rocky Mountain Spotted Fever (104)	Other Infectious and Parasitic Diseases (030-138) exc. above
Fulton	6	4		1											1					
Gladstone	-																			
Hannibal	1																1			
Independence	4	1										1								2
Jefferson City	7	2		1																4
Jennings	-																			
Joplin	7	2	1	1													1			1
Kansas City	88	48	4	16										1	4		1	4		11
Kirksville	3	2																		1
Kirkwood	-																			
Maplewood	-																			
Mexico	3	1		1																1
Moberly	2	2																		
Overland	-																			
Poplar Bluff	8	2		3								1			1					1
Raytown	-																			
Richmond Heights	2	1																		1
Rolla	-																			
St. Ann	-																			
St. Charles	2																			2
St. Joseph	20	6		9		1							1				1			2
St. Louis City	121	48	8	26				1	1			2	2		4			4		25
Sedalia	3	1																		2
Sikeston	2			1														1		
Springfield	18	8	1	1				1							1					6
University City	-																			
Webster Groves	-																			
Incl. in Above Cities																				
Hannibal - Ralls	-																			
Joplin - Newton	-																			
Kansas City - Clay	-																			
Sikeston - New Madrid	-																			
Kansas City - Platte	-																			

TABLE 8. RESIDENT AND RECORDED DEATHS AND INFANT DEATHS BY COUNTIES AND CITIES OVER 2,500 POPULATION, MISSOURI: 1962

Area	Resident		Recorded		Area	Resident		Recorded	
	Deaths	Infant Deaths	Deaths	Infant Deaths		Deaths	Infant Deaths	Deaths	Infant Deaths
State Total	49,016	2,397	49,685	2,455	Gasconade	112	1	81	-
Cities over 10,000	24,940	1,326	31,490	1,882	Hermann	33	2	16	-
Rural	24,076	1,071	18,195	573	Gentry	154	7	118	5
Counties (Rural Part) and Cities:					Greene	257	10	100	1
Adair	89	2	39	-	Springfield	1,074	63	1,657	107
Kirksville	162	12	376	18	Grundy	113	3	61	1
Andrew	133	4	76	1	Trenton	129	-	181	2
Atchison	111	5	126	6	Harrison	125	2	47	1
Audrain	85	4	49	-	Bethany	67	1	122	4
Mexico	153	8	263	17	Henry	138	3	54	1
Vandalia	39	2	13	-	Clinton	127	4	215	6
Barry	182	6	112	2	Windsor	36	1	57	3
Monett (part)	61	5	139	8	Hickory	75	1	40	1
Barton	93	-	42	-	Holt	129	4	70	-
Lamar	53	1	74	-	Howard	100	2	44	-
Bates	202	1	126	-	Fayette	38	1	84	1
Butler	78	6	106	6	Howell	199	10	143	3
Benton	155	1	102	1	West Plains	95	8	160	13
Bollinger	124	5	87	2	Iron	152	4	184	5
Boone	151	13	83	1	Jackson	254	16	99	2
Centralia	46	2	37	-	Blue Springs	22	1	4	-
Columbia	263	26	678	82	Grandview	57	10	23	1
Buchanan	127	8	48	-	Independence	684	43	537	27
St. Joseph	1,126	40	1,451	58	Lee's Summit	88	4	42	-
Butler	208	9	91	1	Raytown	151	10	47	1
Poplar Bluff	257	14	649	32	Sugar Creek	23	1	8	-
Caldwell	142	5	85	2	Kansas City	5,568	318	6,682	414
Callaway	151	3	63	-	Jasper	301	6	175	1
Fulton	104	9	308	6	Carthage	168	3	204	8
Camden	125	1	83	-	Joplin (part)	541	18	651	24
Cape Girardeau	132	3	59	-	Webb City	102	3	118	6
Cape Girardeau City	260	18	485	30	Jefferson	389	26	395	12
Jackson	42	1	21	-	Crystal City	31	-	7	1
Carroll	143	2	62	-	DeSoto	79	1	44	-
Carrollton	72	4	109	5	Festus	64	3	26	-
Carter	60	3	24	1	Johnson	185	9	110	12
Cass	159	11	102	10	Warrensburg	99	10	150	9
Belton	34	6	11	-	Knox	96	2	49	-
Harrisonville	39	2	69	6	Laclede	135	4	70	2
Pleasant Hill	42	1	25	1	Lebanon	107	5	157	6
Cedar	81	3	43	-	Lafayette	218	7	130	5
Eldorado Springs	58	4	68	5	Higginsville	50	-	32	-
Chariton	169	3	83	-	Lexington	70	1	101	4
Christian	153	7	94	1	Lawrence	222	4	226	1
Clark	99	2	64	-	Aurora	77	3	111	2
Clay	154	11	212	5	Monett (part)	7	-	4	-
Excelsior Springs (part)	96	3	133	3	Lewis	121	3	97	1
Gladstone	19	3	12	-	Canton	38	1	16	-
Liberty	78	6	38	1	Lincoln	222	6	220	5
North Kansas City	88	11	139	20	Linn	155	1	79	-
Kansas City (part)	167	14	65	2	Brookfield	91	3	136	3
Clinton	100	3	68	-	Marceline	51	2	85	2
Cameron (part)	70	-	97	4	Livingston	83	3	43	2
Cole	115	4	57	-	Chillicothe	130	3	215	6
Jefferson City	264	14	486	26	McDonald	168	5	75	-
Cooper	105	3	39	1	Macon	194	1	109	1
Boonville	80	2	130	3	Macon	74	3	107	4
Crawford	172	6	108	3	Madison	68	3	32	-
Sullivan (part)	10	-	40	3	Fredericktown	64	3	82	9
Dade	118	1	81	1	Maries	87	2	46	-
Dallas	122	6	73	-	Marion	63	1	23	-
Daviess	151	2	106	-	Hannibal (part)	314	18	458	23
DeKalb	104	1	71	-	Palmyra	39	-	27	-
Cameron (part)	3	-	3	-	Mercer	77	2	80	1
Dent	91	2	42	-	Miller	124	9	99	7
Salem	75	4	80	5	Eldon	54	2	28	-
Douglas	115	11	51	3	Mississippi	115	11	67	3
Dunklin	258	17	112	1	Charleston	86	7	52	4
Kennett	113	5	210	19	East Prairie	55	4	22	1
Malden	50	2	27	1	Moniteau	103	4	44	-
Franklin	248	4	109	-	California	59	1	65	2
Pacific (part)	26	-	12	-	Monroe	145	3	97	-
St. Clair	28	3	5	1	Montgomery	156	8	76	1
Sullivan (part)	52	1	23	-	Morgan	123	3	85	1
Union	43	-	15	-	New Madrid	256	25	137	16
Washington	82	5	222	14	New Madrid	40	7	21	1
					Portageville	33	2	17	2
					Sikeston (part)	-	-	-	-

TABLE 8 (CONTINUED). RESIDENT AND RECORDED DEATHS AND INFANT DEATHS BY COUNTIES AND CITIES OVER 2,500 POPULATION, MISSOURI: 1962

Area	Resident		Recorded		Area	Resident		Recorded	
	Deaths	Infant Deaths	Deaths	Infant Deaths		Deaths	Infant Deaths	Deaths	Infant Deaths
Newton	208	13	132	7	St. Louis (Continued)				
Joplin (part)	9	-	1	-	Frontenac	15	-	2	-
Neosho	91	3	140	7	Glendale	48	-	12	-
Nodaway	174	7	96	-	Hanley Hills	16	-	6	-
Maryville	114	2	192	7	Hazelwood	35	8	7	-
Oregon	124	4	78	1	Hillsdale Village	24	2	4	-
Osage	131	3	60	-	Jennings	162	9	41	-
Ozark	80	1	51	1	Kinloch	60	2	17	-
Pemiscot	220	32	118	17	Kirkwood	250	15	318	18
Caruthersville	122	12	63	6	LaDue	52	-	15	-
Hayti	64	13	181	31	Maplewood	145	6	38	-
Perry	96	7	58	1	Moline Acres	41	1	31	-
Perryville	73	3	137	13	Normandy	115	1	263	16
Pettis	139	13	63	1	Northwoods	28	1	6	-
Sedalia	342	17	399	22	Olivette	50	2	13	-
Phelps	169	9	90	1	Overland	209	6	83	-
Rolla	92	6	222	14	Pacific (part)	-	-	-	-
Pike	132	3	56	1	Pagedale	63	1	15	-
Bowling Green	51	3	43	-	Pinelawn	77	3	45	-
Louisiana	64	3	124	4	Richmond Heights	168	8	469	63
Platte	183	6	90	2	Riverview	27	3	8	-
Kansas City (part)	14	2	4	1	Rock Hill	40	4	15	-
Polk	132	1	110	-	St. Ann	73	11	9	-
Bolivar	43	2	37	1	St. John	53	2	16	-
Pulaski	154	25	152	23	Shrewsbury	29	1	6	-
Putnam	123	3	143	4	Sunset Hills	14	1	5	-
Ralls	88	4	39	1	University City	481	9	90	-
Hannibal (part)	3	-	-	-	Valley Park	51	4	68	-
Randolph	135	1	91	-	Webster Groves	270	10	109	-
Moberly	215	3	287	6	Wellston	95	8	18	-
Ray	130	4	135	6	Woodson Terrace	20	-	5	-
Excelsior Springs (part)	1	-	-	-	Saline	149	5	129	3
Richmond	75	3	33	-	Marshall	158	7	213	9
Reynolds	68	-	27	-	Slater	62	-	24	-
Ripley	120	5	99	6	Schuyler	87	1	55	-
St. Charles	154	6	47	-	Scotland	92	2	46	-
O'Fallon	28	3	11	-	Scott	166	12	78	5
St. Charles City	214	27	309	32	Chaffee	37	2	17	1
Wentzville	25	4	6	1	Sikeston (part)	128	7	244	26
St. Clair	140	3	135	1	Shannon	80	3	36	1
St. Francois	244	6	285	5	Shelby	152	5	85	1
Boone Terre	45	4	175	15	Stoddard	228	13	141	6
Farmington	94	2	65	-	Dexter	62	3	63	-
Flat River	52	1	27	-	Stone	95	3	50	1
Ste. Genevieve	67	5	43	2	Sullivan	129	1	98	4
Ste. Genevieve	50	1	26	-	Taney	127	4	127	4
St. Louis	1,499	118	879	4	Texas	194	7	195	8
Ballwin	39	4	20	-	Vernon	136	1	182	-
Bellefontaine Neighbors	83	5	26	1	Nevada	149	3	247	3
Bel-ridge	28	3	5	-	Warren	115	4	78	1
Berkeley	72	9	36	-	Washington	130	13	69	2
Breckenridge Hills	21	-	5	-	Potosi	37	1	23	-
Brentwood	73	4	17	-	Wayne	128	3	61	1
Bridgeton	58	9	13	-	Webster	188	5	98	2
Clayton	181	2	937	37	Worth	62	1	35	-
Crestwood	38	5	8	-	Wright	144	5	105	3
Creve Coeur	50	5	36	-	Mountain Grove	48	1	47	3
Dellwood	22	2	-	-	St. Louis City	10,104	495	12,728	785
Des Peres	15	4	11	-					
Ellisville	19	1	31	-					
Ferguson	160	11	55	-					
Florissant	179	28	51	2					

TABLE 9. RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND MATERNAL DEATHS BY COUNTIES AND CITIES OVER 10,000 POPULATION, WITH RATES, MISSOURI: 1962

Counties and Cities	Population	RESIDENT			RECORDED			RESIDENT			RECORDED		
		Deaths	Infant Deaths	Maternal Deaths	Deaths	Infant Deaths	Maternal Deaths	Deaths	Infant Deaths	Maternal Deaths	Deaths	Infant Deaths	Maternal Deaths
State Total	4,453,237	49,016	2,397	43	49,685	2,455	46	11.0	25.5	4.6	11.2	25.1	4.7
Cities Over 10,000		24,940	1,326	20	31,490	1,882	36						
Rural		24,076	1,071	23	18,195	573	10						
Counties inc. Cities over 10,000:													
Adair	20,270	251	14	1	415	18	1	12.4	31.1	22.2	20.5	22.0	12.4
Andrew	10,974	133	4		76	1		12.1	23.0		6.9	166.7	
Atchison	8,844	111	5		126	6		12.6	37.6		14.2	25.2	
Audrain	26,508	277	14		325	17		10.4	26.6		12.3	25.3	
Barry	18,421	243	11		251	10		13.2	31.8		13.6	19.2	
Barton	10,742	146	1		116			13.6	5.7		10.8		
Bates	15,569	280	7		232	6		18.0	24.9		14.9	22.1	
Benton	8,615	155	1		102	1		18.0	8.2		11.8	25.0	
Bollinger	8,873	124	5		87	2		14.0	34.0		9.8	125.0	
Boone	57,399	460	41	1	798	83	3	8.0	28.7	7.0	13.9	44.6	16.1
Buchanan	89,857	1,253	48		1,499	58		13.9	24.0		16.7	23.9	
Butler	34,036	465	23	2	740	33		13.7	33.1	28.8	21.7	31.8	
Caldwell	8,600	142	5	1	85	2		16.5	36.8	73.5	9.9	500.0	
Callaway	23,953	255	12		371	6		10.6	28.2		15.5	23.9	
Camden	9,359	125	1		83			13.4	7.4		8.9		
Cape Girardeau	42,736	434	22		565	30		10.2	25.6		13.2	22.7	
Carroll	13,500	215	6		171	5		15.9	29.3		12.7	29.1	
Carter	3,852	60	3		24	1		15.6	41.1		6.2	166.7	
Cass	32,890	274	20	1	207	17	1	8.3	31.3	15.6	6.3	21.6	12.7
Cedar	8,971	139	7		111	5		15.5	43.5		12.4	27.8	
Chariton	12,312	169	3		83			13.7	15.5		6.7		
Christian	12,335	153	7		94	1		12.4	33.3		7.6		
Clark	8,690	99	2		64			11.4	12.3		7.4		
Clay	103,037	602	48		599	31	1	5.8	21.9	108.1	5.8	20.0	6.1
Clinton	11,578	170	3	2	165	4		14.7	16.2		14.3	13.3	
Cole	42,049	379	18		543	26		9.0	20.8		12.9	17.2	
Cooper	15,238	185	5		169	4		12.1	17.6		11.1	16.0	
Crawford	12,842	182	6		148	6	1	14.2	25.8		11.5	21.9	36.1
Dade	7,267	118	1		81	1		16.2	10.4		11.1	16.7	
Dallas	9,058	122	6		73			13.5	42.6		8.1		
Daviess	9,126	151	2		106			16.5	13.3		11.6		
DeKalb	7,074	107	1		74			15.1	9.3		10.5		
Dent	10,326	166	6		122	5		16.1	32.1		11.8	27.0	
Douglas	9,193	115	11		51	3		12.5	68.8		5.5	230.8	
Dunklin	38,061	421	24	2	349	21		11.1	30.0	25.0	9.2	20.9	
Franklin	46,854	479	13		386	15		10.2	12.0		8.2	13.5	
Gasconade	12,160	145	3		97			11.9	14.0		8.0		
Gentry	8,424	154	7		118	5		18.3	47.3		14.0	32.1	
Greene	131,381	1,331	73	2	1,757	108	1	10.1	28.4	7.8	13.4	31.8	2.9
Grundy	11,959	242	3		242	3		20.2	14.7		20.2	14.2	
Harrison	11,129	192	3		169	5		17.3	16.0		15.2	24.2	
Henry	19,046	301	8		326	10		15.8	23.8		17.1	20.6	
Hickory	4,341	75	1		40	1		17.3	19.2		9.2	52.6	
Holt	7,480	129	4		70			17.2	31.7		9.4		
Howard	10,716	138	3		128	1		12.9	13.0		11.9	6.8	
Howell	21,891	294	18		303	16		13.4	40.6		13.8	30.4	
Iron	7,753	152	4		184	5		19.6	26.8		23.7	22.1	
Jackson	642,666	6,847	403	8	7,442	445	9	10.7	26.6	5.3	11.6	25.0	5.1
Jasper	78,648	1,112	30		1,148	39		14.1	19.5		14.6	21.0	
Jefferson	76,116	563	30	1	472	13		7.4	17.3	5.8	6.2	17.4	
Johnson	31,411	284	19	1	260	21	1	9.0	36.9	19.4	8.3	28.3	13.5
Knox	6,380	96	2	1	49			15.0	19.8	99.0	7.7		
Laclede	18,944	242	9		227	8		12.8	23.7		12.0	18.3	
Lafayette	25,221	338	8		263	9		13.4	17.4		10.4	25.3	
Lawrence	23,207	306	7		341	3		13.2	17.5		14.7	9.4	

Death rates are per 1,000 population; infant death rates are per 1,000 live births; maternal death rates are per 10,000 live births.

TABLE 9 (CONTINUED). RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND MATERNAL DEATHS BY COUNTIES AND CITIES OVER 10,000 POPULATION, WITH RATES, MISSOURI: 1962

Counties and Cities	Population	RESIDENT			RECORDED			RESIDENT			RECORDED		
		Deaths	Infant Deaths	Maternal Deaths	Deaths	Infant Deaths	Maternal Deaths	Deaths	Infant Deaths	Maternal Deaths	Deaths	Infant Deaths	Maternal Deaths
Lewis	11,102	159	4		113	1		14.3	17.7		10.2	1000.0	
Lincoln	15,109	222	6		220	5		14.7	19.4		14.6	10.0	
Linn	16,340	297	6		300	5		18.2	24.9		18.4	15.5	
Livingston	15,610	213	6		258	8		13.6	21.3		16.5	21.9	
McDonald	11,391	168	5		75			14.7	25.8		6.6		
Macon	16,129	268	4		216	5		16.6	16.1		13.4	21.7	
Madison	9,132	132	6		114	9		14.5	36.8		12.5	35.6	
Maries	7,219	87	2		46			12.1	15.6		6.4		
Marion	29,409	416	19		508	23		14.1	32.5		17.3	23.9	
Mercer	5,475	77	2		80	1		14.1	31.3		14.6	11.6	
Miller	13,851	178	11		127	7		12.9	39.0		9.2	34.0	
Mississippi	20,388	256	22	1	141	8		12.6	41.7	19.0	6.9	26.4	
Moniteau	10,411	162	5		109	2		15.6	26.9		10.5	29.4	
Monroe	10,641	145	3		97			13.6	16.7		9.1		
Montgomery	11,374	156	8		76	1		13.7	38.3		6.7	200.0	
Morgan	9,327	123	3		85	1		13.2	21.3		9.1	8.4	
New Madrid	30,230	329	34	1	175	19	2	10.9	44.2	13.0	5.8	46.8	49.3
Newton	30,546	308	16		273	14		10.1	26.1		8.9	29.8	
Nodaway	21,803	288	9		288	7		13.2	22.1		13.2	17.2	
Oregon	9,438	124	4		78	1		13.1	29.6		8.3	10.3	
Osage	10,819	131	3		60			12.1	12.6		5.5		
Ozark	6,372	80	1		51	1		12.6	12.3		8.0	12.5	
Pemiscot	37,066	406	57	1	362	54	1	11.0	56.2	9.9	9.8	58.0	10.7
Perry	14,543	169	10		195	14		11.6	26.7		13.4	23.9	
Pettis	36,072	481	30		462	23		13.3	41.4		12.8	27.0	
Phelps	26,340	261	15		312	15		9.9	24.3		11.8	20.1	
Pike	16,737	247	9		223	5		14.8	27.1		13.3	16.5	
Platte	26,009	197	8		94	3		7.6	14.5		3.6	1500.0	
Polk	13,301	175	3		147	1		13.2	16.0		11.1	8.6	
Pulaski	47,298	154	25		152	23		3.3	50.0		3.2	18.6	
Putnam	6,633	123	3		143	4		18.5	26.5		21.6	33.6	
Ralls	7,940	91	4		39	1		11.5	25.3		4.9	500.0	
Randolph	21,853	350	4		378	6		16.0	10.3		17.3	11.4	
Ray	16,208	206	7		168	6		12.7	22.9		10.4	21.5	
Reynolds	4,886	68			27			13.9			5.5		
Ripley	8,701	120	5		99	6		13.8	33.5		11.4	35.1	
St. Charles	61,682	421	40		373	33		6.8	22.5		6.0	23.0	
St. Clair	8,061	140	3		135	1		17.4	23.6		16.7	11.0	
St. Francois	36,546	435	13		552	20	1	11.9	18.9		15.1	23.4	11.7
Ste. Genevieve	12,299	117	6	1	69	2		9.5	22.1	36.8	5.6	181.8	
St. Louis County	798,557	5,248	328	6	3,864	141	2	6.6	20.3	3.7	4.8	19.0	2.7
Saline	24,873	369	12	1	366	12	1	14.8	26.5	22.1	14.7	24.9	20.7
Schuyler	4,914	87	1		55			17.7	12.0		11.2		
Scotland	6,329	92	2		46			14.5	20.2		7.3		
Scott	32,838	331	21		339	32	1	10.1	26.4		10.3	35.8	11.2
Shannon	6,908	80	3		36	1		11.6	19.4		5.2	33.3	
Shelby	8,910	152	5		85	1		17.1	32.1		9.5	111.1	
Stoddard	28,860	290	16		204	6		10.0	25.0		7.1	10.1	
Stone	7,987	95	3		50	1		11.9	17.8		6.3	200.0	
Sullivan	8,348	129	1		98	4		15.5	7.9		11.7	34.2	
Taney	10,304	127	4		127	4		12.3	21.9		12.3	16.7	
Texas	17,540	194	7		195	8		11.1	20.2		11.1	16.2	
Vernon	20,151	285	4		429	3	1	14.1	14.0		21.3	11.7	38.9
Warren	9,024	115	4		78	1		12.7	21.6		8.6	1000.0	
Washington	14,289	167	14		92	2		11.7	40.9		6.4	17.5	
Wayne	8,317	128	3		61	1		15.4	20.4		7.3	142.9	
Webster	13,562	188	5		98	2		13.9	19.0		7.2	9.2	
Worth	3,738	62	1		35			16.6	17.2		9.3		
Wright	13,857	192	6		152	6		13.9	21.5		11.0	30.5	

Death rates are per 1,000 population; infant death rates are per 1,000 live births; maternal death rates are per 10,000 live births.

TABLE 9 (CONTINUED). RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND MATERNAL DEATHS BY COUNTIES AND CITIES OVER 10,000 POPULATION, WITH RATES, MISSOURI: 1962

Counties and Cities	Population	RESIDENT			RECORDED			RESIDENT				RECORDED			
		Deaths	Infant Deaths	Maternal Deaths	Number Deaths	Deaths	Infant Deaths	Maternal Deaths	Rates			Deaths	Infant Deaths	Maternal Deaths	
									Deaths	Infant Deaths	Maternal Deaths				
Cities Over 10,000:															
Bellefontaine Neighbors		83	5			26	1								
Berkeley		72	9			36									
Brentwood		73	4			17									
Cape Girardeau City		260	18			485	30								
Carthage		168	3			204	8								
Clayton		181	2			937	37	1							
Columbia		263	26			678	82	3							
Crestwood		38	5	1		8									
Ferguson		160	11			55									
Florissant		179	28			51	2								
Fulton		104	9			308	6								
Gladstone		19	3			12									
Hannibal		317	18			458	23								
Independence		684	43	2		537	27	3							
Jefferson City		264	14			486	26								
Jennings		162	9			41									
Joplin		550	18			652	24								
Kansas City	731,758	5,749	334	5		6,751	417	6							
Kirksville		162	12	1		376	18	1							
Kirkwood		250	15			318	18								
Maplewood		145	6			38									
Mexico		153	8			263	17								
Moberly		215	3			287	6								
Overland		209	6			83									
Poplar Bluff		257	14	1		649	32								
Raytown		151	10			47	1								
Richmond Heights		168	8			469	63	1							
Rolla		92	6			222	14								
St. Ann		73	11			9									
St. Charles		214	27			309	32								
St. Joseph		1,126	40			1,451	58								
St. Louis City	731,758	10,104	495	9		12,728	785	19	13.8	28.6	5.2	17.4	27.5	6.7	
Sedalia		342	17			399	22								
Sikeston		128	7			244	26	1							
Springfield		1,074	63	1		1,657	107	1							
University City		481	9			90									
Webster Groves		270	10			109									
Incl. in Above Cities:															
Hannibal - Rolla		3													
Joplin - Newton		9				1									
Kansas City - Clay		167	14			65	2								
Sikeston - New Madrid															
Kansas City - Platte		14	2			4	1								

Death rates are per 1,000 population; infant death rates are per 1,000 live births; maternal death rates are per 10,000 live births.

TABLE 10. RESIDENT INFANT DEATHS BY COUNTIES AND CITIES OVER 10,000 POPULATION BY COLOR, MISSOURI: 1958-1962

Counties and Cities Over 10,000	1962			1961			1960			1959			1958		
	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite
State Total	2,397	1,879	518	2,389	1,838	551	2,414	1,809	605	2,412	1,829	583	2,555	1,946	609
Counties incl. Cities over 10,000:															
Adair	14	14	-	22	22	-	11	11	-	9	9	-	6	6	-
Andrew	4	4	-	5	5	-	3	3	-	2	2	-	2	2	-
Atchison	5	5	-	4	4	-	-	-	-	1	1	-	2	2	-
Audrain	14	13	1	10	10	-	12	8	4	8	8	-	13	10	3
Barry	11	11	-	10	10	-	9	9	-	13	13	-	6	6	-
Barton	1	1	-	4	4	-	-	-	-	3	3	-	3	3	-
Bates	7	6	1	6	5	1	1	1	-	2	2	-	8	7	1
Benton	1	1	-	4	4	-	3	3	-	1	1	-	1	1	-
Bollinger	5	5	-	5	5	-	2	2	-	3	3	-	5	5	-
Boone	41	32	9	31	25	6	20	15	5	20	17	3	17	16	1
Buchanan	48	47	1	51	49	2	50	45	5	44	40	4	60	54	6
Butler	23	22	1	21	18	3	28	27	1	19	18	1	28	26	2
Caldwell	5	5	-	1	1	-	1	1	-	1	1	-	6	6	-
Callaway	12	12	-	7	4	3	9	5	4	12	10	2	10	8	2
Camden	1	1	-	4	4	-	2	2	-	2	2	-	2	2	-
Cape Girardeau	22	21	1	13	13	-	23	20	3	24	22	2	23	22	1
Carroll	6	6	-	11	11	-	8	8	-	9	8	1	4	4	-
Carter	3	3	-	2	2	-	4	4	-	-	-	-	-	-	-
Cass	20	20	-	16	15	1	8	8	-	13	13	-	19	19	-
Cedar	7	7	-	6	6	-	1	1	-	4	4	-	3	3	-
Chariton	3	3	-	2	2	-	6	6	-	3	3	-	7	5	2
Christian	7	7	-	6	6	-	6	6	-	2	2	-	4	4	-
Clark	2	2	-	1	1	-	3	3	-	2	2	-	1	1	-
Clay	48	48	-	40	40	-	52	51	1	39	38	1	36	35	1
Clinton	3	2	1	5	4	1	7	6	1	6	6	-	9	5	4
Cole	18	14	4	15	12	3	17	16	1	16	15	1	12	12	-
Cooper	5	3	2	7	5	2	8	5	3	4	2	2	12	12	-
Crawford	6	6	-	7	7	-	7	7	-	10	10	-	5	5	-
Dade	1	1	-	5	5	-	2	1	1	-	-	-	1	1	-
Dallas	6	6	-	1	1	-	1	1	-	3	3	-	5	5	-
Daviess	2	2	-	4	4	-	3	3	-	5	5	-	4	4	-
DeKalb	1	1	-	2	2	-	-	-	-	-	-	-	3	3	-
Dent	6	6	-	2	2	-	1	1	-	2	2	-	3	3	-
Douglas	11	11	-	1	1	-	5	5	-	2	2	-	4	4	-
Dunklin	24	22	2	21	20	1	27	24	3	28	26	2	35	30	5
Franklin	13	13	-	28	27	1	18	18	-	30	30	-	18	18	-
Gasconade	3	3	-	3	3	-	4	4	-	6	6	-	-	-	-
Gentry	7	7	-	4	4	-	4	4	-	5	5	-	5	5	-
Greene	73	72	1	51	51	-	60	56	4	49	46	3	55	53	2
Grundy	3	3	-	5	5	-	3	3	-	8	8	-	5	5	-
Harrison	3	3	-	7	7	-	3	3	-	7	7	-	2	2	-
Henry	8	8	-	6	6	-	12	12	-	10	10	-	7	6	1
Hickory	1	1	-	-	-	-	1	1	-	1	1	-	-	-	-
Holt	4	4	-	2	2	-	2	2	-	1	1	-	3	3	-
Howard	3	2	1	12	8	4	3	3	-	6	6	-	4	4	-
Howell	18	18	-	14	14	-	9	9	-	16	16	-	15	15	-
Iron	4	4	-	4	4	-	7	7	-	6	6	-	3	2	1
Jackson	403	283	120	361	259	102	410	288	122	452	288	164	433	294	139
Jasper	30	30	-	47	46	1	36	35	1	36	36	-	36	34	2
Jefferson	30	30	-	33	31	2	35	35	-	43	40	3	41	40	1
Johnson	19	17	2	18	17	1	15	15	-	20	19	1	19	19	-
Knox	2	2	-	1	1	-	3	3	-	1	1	-	3	3	-
Laclede	9	9	-	13	13	-	11	10	1	9	9	-	13	13	-
Lafayette	8	8	-	6	6	-	9	9	-	11	10	1	11	10	1
Lawrence	7	7	-	5	5	-	12	12	-	3	3	-	5	5	-
Lewis	4	4	-	5	4	1	4	4	-	3	2	1	9	9	-
Lincoln	6	5	1	5	5	-	4	4	-	11	10	1	11	8	3
Linn	6	5	1	4	4	-	5	5	-	6	6	-	1	1	-
Livingston	6	6	-	3	3	-	3	3	-	6	6	-	6	6	-
McDonald	5	5	-	6	6	-	4	4	-	3	3	-	2	2	-
Macon	4	4	-	6	6	-	9	9	-	7	7	-	6	5	1
Madison	6	6	-	5	5	-	7	7	-	1	1	-	2	2	-
Maries	2	2	-	3	3	-	4	4	-	2	2	-	5	5	-
Marion	19	17	2	23	20	3	18	15	3	18	17	1	12	10	2
Mercer	2	2	-	-	-	-	1	1	-	1	1	-	1	1	-
Miller	11	11	-	8	8	-	7	7	-	4	4	-	10	10	-
Mississippi	22	12	10	33	15	18	35	18	17	24	13	11	22	9	13
Moniteau	5	5	-	5	5	-	2	2	-	11	10	1	3	3	-
Monroe	3	3	-	7	6	1	3	3	-	3	3	-	4	4	-

TABLE 10 (CONTINUED). RESIDENT INFANT DEATHS BY COUNTIES AND CITIES OVER 10,000 POPULATION BY COLOR, MISSOURI: 1958-1962

Counties and Cities Over 10,000	1962			1961			1960			1959			1958		
	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite
Montgomery	8	8	-	2	2	-	3	3	-	4	4	-	8	7	1
Morgan	3	2	1	3	3	-	1	1	-	4	4	-	3	3	-
New Madrid	34	15	19	30	14	16	35	18	17	25	10	15	40	23	17
Newton	16	16	-	8	8	-	11	11	-	8	8	-	17	16	1
Nodaway	9	9	-	6	6	-	6	6	-	15	15	-	10	10	-
Oregon	4	4	-	4	4	-	3	3	-	8	8	-	2	2	-
Osage	3	3	-	5	5	-	2	2	-	4	4	-	3	3	-
Ozark	1	1	-	2	2	-	6	6	-	2	2	-	2	2	-
Pemiscot	57	24	33	57	26	31	42	19	23	45	17	28	54	24	30
Perry	10	10	-	8	8	-	6	6	-	12	12	-	13	13	-
Pettis	30	27	3	26	23	3	16	14	2	17	14	3	24	21	3
Phelps	15	14	1	21	21	-	16	16	-	14	14	-	11	10	1
Pike	9	8	1	6	5	1	12	11	1	6	4	2	4	4	-
Platte	8	8	-	7	7	-	7	7	-	11	11	-	5	5	-
Polk	3	3	-	3	3	-	5	5	-	3	3	-	2	2	-
Pulaski	25	23	2	22	21	1	27	26	1	28	23	5	39	31	8
Putnam	3	3	-	1	1	-	1	1	-	2	2	-	5	5	-
Ralls	4	4	-	1	1	-	2	2	-	1	1	-	4	4	-
Randolph	4	4	-	9	7	2	9	8	1	10	9	1	12	11	1
Ray	7	7	-	7	7	-	4	4	-	7	7	-	7	7	-
Reynolds	-	-	-	2	2	-	-	-	-	4	4	-	1	1	-
Ripley	5	5	-	6	6	-	2	2	-	4	4	-	1	1	-
St. Charles	40	39	1	34	32	2	30	30	-	24	23	1	40	37	3
St. Clair	3	3	-	1	1	-	2	2	-	1	1	-	7	7	-
St. Francois	13	13	-	16	16	-	16	16	-	14	13	1	22	22	-
Ste. Genevieve	6	6	-	9	9	-	8	7	1	5	5	-	3	3	-
St. Louis County	328	312	16	310	291	19	291	270	21	287	267	20	290	270	20
Saline	12	12	-	9	5	4	15	14	1	11	11	-	20	16	4
Schuyler	1	1	-	1	1	-	2	2	-	4	4	-	3	3	-
Scotland	2	2	-	1	1	-	1	1	-	1	1	-	4	4	-
Scott	21	15	6	21	17	4	25	14	11	16	12	4	21	15	6
Shannon	3	3	-	1	1	-	3	3	-	8	8	-	1	1	-
Shelby	5	5	-	2	2	-	2	2	-	7	6	1	1	1	-
Stoddard	16	15	1	19	13	6	19	15	4	19	15	4	14	10	4
Stone	3	3	-	7	7	-	3	3	-	5	5	-	-	-	-
Sullivan	1	1	-	4	4	-	5	5	-	5	5	-	5	5	-
Taney	4	4	-	1	1	-	4	4	-	5	5	-	5	5	-
Texas	7	7	-	12	12	-	7	7	-	6	6	-	4	4	-
Vernon	4	4	-	10	10	-	8	8	-	3	3	-	13	13	-
Warren	4	4	-	2	1	1	7	6	1	4	4	-	7	6	1
Washington	14	14	-	14	14	-	7	7	-	11	11	-	7	7	-
Wayne	3	3	-	7	7	-	2	2	-	5	5	-	3	3	-
Webster	5	5	-	6	6	-	5	5	-	7	7	-	6	6	-
Worth	1	1	-	2	2	-	2	2	-	2	2	-	3	3	-
Wright	6	6	-	5	5	-	6	6	-	8	8	-	8	8	-
Cities Over 10,000 (included above):															
Bellefontaine Neighbors	5	5	-	2	2	-	NA	NA	NA	NA	NA	NA	NA	NA	NA
Berkeley	9	9	-	8	7	1	NA	NA	NA	NA	NA	NA	NA	NA	NA
Brentwood	4	4	-	4	3	1	NA	NA	NA	NA	NA	NA	NA	NA	NA
Cape Girardeau City	18	17	1	8	8	-	19	17	2	17	16	1	16	15	1
Carthage	3	3	-	9	8	1	7	7	-	8	8	-	-	-	-
Clayton	2	2	-	4	4	-	5	5	-	6	6	-	5	5	-
Columbia	26	18	8	18	13	5	10	7	3	14	12	2	11	10	1
Crestwood	5	5	-	1	1	-	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ferguson	11	11	-	11	11	-	9	9	-	5	5	-	5	5	-
Florissant	28	28	-	19	19	-	NA	NA	NA	NA	NA	NA	NA	NA	NA
Fulton	9	9	-	3	2	1	4	1	3	7	6	1	4	2	2
Gladstone	3	3	-	1	1	-	NA	NA	NA	NA	NA	NA	NA	NA	NA
Hannibal	18	16	2	20	17	3	16	13	3	12	11	1	8	6	2
Independence	43	42	1	32	31	1	44	43	1	34	34	-	38	36	2
Jefferson City	14	10	4	11	8	3	13	12	1	7	6	1	10	10	-
Jennings	9	9	-	10	10	-	6	6	-	7	7	-	7	7	-
Joplin	18	18	-	27	27	-	17	16	1	14	14	-	26	24	2
Kansas City	334	216	118	298	197	101	325	205	120	380	216	164	353	216	137
Kirksville	12	12	-	16	16	-	8	8	-	7	7	-	4	4	-
Kirkwood	15	12	3	10	6	4	15	13	2	10	9	1	14	12	2
Maplewood	6	6	-	5	5	-	5	5	-	8	8	-	4	4	-
Mexico	8	8	-	9	9	-	6	3	3	5	5	-	4	2	2
Moberly	3	3	-	5	4	1	6	5	1	5	4	1	7	6	1
Overland	6	6	-	16	16	-	6	6	-	12	12	-	17	17	-

NA - Not Available

TABLE 10 (CONTINUED). RESIDENT INFANT DEATHS BY COUNTIES AND CITIES OVER 10,000
POPULATION BY COLOR, MISSOURI: 1958-1962

Counties and Cities Over 10,000	1962			1961			1960			1959			1958		
	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite
Poplar Bluff	14	14	-	14	13	1	17	16	1	10	9	1	16	15	1
Raytown	10	10	-	11	11	-	NA	NA	NA	NA	NA	NA	NA	NA	NA
Richmond Heights	8	7	1	4	3	1	13	9	4	5	5	-	6	5	1
Rolla	6	5	1	9	9	-	NA	NA	NA	NA	NA	NA	NA	NA	NA
St. Ann	11	11	-	14	14	-	NA	NA	NA	NA	NA	NA	NA	NA	NA
St. Charles	27	27	-	22	21	1	21	21	-	11	11	-	24	22	2
St. Joseph	40	39	1	45	43	2	42	37	5	40	36	4	50	44	6
St. Louis City	495	222	273	574	270	304	625	284	341	588	296	292	670	355	315
Sedalia	17	14	3	20	17	3	15	13	2	12	10	2	17	14	3
Sikeston	7	5	2	7	5	2	15	8	7	6	5	1	10	5	5
Springfield	63	62	1	40	40	-	47	43	4	36	33	3	47	45	2
University City	9	9	-	16	16	-	13	12	1	15	15	-	8	8	-
Webster Groves	10	8	2	9	8	1	6	5	1	5	4	1	11	9	2
Incl. in Above Cities:															
Hannibal - Ralls	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joplin - Netwon	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Kansas City - Clay	14	14	-	12	12	-	16	16	-	13	13	-	16	16	-
Sikeston - New Madrid	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kansas City - Platte	2	2	-	-	-	-	NA	NA	NA	NA	NA	NA	NA	NA	NA

NA - Not Available

TABLE 11. RESIDENT INFANT DEATHS BY AGE, CAUSE, AND COLOR WITH RATES BY CAUSE
AND COLOR, MISSOURI: 1962

Cause	Color	Number	Rate	Under 1 Hour	Over 1 Hour	Over 1 Day	Over 7 Days	Over 28 Days	Over 3 Mos.	Over 6 Mos.	Over 1 Year	Age Un- known but Under 1 Year
					Under 1 Day	Under 7 Days	Under 28 Days	Under 3 Mos.	Under 6 Mos.	Under 1 Year		
All Causes	White	1,879	23.2	133	681	493	136	180	146	110	-	
	Nonwhite	518	39.9	20	188	95	43	78	59	35	-	
	Total	2,397	25.5	153	869	588	179	258	205	145	-	
Infectious Diseases (020-138)	White	16	0.2	-	-	-	2	2	7	5	-	
	Nonwhite	3	0.2	-	-	-	-	2	1	-	-	
	Total	19	0.2	-	-	-	2	4	8	5	-	
Respiratory Diseases (001-019, 470-527)	White	155	1.9	1	1	3	4	59	42	45	-	
	Nonwhite	74	5.7	-	1	1	-	34	23	15	-	
	Total	229	2.4	1	2	4	4	93	65	60	-	
Gastro-Intestinal Diseases (543-545, 571-572)	White	26	0.3	-	-	-	-	5	8	13	-	
	Nonwhite	19	1.5	-	-	-	-	9	6	4	-	
	Total	45	0.5	-	-	-	-	14	14	17	-	
Malformations (750-759)	White	328	4.1	28	71	80	42	53	39	15	-	
	Nonwhite	34	2.6	1	8	3	10	3	6	3	-	
	Total	362	3.9	29	79	83	52	56	45	18	-	
Injury at Birth (760-761)	White	162	2.0	20	89	45	8	-	-	-	-	
	Nonwhite	35	2.7	4	22	8	1	-	-	-	-	
	Total	197	2.1	24	111	53	9	-	-	-	-	
Other Diseases of Early Infancy (762-773)	White	751	9.3	51	342	283	55	13	6	1	-	
	Nonwhite	192	14.8	6	88	53	22	14	5	4	-	
	Total	943	10.0	57	430	336	77	27	11	5	-	
Premature Birth (774-776)	White	271	3.3	28	169	68	5	1	-	-	-	
	Nonwhite	108	8.3	7	67	27	6	1	-	-	-	
	Total	379	4.0	35	236	95	11	2	-	-	-	
All Other Causes	White	170	2.1	5	9	14	20	47	44	31	-	
	Nonwhite	53	4.1	2	2	3	4	15	18	9	-	
	Total	223	2.4	7	11	17	24	62	62	40	-	

Rates are per 1,000 live births.

Numbers in parentheses refer to code numbers in the 7th Revision of International Statistical Classification of Causes of Death, 1955.

TABLE 12. RESIDENT INFANT DEATHS FOR SELECTED CAUSES, MISSOURI: 1953-1962*

Cause of Death	Number by Year									
	1962	1961	1960	1959	1958	1957	1956	1955	1954	1953
All Causes	2,397	2,389	2,414	2,412	2,555	2,406	2,352	2,376	2,507	2,537
Infectious Diseases (020-138)	19	11	20	29	27	28	32	32	51	50
Respiratory Diseases (001-019, 470-527)	229	249	246	233	266	280	235	244	245	228
Gastro-Intestinal Diseases (543-545, 571-572)	45	45	45	39	50	41	48	70	82	84
Malformations (750-759)	362	397	376	368	376	401	400	353	382	363
Injury at Birth (760-761)	197	219	192	206	283	244	249	243	210	248
Other Diseases of Early Infancy (762-773)	943	916	957	857	916	703	705	742	772	671
Premature Birth (774-776)	379	343	338	414	404	495	461	473	520	646
All Other Causes	223	209	240	266	233	214	222	219	245	247

Numbers in parentheses refer to code numbers in the 7th Revision of International Statistical Classification of Causes of Death, 1955.

*Infant mortality rates are shown in summary.

TABLE 13. RESIDENT MATERNAL DEATHS FOR SELECTED CAUSES, MISSOURI: 1953-1962

Cause of Death	Year of Death									
	1962	1961	1960	1959	1958	1957	1956	1955	1954	1953
All Puerperal Causes	43	23	50	37	35	32	53	44	46	60
Abortion with Infection (651)	2	1	3	3	1	-	2	2	3	1
Abortion without Infection (650, 652)	3	1	1	-	3	2	2	3	5	6
Puerperal Hemorrhage (643, 648, 670-672, 687)	16	7	15	15	11	14	15	11	13	16
Puerperal Infection (640-641, 645.1, 680-681)	3	4	1	1	1	-	-	4	2	6
Toxemias of Pregnancy (642, 685-686)	11	2	15	8	11	8	13	9	9	15
All Other Accidents of Childbirth (673-678)	4	4	6	6	2	5	9	9	5	8
All Other Puerperal Causes	4	4	9	4	6	3	12	6	9	8

Numbers in parentheses refer to code numbers in the 7th Revision of International Statistical Classification of Causes of Death, 1955.

TABLE 14. RECORDED MATERNAL DEATHS FOR SELECTED CAUSES, MISSOURI: 1953-1962*

Cause of Death	Year of Death									
	1962	1961	1960	1959	1958	1957	1956	1955	1954	1953
All Puerperal Causes	46	22	52	44	38	36	54	46	47	62
Abortion with Infection (651)	2	2	3	3	1	-	2	2	3	3
Abortion without Infection (650, 652)	3	1	-	-	4	2	2	3	5	5
Puerperal Hemorrhage (643, 648, 670-672, 687)	17	6	16	16	11	14	13	11	14	16
Puerperal Infection (640-641, 645.1, 680-681)	3	4	2	2	1	-	-	4	1	6
Toxemias of Pregnancy (642, 685-686)	11	2	15	12	12	11	16	9	11	17
All Other Accidents of Childbirth (673-678)	4	3	7	7	2	5	9	11	5	7
All Other Puerperal Causes	6	4	9	4	7	4	12	6	8	8

Numbers in parentheses refer to code numbers in the 7th Revision of International Statistical Classification of Causes of Death, 1955.

*Maternal mortality rates are shown in summary.

TABLE 15. RESIDENT MATERNAL DEATHS BY COUNTIES AND CITIES OVER 10,000 POPULATION BY COLOR, MISSOURI: 1958-1962

Counties and Cities Over 10,000	1962			1961			1960			1959			1958		
	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite
State Total	43	34	9	23	14	9	50	33	17	37	28	9	35	24	11
Counties incl. Cities over 10,000:															
Adair	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Andrew	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atchison	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Audrain	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Barry	-	-	-	-	-	-	2	2	-	-	-	-	1	-	1
Barton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bates	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Benton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bollinger	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Boone	1	1	-	1	-	1	1	1	-	-	-	-	-	-	-
Buchanan	-	-	-	-	-	-	1	1	-	-	-	-	1	1	-
Butler	2	2	-	1	1	-	1	-	1	-	-	-	-	-	-
Caldwell	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Callaway	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Camden	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cape Girardeau	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Carroll	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Carter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cass	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Cedar	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chariton	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Christian	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Clark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Clay	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1
Clinton	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cole	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cooper	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Crawford	-	-	-	1	1	-	-	-	-	-	-	-	1	1	-
Dade	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dallas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Daviess	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DeKalb	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Dent	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Douglas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dunklin	2	2	-	2	1	1	-	-	-	-	-	-	-	-	-
Franklin	-	-	-	1	1	-	2	2	-	1	1	-	1	1	-
Gasconade	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gentry	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Greene	2	2	-	1	-	1	1	1	-	2	2	-	1	1	-
Grundy	-	-	-	-	-	-	1	1	-	-	-	-	1	1	-
Harrison	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Henry	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hickory	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holt	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Howard	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Howell	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-
Iron	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Jackson	8	7	1	1	1	-	5	5	-	8	4	4	4	1	3
Jasper	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-
Jefferson	1	1	-	-	-	-	-	-	-	2	2	-	-	-	-
Johnson	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-
Knox	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Laclede	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lafayette	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Lawrence	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lincoln	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Linn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Livingston	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
McDonald	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Macon	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-
Madison	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Maries	-	-	-	-	-	-	1	1	-	-	-	-	1	1	-
Marion	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mercer	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Miller	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mississippi	1	1	-	-	-	-	2	2	-	-	-	-	1	1	-
Moniteau	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Monroe	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 15 (CONTINUED). RESIDENT MATERNAL DEATHS BY COUNTIES AND CITIES OVER 10,000 POPULATION BY COLOR, MISSOURI: 1958-1962

Counties and Cities Over 10,000	1962			1961			1960			1959			1958		
	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite
Montgomery	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Morgan	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
New Madrid	1	1	-	3	2	1	1	-	1	1	1	-	1	-	1
Newton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nodaway	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Oregon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Osage	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Ozark	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Pemiscot	1	1	-	1	1	-	3	-	3	2	1	1	-	-	-
Perry	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Pettis	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-
Phelps	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Pike	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Platte	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Polk	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Pulaski	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Putnam	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ralls	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Randolph	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ray	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Reynolds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ripley	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Charles	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-
St. Clair	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Francois	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ste. Genevieve	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Louis County	6	5	1	3	2	1	3	3	-	2	2	-	3	3	-
Saline	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
Schuyler	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scotland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scott	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Shannon	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Shelby	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stoddard	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sullivan	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Taney	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Texas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vernon	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Warren	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Washington	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Wayne	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Webster	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Worth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wright	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Cities Over 10,000:															
Bellefontaine Neighbors	-	-	-	-	-	-	NA	NA	NA	NA	NA	NA	NA	NA	NA
Berkeley	-	-	-	-	-	-	NA	NA	NA	NA	NA	NA	NA	NA	NA
Brentwood	-	-	-	1	-	1	NA	NA	NA	NA	NA	NA	NA	NA	NA
Cape Girardeau City	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Carthage	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Clayton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Columbia	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Crestwood	1	1	-	-	-	-	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ferguson	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Florissant	-	-	-	-	-	-	NA	NA	NA	NA	NA	NA	NA	NA	NA
Fulton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gladstone	-	-	-	-	-	-	NA	NA	NA	NA	NA	NA	NA	NA	NA
Hannibal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Independence	2	2	-	-	-	-	1	1	-	1	-	1	-	-	-
Jefferson City	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Jennings	-	-	-	1	1	-	1	1	-	-	-	-	1	1	-
Joplin	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-
Kansas City	5	4	1	-	-	-	4	4	-	7	4	3	4	1	3
Kirksville	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Kirkwood	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Maplewood	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mexico	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Moberly	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Overland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NA - Not Available

TABLE 15 (CONTINUED). RESIDENT MATERNAL DEATHS BY COUNTIES AND CITIES OVER 10,000 POPULATION BY COLOR, MISSOURI: 1958-1962

Counties and Cities Over 10,000	1962			1961			1960			1959			1958		
	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite
Poplar Bluff	1	1	-	-	-	-	1	-	1	-	-	-	-	-	-
Raytown	-	-	-	-	-	-	NA	NA	NA	NA	NA	NA	NA	NA	NA
Richmond Heights	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rolla	-	-	-	-	-	-	NA	NA	NA	NA	NA	NA	NA	NA	NA
St. Ann	-	-	-	-	-	-	NA	NA	NA	NA	NA	NA	NA	NA	NA
St. Charles	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
St. Joseph	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
St. Louis City	9	2	7	6	2	4	12	2	10	9	5	4	7	2	5
Sedalia	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Sikeston	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Springfield	1	1	-	1	-	1	1	1	-	2	2	-	1	1	-
University City	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Webster Groves	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Incl. in Above Cities:															
Hannibal - Ralls	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joplin - Newton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kansas City - Clay	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Sikeston - New Madrid	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kansas City - Platte	-	-	-	-	-	-	NA	NA	NA	NA	NA	NA	NA	NA	NA

NA - Not Available

TABLE 16. RECORDED MATERNAL DEATHS BY COUNTIES AND CITIES OVER 10,000 POPULATION BY COLOR, MISSOURI: 1958-1962

Counties and Cities Over 10,000	1962			1961			1960			1959			1958		
	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite
State Total	46	35	11	22	13	9	52	33	19	44	33	11	38	26	12
Counties incl. Cities over 10,000:															
Adair	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-
Andrew	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atchison	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Audrain	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Barry	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-
Barton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bates	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Benton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bollinger	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Boone	3	3	-	1	-	1	2	2	-	-	-	-	-	-	-
Buchanan	-	-	-	-	-	-	1	1	-	-	-	-	2	2	-
Butler	-	-	-	-	-	-	1	-	1	-	-	-	1	1	-
Caldwell	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Callaway	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Camden	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cape Girardeau	-	-	-	-	-	-	2	1	1	1	1	-	1	1	-
Carroll	-	-	-	-	-	-	1	1	-	-	-	-	1	1	-
Carter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cass	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Cedar	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chariton	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Christian	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Clark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Clay	1	1	-	-	-	-	-	-	-	1	1	-	1	-	1
Clinton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cole	-	-	-	-	-	-	2	2	-	-	-	-	1	1	-
Cooper	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Crawford	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Dade	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dallas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Daviess	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DeKalb	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dent	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Douglas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dunklin	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-

TABLE 16 (CONTINUED). RECORDED MATERNAL DEATHS BY COUNTIES AND CITIES OVER 10,000 POPULATION BY COLOR, MISSOURI: 1958-1962

Counties and Cities Over 10,000	1962			1961			1960			1959			1958		
	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite
Franklin	-	-	-	1	1	-	2	2	-	1	1	-	3	3	-
Gasconade	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gentry	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Greene	1	1	-	1	-	1	2	2	-	3	3	-	1	1	-
Grundy	-	-	-	-	-	-	1	1	-	-	-	-	1	1	-
Harrison	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Henry	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hickory	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holt	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Howard	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Howell	-	-	-	-	-	-	1	1	-	1	1	-	1	1	-
Iron	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Jackson	9	8	1	1	1	-	6	5	1	10	6	4	6	3	3
Jasper	-	-	-	-	-	-	1	1	-	2	2	-	-	-	-
Jefferson	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Johnson	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Knox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Laclede	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lafayette	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Lawrence	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lincoln	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Linn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Livingston	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
McDonald	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Macon	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Madison	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Marion	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Marion	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mercer	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Miller	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mississippi	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Moniteau	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Monroe	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Montgomery	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Morgan	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
New Madrid	2	2	-	1	1	-	-	-	-	-	-	-	1	1	-
Newton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nodaway	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Oregon	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Osage	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ozark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pemiscot	1	1	-	1	-	1	3	-	3	2	1	1	1	-	1
Perry	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Pettis	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-
Phelps	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Pike	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Platte	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Polk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pulaski	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Putnam	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ralls	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Randolph	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ray	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Reynolds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ripley	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Charles	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-
St. Clair	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Francois	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Ste. Genevieve	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Louis County	2	1	1	1	-	1	-	-	-	3	3	-	-	-	-
Saline	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Schuyler	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scotland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scott	1	1	-	-	-	-	1	-	1	1	1	-	-	-	-
Shannon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Shelby	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stoddard	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 16 (CONTINUED). RECORDED MATERNAL DEATHS BY COUNTIES AND CITIES OVER 10,000 POPULATION BY COLOR, MISSOURI: 1958-1962

Counties and Cities Over 10,000:	1962			1961			1960			1959			1958		
	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite
Sullivan	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Taney	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Texas	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
Vernon	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-
Warren	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Washington	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wayne	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Webster	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Worth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wright	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cities over 10,000:															
Bellefontaine Neighbors	-	-	-	-	-	-	NA	NA	NA	NA	NA	NA	NA	NA	NA
Berkeley	-	-	-	-	-	-	NA	NA	NA	NA	NA	NA	NA	NA	NA
Brentwood	-	-	-	-	-	-	NA	NA	NA	NA	NA	NA	NA	NA	NA
Cape Girardeau City	-	-	-	-	-	-	2	1	1	1	1	-	1	1	-
Carthage	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Clayton	1	-	1	1	-	1	-	-	-	1	1	-	-	-	-
Columbia	3	3	-	1	-	1	2	2	-	-	-	-	-	-	-
Crestwood	-	-	-	-	-	-	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ferguson	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Florissant	-	-	-	-	-	-	NA	NA	NA	NA	NA	NA	NA	NA	NA
Fulton	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Gladstone	-	-	-	-	-	-	NA	NA	NA	NA	NA	NA	NA	NA	NA
Hannibal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Independence	3	3	-	-	-	-	1	1	-	-	-	-	-	-	-
Jefferson City	-	-	-	-	-	-	2	2	-	-	-	-	1	1	-
Jennings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joplin	-	-	-	-	-	-	1	1	-	2	2	-	-	-	-
Kansas City	6	5	1	1	1	-	5	4	1	10	6	4	6	3	3
Kirksville	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-
Kirkwood	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Maplewood	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mexico	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Moberly	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Overland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poplar Bluff	-	-	-	-	-	-	1	-	1	-	-	-	1	1	-
Raytown	-	-	-	-	-	-	NA	NA	NA	NA	NA	NA	NA	NA	NA
Richmond Heights	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Rolla	-	-	-	-	-	-	NA	NA	NA	NA	NA	NA	NA	NA	NA
St. Ann	-	-	-	-	-	-	NA	NA	NA	NA	NA	NA	NA	NA	NA
St. Charles	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-
St. Joseph	-	-	-	-	-	-	1	1	-	-	-	-	2	2	-
St. Louis City	19	10	9	11	7	4	16	6	10	13	7	6	12	6	6
Sedalia	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-
Sikeston	1	1	-	-	-	-	1	-	1	1	1	-	-	-	-
Springfield	1	1	-	1	-	1	2	2	-	3	3	-	1	1	-
University City	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Webster Groves	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Incl. in Above Cities:															
Hannibal - Ralls	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joplin - Newton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kansas City - Clay	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sikeston - New Madrid	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kansas City - Platte	-	-	-	-	-	-	NA	NA	NA	NA	NA	NA	NA	NA	NA

NA - Not Available

TABLE 17. RESIDENT DEATHS FROM SELECTED CAUSES BY COLOR WITH RATES, STATE TOTAL AND POPULATION GROUPS, MISSOURI: 1962

	State Total				Population under 2,500		Population 2,500 less than 5,000		Population 5,000 less than 10,000		Population 10,000 less than 15,000	
	Total	Rates	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19—	4,653,237											
TOTAL DEATHS	49,016	11.0	44,076	4,940	17,181	472	2747	142	3280	254	1366	87
Under one year of age	2,397		1,879	518	688	62	120	18	166	17	79	3
Neonatal deaths	1,789		1,443	346	506	31	93	11	133	10	70	2
Maternal deaths	43		34	9	19		1		2	1	2	
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	246	5.5	201	45	56	3	10		14	3	10	
Tuberculosis, other forms (010-019)	18	0.4	11	7	3						1	
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)	83	1.9	68	15	17	1	2	2	3		3	
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)	1	0.0	1		1							
Amebic dysentery (046)	2	0.0	1	1								
Other and unspecified dysentery (047-048)	1	0.0	1		1							
Scarlet fever and streptococcal sore throat (050-051)	2	0.0	2		1							
Diphtheria (055)												
Whooping cough (056)	1	0.0	1				1					
Meningococcal infections (057)	9	0.2	7	2	1	1						
Tularemia (059)												
Tetanus (061)	4	0.1	4		1				1		1	
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)	12	0.3	12		4							
Measles (085)	5	0.1	5		2							
Infectious hepatitis (092)	15	0.3	13	2	9				1			
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)	94	2.1	85	9	39	1	5		2	1	2	
Malignant neoplasms (140-205)	7560	169.8	6871	689	2605	54	411	20	506	28	206	11
Benign and unspecified neoplasms (210-239)	101	2.3	88	13	35	2	3		7		1	
Diabetes mellitus (260)	775	17.4	690	85	258	7	49	1	37	5	21	3
Anemias (290-293)	96	2.2	84	12	40		5	1	5	2	2	
Vascular lesions affecting central nervous system (330-334)	6091	136.8	5516	575	2383	63	365	17	474	29	161	15
Nonmeningococcal meningitis (340)	45	1.0	32	13	8		1		1	2	1	
Rheumatic fever (400-402)	15	0.3	14	1	5		1		3	1		
Chronic rheumatic heart disease (410-416)	407	9.1	377	30	133	2	17	1	16		5	
Arteriosclerotic and degenerative heart disease (420-422)	16,359	367.3	15,257	1102	5669	97	956	27	1071	59	478	20
Other diseases of heart (430-434)	775	17.4	690	85	258	7	49	1	37	5	21	3
Hypertension with heart disease (440-443)	1571	35.3	1332	239	563	21	92	11	112	13	30	7
Hypertension w/o mention of heart (444-447)	393	8.8	321	72	136	5	20	1	26	6	13	2
Other diseases of circulatory system (450-468)	1879	42.2	1682	197	620	14	103	3	132	12	56	4
Influenza (480-483)	164	3.7	148	16	91	4	12	2	13		1	
Lobar pneumonia 4 weeks (490)	323	7.3	259	64	121	7	16	1	10	2	7	
Bronchopneumonia 4 weeks (491)	861	19.3	718	143	226	12	36	2	49	8	24	1
Pneumonia, other forms 4 weeks (492-493)	512	11.5	443	69	194	8	33	4	26	2	15	
Bronchitis (500-502)	117	2.6	105	12	40	1	4	2	7		2	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	51	1.1	31	20	18	7	1		4	3	2	1
Gastro Enteritis and colitis, 2 years (571.1)	48	1.1	40	8	16	2	1	1	8	2	2	
Cirrhosis of liver (581)	458	10.3	386	72	94	2	14		25	2	6	2
Other diseases of digestive system (530-587 excl. above)	1203	27.0	1076	107	431	8	58	2	72	5	35	1
Nephritis and nephrosis (590-594)	370	8.3	311	59	137	3	20	1	24	5	5	
Complications of pregnancy and puerperium (640-652; 660-689)	43	1.0	34	9	19		1		2	1	2	
Congenital malformations (750-759)	513	11.5	465	48	164	6	21	2	47		18	1
Birth injuries, asphyxia, (under 4 weeks) (760-762)	668	15.0	531	137	176	8	36	4	46	6	28	
Pneumonia of newborn (under 4 weeks) (763)	100	2.2	76	24	27	6	4	1	9		2	
Diarrhea of newborn (under 4 weeks) (764)	5	0.1	2	3		2			1			
Other infections of newborn (under 4 weeks) (765-768)	17	0.4	14	3	6						1	
Other diseases of early infancy (under 4 weeks) (769-776)	729	16.4	561	168	188	10	39	5	59	3	25	
Senility, ill defined and unknown causes (780-795)	755	17.0	661	94	311	27	32	5	59	22	34	6
All other diseases (residual)	2179	48.9	1933	246	764	18	150	8	135	10	62	6
Motor vehicle accidents (810-835)	1021	22.9	929	92	440	16	67	6	67	1	27	
All other accidents (800-802; 840-962)	1546	34.7	1336	210	584	29	81	11	95	14	28	5
Suicide and self-inflicted injury (970-979)	549	12.3	531	18	193	1	28		48		18	1
Homicide (980-985)	224	5.0	110	114	44	12	6		5	2	1	1

TABLE 17 (CONTINUED). RESIDENT DEATHS FROM SELECTED CAUSES BY COLOR WITH RATES, STATE TOTAL AND POPULATION GROUPS, MISSOURI: 1962

	Population 15,000 less than 25,000		Population 25,000 less than 50,000		Population 50,000 less than 75,000		Population 75,000 less than 100,000		Population 100,000 less than 500,000		Population 500,000 and over	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19 —												
TOTAL DEATHS	2372	121	1643	133	1153	12	2134	66	4683	1066	7517	2587
Under one year of age	142	7	94	17	51	1	101	2	216	118	222	273
Neonatal deaths	113	4	76	11	43		82	2	153	84	174	193
Maternal deaths	1				2		1		4	1	2	7
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	9		6		3		12	1	35	11	46	27
Tuberculosis, other forms (010-019)			3	1					1	4	3	2
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)	3	1	1		1		8		14	1	16	10
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)							1					1
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)											1	
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)	1		1	1	1				1		2	
Tularemia (059)												
Tetanus (061)			1									
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)	1		1				1		3		2	
Measles (085)			1				1		1			
Infectious hepatitis (092)	2									1	1	1
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)	4	1	3		5		4		8		13	6
Malignant neoplasms (140-205)	397	17	259	27	199	1	297	8	750	132	1241	391
Benign and unspecified neoplasms (210-239)	5		4		2		5		9	4	17	7
Diabetes mellitus (260)	33	2	27	2	25		24	3	65	15	151	47
Anemias (290-293)	3		1		7		4		5	1	12	7
Vascular lesions affecting central nervous system (330-334)	258	14	182	18	116	1	279	8	550	100	748	310
Nonmeningococcal meningitis (340)	3		1		2		3		8	5	4	6
Rheumatic fever (400-402)	2						1		2			
Chronic rheumatic heart disease (410-416)	31		9		16		21	2	41	11	88	14
Arteriosclerotic and degenerative heart disease (420-422)	866	39	568	27	408	5	726	13	1700	242	2815	573
Other diseases of heart (430-434)	28	1	20	3	22		31	2	65	19	71	52
Hypertension with heart disease (440-443)	44	7	50	4	42	1	89	5	104	36	206	134
Hypertension w/o mention of heart (444-447)	16	1	10	1	14		12		24	8	50	48
Other diseases of circulatory system (450-468)	85	5	64	4	41		94	1	159	72	328	82
Influenza (480-483)	2		6		1		3	1	5	6	14	3
Lobar pneumonia 4 weeks (490)	14		6	1	3		6		23	9	53	44
Bronchopneumonia 4 weeks (491)	34	2	25	2	14		19		109	49	182	67
Pneumonia, other forms 4 weeks (492-493)	21	2	12		8		19		44	18	71	35
Bronchitis (500-502)	5	1	4		1		4	2	9	1	29	5
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	2			2			2		3	3	1	4
Gastro Enteritis and colitis, 2 years (571.1)	3		1		1		2		4		4	2
Cirrhosis of liver (581)	18	1	25	3	6		13		62	17	123	45
Other diseases of digestive system (530-587 excl. above)	58		40	3	32	2	54	3	137	32	179	51
Nephritis and nephrosis (590-594)	14	2	7	2	7		18		26	12	53	34
Complications of pregnancy and puerperium (640-652; 660-689)	1				2		1		4	1	2	7
Congenital malformations (750-759)	36		27	1	15		24		58	12	55	26
Birth injuries, asphyxia, (under 4 weeks) (760-762)	47	1	29	5	13		27		52	29	77	84
Pneumonia of newborn (under 4 weeks) (763)	7		3		2		3	1	10	6	9	10
Diarrhea of newborn (under 4 weeks) (764)					1					1		
Other infections of newborn (under 4 weeks) (765-768)	1		1				1				4	3
Other diseases of early infancy (under 4 weeks) (769-776)	37	4	30	4	18	1	38	1	63	49	64	91
Senility, ill defined and unknown causes (780-795)	39	4	30	4	15		94	10	34	8	23	8
All other diseases (residual)	89	7	61	9	47	1	79	2	223	47	323	138
Motor vehicle accidents (810-835)	57	3	49	2	18		38	1	71	18	85	45
All other accidents (800-802; 840-962)	59	3	47	3	27		47	1	121	37	247	107
Suicide and self-inflicted injury (970-979)	35		24		14		31		61	5	79	11
Homicide (980-985)	2	3	4	2	4			1	19	44	25	49

TABLE 18. ESTIMATED POPULATION, RESIDENT DEATHS FROM SELECTED CAUSES BY COLOR, COUNTY AREAS INCLUDING CITIES, MISSOURI: 1962

	Adair		Andrew		Atchison		Audrain		Barry		Barton	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19____	20,270		10,974		8,844		26,508		18,421		10,742	
TOTAL DEATHS	251		133		111		261	16	243		146	
Under one year of age	14		4		5		13	1	11		1	
Neonatal deaths	12		1		3		12	1	8			
Maternal deaths	1											
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	1				1		3					
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)							1					
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)							1					
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)	1						1		2			
Malignant neoplasms (140-205)	40		19		21		43	2	31		18	
Benign and unspecified neoplasms (210-239)	1		1									
Diabetes mellitus (260)	3		1				2		5		4	
Anemias (290-293)							2		2			
Vascular lesions affecting central nervous system (330-334)	29		24		11		29		27		17	
Nonmeningococcal meningitis (340)												
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)	1		2		1		5				1	
Arteriosclerotic and degenerative heart disease (420-422)	74		51		46		78	5	93		54	
Other diseases of heart (430-434)	9				2		5		3		3	
Hypertension with heart disease (440-443)	5		3		5		12	1	15		3	
Hypertension w/o mention of heart (444-447)	3						3	1				
Other diseases of circulatory system (450-468)	9		1		2		6	1	15		7	
Influenza (480-483)	3				1			1				
Lobar pneumonia 4 weeks (490)	2		4				3		1		4	
Bronchopneumonia 4 weeks (491)	3		1		1		2	1	1		1	
Pneumonia, other forms 4 weeks (492-493)			2		1		3		1		3	
Bronchitis (500-502)									2			
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)					1							
Gastro Enteritis and colitis, 2 years (571.1)					1							
Cirrhosis of liver (581)	1						1	1			1	
Other diseases of digestive system (530-587 excl. above)	10		5		1		10		6		5	
Nephritis and nephrosis (590-594)	3		1				3		4		5	
Complications of pregnancy and puerperium (640-652; 660-689)	1											
Congenital malformations (750-759)			2		1		5	2	2			
Birth injuries, asphyxia, (under 4 weeks) (760-762)	8		1				2		2			
Pneumonia of newborn (under 4 weeks) (763)							1					
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)							1					
Other diseases of early infancy (under 4 weeks) (769-776)	4				3		5		5			
Senility, ill defined and unknown causes (780-795)							2		3		3	
All other diseases (residual)	20		4		3		17		9		9	
Motor vehicle accidents (810-835)	8		2		3		8	1	6		3	
All other accidents (800-802; 840-962)	6		5		5		3		6		3	
Suicide and self-inflicted injury (970-979)	5		3		1		3		1		2	
Homicide (980-985)			1				1					

TABLE 18 (CONTINUED). ESTIMATED POPULATION, RESIDENT DEATHS FROM SELECTED CAUSES BY COLOR, COUNTY AREAS INCLUDING CITIES, MISSOURI: 1962

	Bates		Benton		Bollinger		Boone		Buchanan		Butler	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19—	15,569		8,615		8,873		57,399		89,857		34,036	
TOTAL DEATHS	274	6	155		124		399	61	1210	43	415	50
Under one year of age	6	1	1		5		32	4	47	1	22	1
Neonatal deaths	5		1		1		25	5	42	1	15	1
Maternal deaths							1				2	
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	2								6	1	2	
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)			1						6		1	
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)									1			
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)								1			1	
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)									1			
Measles (085)									1			
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)									1		1	
Malignant neoplasms (140-205)	49	1	21		17		67	10	177	6	47	3
Benign and unspecified neoplasms (210-239)	1						2		3			
Diabetes mellitus (260)	6		2		1		5	2	14	1	5	2
Anemias (290-293)	1						1		2		1	
Vascular lesions affecting central nervous system (330-334)	26	1	38		19		61	11	159	3	59	10
Nonmeningococcal meningitis (340)			1				2		2			
Rheumatic fever (400-402)											1	
Chronic rheumatic heart disease (410-416)	7		1		1		4		12	2	3	
Arteriosclerotic and degenerative heart disease (420-422)	89	1	56		33		131	12	416	9	133	15
Other diseases of heart (430-434)	7		4				7	1	16		12	
Hypertension with heart disease (440-443)	20		2		10		10	1	39	4	9	1
Hypertension w/o mention of heart (444-447)	3				5		3	1	11		5	1
Other diseases of circulatory system (450-468)	9		3		6		9	2	52	1	12	1
Influenza (480-483)	3		3		2		1		2	1	2	
Lobar pneumonia 4 weeks (490)	3				2				2		7	
Bronchopneumonia 4 weeks (491)	3		2		3		4	1	13		1	1
Pneumonia, other forms 4 weeks (492-493)	2				2		3		9		6	1
Bronchitis (500-502)	1	1			1		2		1		1	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	1						1	1				
Gastro Enteritis and colitis, 2 years (571.1)							1					
Cirrhosis of liver (581)	1		2				8	1	9		1	
Other diseases of digestive system (530-587 excl. above)	7		4		2		8	2	28	3	11	
Nephritis and nephrosis (590-594)	2	1						1	10		1	1
Complications of pregnancy and puerperium (640-652; 660-689)							1				2	
Congenital malformations (750-759)	1						9		10		5	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	1				1		5	2	14		5	
Pneumonia of newborn (under 4 weeks) (763)							1		1			
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	3		1				13	2	21	1	6	1
Senility, ill defined and unknown causes (780-795)			2		2		3	1	66	9	27	6
All other diseases (residual)	14	1	8		6		17	3	51	1	18	4
Motor vehicle accidents (810-835)	6		1		5		5	1	12		12	
All other accidents (800-802; 840-962)	4		3		5		12	3	30		13	1
Suicide and self-inflicted injury (970-979)	2				1		4		11		1	1
Homicide (980-985)									1	1	2	1

TABLE 18 (CONTINUED). ESTIMATED POPULATION, RESIDENT DEATHS FROM SELECTED CAUSES BY COLOR, COUNTY AREAS INCLUDING CITIES, MISSOURI: 1962

	Caldwell		Callaway		Camden		Cape Girardeau		Carroll		Carter	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19—	8,600		23,953		9,359		42,736		13,500		3,852	
TOTAL DEATHS	142		229	26	125		414	20	211	4	69	
Under one year of age	5		12		1		21	1	6		3	
Neonatal deaths	3		10		1		18	1	6		2	
Maternal deaths	1											
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)			1									
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)							1					
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)							1					
Measles (085)												
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)			1								1	
Malignant neoplasms (140-205)	15		33	3	20		73	4	30		6	
Benign and unspecified neoplasms (210-239)					1		1					
Diabetes mellitus (260)	1		3	1	2		4		5		1	
Anemias (290-293)			1						1		1	
Vascular lesions affecting central nervous system (330-334)	27		43	2	9		46	4	26	1	10	
Nonmeningococcal meningitis (340)												
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)	1		2				1		1		1	
Arteriosclerotic and degenerative heart disease (420-422)	50		68	3	49		152	5	63	1	21	
Other diseases of heart (430-434)			2		3		1		6			
Hypertension with heart disease (440-443)	3		7	1	6		15		8		1	
Hypertension w/o mention of heart (444-447)	1			2	2		5		3			
Other diseases of circulatory system (450-468)	7		6	2	5		15	2	6		1	
Influenza (480-483)	1								2			
Lobar pneumonia 4 weeks (490)							5		3			
Bronchopneumonia 4 weeks (491)	5		6		1		3		3		1	
Pneumonia, other forms 4 weeks (492-493)	3		5				3		3		1	
Bronchitis (500-502)	1						1					
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)							1					
Gastro Enteritis and colitis, 2 years (571.1)									1			
Cirrhosis of liver (581)				1	3		2	1	1			
Other diseases of digestive system (530-587 excl. above)	2		6	1	5		11	1	6		1	
Nephritis and nephrosis (590-594)			2		2		4		1			
Complications of pregnancy and puerperium (640-652; 660-689)	1											
Congenital malformations (750-759)	1						7		4		1	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	1		4				6	1	1			
Pneumonia of newborn (under 4 weeks) (763)			1				3					
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	1		5		1		7		1		2	
Senility, ill defined and unknown causes (780-795)	2		4	1	2		4		6		1	
All other diseases (residual)	12		8	5	3		18		11		4	
Motor vehicle accidents (810-835)	1		7	1	6		15		10		3	
All other accidents (800-802; 840-962)	3		11	2	5		7	1	7	1	2	
Suicide and self-inflicted injury (970-979)	3		3	1			2		2			
Homicide (980-985)												1

TABLE 18 (CONTINUED). ESTIMATED POPULATION, RESIDENT DEATHS FROM SELECTED CAUSES BY COLOR, COUNTY AREAS INCLUDING CITIES, MISSOURI: 1962

	Cass		Cedar		Chariton		Christian		Clark		Clay	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1962	32,890		8,971		12,312		12,335		8,690		103,037	
TOTAL DEATHS	273	1	139		155	14	153		98	1	587	15
Under one year of age	20		7		3		7		2		48	
Neonatal deaths	17		5		2		4		2		38	
Maternal deaths	1											
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)			1		1		1				5	
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)	1										1	
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)											1	
Measles (085)												
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)	1											1
Malignant neoplasms (140-205)	40		16		24	1	28		12		90	3
Benign and unspecified neoplasms (210-239)	1				1				1		2	
Diabetes mellitus (260)	2		4		5						8	
Anemias (290-293)							1					
Vascular lesions affecting central nervous system (330-334)	43	1	19		23	3	26		19		83	3
Nonmeningococcal meningitis (340)												
Rheumatic fever (400-402)												1
Chronic rheumatic heart disease (410-416)	2				1		2				2	
Arteriosclerotic and degenerative heart disease (420-422)	88		57		51	6	54		35	1	179	1
Other diseases of heart (430-434)	9		1		4	1	1		1		9	
Hypertension with heart disease (440-443)	1		2		8	1	4		1		11	
Hypertension w/o mention of heart (444-447)	2		1				1				3	
Other diseases of circulatory system (450-468)	8		3		4	2	4		3		38	1
Influenza (480-483)					1				1		1	
Lobar pneumonia 4 weeks (490)			2				1				1	
Bronchopneumonia 4 weeks (491)	6		2		2		3		2		6	1
Pneumonia, other forms, 4 weeks (492-493)	4		2								3	
Bronchitis (500-502)							1					
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)												
Gastro Enteritis and colitis, 2 years (571.1)												
Cirrhosis of liver (581)			1				1		1		4	
Other diseases of digestive system (530-587 excl. above)	7		8		4		2		3		15	
Nephritis and nephrosis (590-594)									1		5	1
Complications of pregnancy and puerperium (640-652; 660-689)	1											
Congenital malformations (750-759)	4		1		1		2		1		12	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	9		1		1		1		1		10	
Pneumonia of newborn (under 4 weeks) (763)											2	
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	5		4		1		2				23	
Senility, ill defined and unknown causes (780-795)	5		2				2		3		5	
All other diseases (residual)	8		2		8		6		5		28	
Motor vehicle accidents (810-835)	9		5		8		6		3		14	
All other accidents (800-802; 840-962)	15		1		5		3		5		14	3
Suicide and self-inflicted injury (970-979)			4		2		1				11	
Homicide (980-985)	1										1	

TABLE 18 (CONTINUED). ESTIMATED POPULATION, RESIDENT DEATHS FROM SELECTED CAUSES BY COLOR, COUNTY AREAS INCLUDING CITIES, MISSOURI: 1962

	Clinton		Cole		Cooper		Crawford		Dade		Dallas	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19—	11,578		42,049		15,238		12,842		7,267		9,058	
TOTAL DEATHS	163	7	358	21	161	24	182		117	1	122	
Under one year of age	2	1	14	4	3	2	6		1		6	
Neonatal deaths	1	1	10	3	2		5		1		5	
Maternal deaths	2											
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)						1	1		1			
Tuberculosis, other forms (010-019)											1	
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)			1									
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)			1									
Measles (085)												
Infectious hepatitis (092)			1									
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)			2				1					
Malignant neoplasms (140-205)	20	4	51	3	15	1	29		23		26	
Benign and unspecified neoplasms (210-239)	1						1					
Diabetes mellitus (260)	1		5		5		3				3	
Anemias (290-293)							1					
Vascular lesions affecting central nervous system (330-334)	26	1	41	2	20	6	18		13		18	
Nonmeningococcal meningitis (340)			1									
Rheumatic fever (400-402)					1							
Chronic rheumatic heart disease (410-416)			1								1	
Arteriosclerotic and degenerative heart disease (420-422)	70	1	135	7	71	7	65		46		32	
Other diseases of heart (430-434)	2		3		4		9		3			
Hypertension with heart disease (440-443)	3		15	2	4	2	2		1		5	
Hypertension w/o mention of heart (444-447)	2		1			2						
Other diseases of circulatory system (450-468)	7		19		6	1	7		2		3	
Influenza (480-483)	1						1				1	
Lobar pneumonia 4 weeks (490)	1		4				1				1	
Bronchopneumonia 4 weeks (491)	1		5		4	1	1		3		1	
Pneumonia, other forms 4 weeks (492-493)	2		1		1		8		1		1	
Bronchitis (500-502)					2	1						
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)												
Gastro Enteritis and colitis, 2 years (571.1)					2				1			
Cirrhosis of liver (581)	1		2	1			2				1	
Other diseases of digestive system (530-587 excl. above)	3		8		6		5		3	1	5	
Nephritis and nephrosis (590-594)	3		3		2				3		2	
Complications of pregnancy and puerperium (640-652; 660-689)	2											
Congenital malformations (750-759)		1	3				1		1		1	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	1		4	3	1		1				4	
Pneumonia of newborn (under 4 weeks) (763)			2									
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)			2		1		4		1		1	
Senility, ill defined and unknown causes (780-795)	1		4				7		5		7	
All other diseases (residual)	6		21	2	9	2	6		3		4	
Motor vehicle accidents (810-835)	1		6				3		4		3	
All other accidents (800-802; 840-962)	5		11		3		3		1			
Suicide and self-inflicted injury (970-979)	3		4		3		2		2		1	
Homicide (980-985)			1	1	1							

TABLE 18 (CONTINUED). ESTIMATED POPULATION, RESIDENT DEATHS FROM SELECTED CAUSES BY COLOR, COUNTY AREAS INCLUDING CITIES, MISSOURI: 1962

	Davies		DeKalb		Dent		Douglas		Dunklin		Franklin	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19—	9,126		7,074		10,326		9,193		38,061		46,854	
TOTAL DEATHS	149	2	107		166		115		410	11	475	4
Under one year of age	2		1		6		11		22	2	13	
Neonatal deaths	1		1		5		9		15	1	11	
Maternal deaths											2	
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)									2		2	
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)	1				1				1			
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious hepatitis (092)									1			
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)									1		1	
Malignant neoplasms (140-205)	21		18		23		18		41	4	86	1
Benign and unspecified neoplasms (210-239)												
Diabetes mellitus (260)	1		1		1		1		3		11	
Anemias (290-293)	2										4	
Vascular lesions affecting central nervous system (330-334)	27		16		24		13		46	1	39	1
Nonmeningococcal meningitis (340)									1			
Rheumatic fever (400-402)									1			
Chronic rheumatic heart disease (410-416)			2						1		1	
Arteriosclerotic and degenerative heart disease (420-422)	47	1	41		58		34		159	2	178	1
Other diseases of heart (430-434)	5		1		1		3		10	1	6	
Hypertension with heart disease (440-443)	3		4		6		4		10		18	
Hypertension w/o mention of heart (444-447)	2		3				1		3		2	
Other diseases of circulatory system (450-468)	13		1		8		6		7		14	
Influenza (480-483)			1		3		1		3			
Lobar pneumonia 4 weeks (490)	4				2				3		2	
Bronchopneumonia 4 weeks (491)					3		1		4		5	
Pneumonia, other forms 4 weeks (492-493)	1		1		3		1		2		6	1
Bronchitis (500-502)	2						1		2		3	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)							2		3	1		
Gastro Enteritis and colitis, 2 years (571.1)												
Cirrhosis of liver (581)	1				1		1		3		6	
Other diseases of digestive system (530-587 excl. above)	4		1		1		5		9		10	
Nephritis and nephrosis (590-594)	2		2				3		4		5	
Complications of pregnancy and puerperium (640-652; 660-689)											2	
Congenital malformations (750-759)	1						1		6		3	
Birth injuries, asphyxia, (under 4 weeks) (760-762)			1		4		4		3	1	4	
Pneumonia of newborn (under 4 weeks) (763)	1								2			
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)									1			
Other diseases of early infancy (under 4 weeks) (769-776)					1				7		4	
Senility, ill defined and unknown causes (780-795)	1		2		10		5		12		8	
All other diseases (residual)	5		7		3		2		26		22	
Motor vehicle accidents (810-835)	2		1		2		2		17		15	
All other accidents (800-802; 840-962)	2	1	4		8		4		12		13	
Suicide and self-inflicted injury (970-979)	1				3		2		3		3	
Homicide (980-985)									1	1		

TABLE 18 (CONTINUED). ESTIMATED POPULATION, RESIDENT DEATHS FROM SELECTED CAUSES BY COLOR, COUNTY AREAS INCLUDING CITIES, MISSOURI: 1962

	Gasconade		Gentry		Greene		Grundy		Harrison		Henry	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19—	12,160		8,424		131,381		11,959		11,129		19,046	
TOTAL DEATHS	145		154		1305	26	242		192		300	1
Under one year of age	3		7		72	1	3		3		8	
Neonatal deaths	3		4		53	1	1		3		3	
Maternal deaths					2							
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	1				6						1	
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)					2				1			
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)					1							
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)									1			
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)	1		1		3							
Malignant neoplasms (140-205)	18		29		173	2	35		31		40	1
Benign and unspecified neoplasms (210-239)					2				2		1	
Diabetes mellitus (260)	5				16	3	8				2	
Anemias (290-293)	1		1		3				1			
Vascular lesions affecting central nervous system (330-334)	19		24		179	5	39		16		56	
Nonmeningococcal meningitis (340)					1							
Rheumatic fever (400-402)					1							
Chronic rheumatic heart disease (410-416)	1				11		1		2		2	
Arteriosclerotic and degenerative heart disease (420-422)	59		45		414	5	67		57		108	
Other diseases of heart (430-434)	1		1		22	2	1		4		7	
Hypertension with heart disease (440-443)	5		3		65	1	25		17		6	
Hypertension w/o mention of heart (444-447)	2		2		6				1		1	
Other diseases of circulatory system (450-468)	6		7		53	1	9		10		5	
Influenza (480-483)	1		1		2		3		2		1	
Lobar pneumonia 4 weeks (490)	1		3		5		3		3		2	
Bronchopneumonia 4 weeks (491)	4				11		1		3		3	
Pneumonia, other forms 4 weeks (492-493)	2		3		11				3			
Bronchitis (500-502)					3	2						
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)							1				1	
Gastro Enteritis and colitis, 2 years (571.1)					2		1					
Cirrhosis of liver (581)			2		8		2					
Other diseases of digestive system (530-587 excl. above)	1		4		38		4		8		10	
Nephritis and nephrosis (590-594)	2		3		8		2		5		3	
Complications of pregnancy and puerperium (640-652; 660-689)					2							
Congenital malformations (750-759)	2		1		20				2		5	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	1		3		16				2		1	
Pneumonia of newborn (under 4 weeks) (763)			1		2	1						
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)					1							
Other diseases of early infancy (under 4 weeks) (769-776)					23		1				1	
Senility, ill defined and unknown causes (780-795)					48	1	8				9	
All other diseases (residual)	7		8		54	1	11		10		13	
Motor vehicle accidents (810-835)	2		4		35	1	5		3		9	
All other accidents (800-802; 840-962)	2		6		32	1	8		8		9	
Suicide and self-inflicted injury (970-979)	1		2		26		7		3		4	
Homicide (980-985)												

TABLE 18 (CONTINUED). ESTIMATED POPULATION, RESIDENT DEATHS FROM SELECTED CAUSES BY COLOR, COUNTY AREAS INCLUDING CITIES, MISSOURI: 1962

	Hickory		Holt		Howard		Howell		Iron		Jackson	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19__	4,341		7,480		10,716		21,891		7,753		642,666	
TOTAL DEATHS	75		128	1	119	19	293	1	150	2	576	1086
Under one year of age	1		4		2	1	18		4	2	283	120
Neonatal deaths			2		2	1	12		2		211	85
Maternal deaths											7	1
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)			1								37	11
Tuberculosis, other forms (010-019)											1	4
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)							2				15	1
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)											2	
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)											2	
Measles (085)											1	
Infectious hepatitis (092)											2	1
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)			1								14	
Malignant neoplasms (140-205)	9		24		14	3	32		23		913	134
Benign and unspecified neoplasms (210-239)							1		1		13	4
Diabetes mellitus (260)					1	1	5		1		75	15
Anemias (290-293)			1		3		1				10	1
Vascular lesions affecting central nervous system (330-334)	10		24	1	20	1	47	1	25	1	657	103
Nonmeningococcal meningitis (340)											10	5
Rheumatic fever (400-402)			1								2	
Chronic rheumatic heart disease (410-416)			1				2		1		48	11
Arteriosclerotic and degenerative heart disease (420-422)	32		34		43	6	106		50		2067	249
Other diseases of heart (430-434)			2		1	2	2		1		95	19
Hypertension with heart disease (440-443)	3		5		4	2	10		2	1	137	37
Hypertension w/o mention of heart (444-447)			1				6				36	8
Other diseases of circulatory system (450-468)	3		4		2		12		12		197	72
Influenza (480-483)	1						1		1		5	8
Lobar pneumonia 4 weeks (490)					1	1	3		1		25	9
Bronchopneumonia 4 weeks (491)	5		6				2		3		126	49
Pneumonia, other forms 4 weeks (492-493)	1				1		2		3		52	18
Bronchitis (500-502)			1						1		11	1
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)											4	3
Gastro Enteritis and colitis, 2 years (571.1)											5	
Cirrhosis of liver (581)							1		1		65	17
Other diseases of digestive system (530-587 excl. above)			4		5	1	8		1		167	34
Nephritis and nephrosis (590-594)	1								1		33	12
Complications of pregnancy and puerperium (640-652; 660-689)											7	1
Congenital malformations (750-759)	1		2				6		3		75	13
Birth injuries, asphyxia, (under 4 weeks) (760-762)			1		2		3		1		67	27
Pneumonia of newborn (under 4 weeks) (763)						1					15	6
Diarrhea of newborn (under 4 weeks) (764)											1	1
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)			1				5		1		87	50
Senility, ill defined and unknown causes (780-795)					1		5				36	8
All other diseases (residual)	3		5		10	1	15		7		267	48
Motor vehicle accidents (810-835)			2		3		8		4		116	18
All other accidents (800-802; 840-962)	4		5		7		6		4		155	37
Suicide and self-inflicted injury (970-979)	1		1		1						80	5
Homicide (980-985)	1		1				2		2		24	44

TABLE 18 (CONTINUED). ESTIMATED POPULATION, RESIDENT DEATHS FROM SELECTED CAUSES BY COLOR, COUNTY AREAS INCLUDING CITIES, MISSOURI: 1962

	Jasper		Jefferson		Johnson		Knox		Laclede		Lafayette	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19__	78,648		76,116		31,411		6,380		18,944		25,221	
TOTAL DEATHS	1099	13	549	14	269	15	95	1	240	2	320	18
Under one year of age	30		30		17	2	2		9		8	
Neonatal deaths	23		24		16	2	2		5		8	
Maternal deaths			1		1		1					
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	8		2						1		1	
Tuberculosis, other forms (010-019)	2											
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)			3									
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)	1											
Tetanus (061)	1											
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)			1									
Measles (085)	1											
Infectious hepatitis (092)	1				1							
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)	2											
Malignant neoplasms (140-205)	157	3	95	2	28	2	14		34		48	4
Benign and unspecified neoplasms (210-239)			2		1							
Diabetes mellitus (260)	19	1	6		3		6		9		5	1
Anemias (290-293)	1		1									
Vascular lesions affecting central nervous system (330-334)	131		72	1	36	1	18		26		41	6
Nonmeningococcal meningitis (340)			1						1			
Rheumatic fever (400-402)											1	
Chronic rheumatic heart disease (410-416)	8		5		2		1		1		1	
Arteriosclerotic and degenerative heart disease (420-422)	375	2	191	5	91	2	30	1	74	1	114	4
Other diseases of heart (430-434)	22	1	3		7		1		7		2	
Hypertension with heart disease (440-443)	38	2	8		4		3		8		11	1
Hypertension w/o mention of heart (444-447)	11		5	2	6		3		1		3	
Other diseases of circulatory system (450-468)	44		28		16	2	3		7		12	
Influenza (480-483)	5				1				5			
Lobar pneumonia 4 weeks (490)	5		1		4	1			2		2	
Bronchopneumonia 4 weeks (491)	14		15	1	4		1		2		5	
Pneumonia, other forms 4 weeks (492-493)	8		3		2		1		5		2	
Bronchitis (500-502)			1		1						2	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	1		1									
Gastro Enteritis and colitis, 2 years (571.1)	1		2		1						1	
Cirrhosis of liver (581)	17		4	1	2		1		1	1	2	1
Other diseases of digestive system (530-587 excl. above)	31		15		8	1			2		10	
Nephritis and nephrosis (590-594)	11	1			1	1	2		4		1	
Complications of pregnancy and puerperium (640-652; 660-689)			1		1		1					
Congenital malformations (750-759)	9		6		5				2			
Birth injuries, asphyxia, (under 4 weeks) (760-762)	13		8		7		1		3		2	
Pneumonia of newborn (under 4 weeks) (763)					1				2		1	
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	5		9		4	2	1		1		4	
Senility, ill defined and unknown causes (780-795)	32	1	3		1				6		1	
All other diseases (residual)	47	2	13		11		4		14		23	
Motor vehicle accidents (810-835)	33		22		3		1		12		7	1
All other accidents (800-802; 840-962)	33		13		15		2		7		13	
Suicide and self-inflicted injury (970-979)	9		9		4		1		3		5	
Homicide (980-985)	2				1							

TABLE 18 (CONTINUED). ESTIMATED POPULATION, RESIDENT DEATHS FROM SELECTED CAUSES BY COLOR, COUNTY AREAS INCLUDING CITIES, MISSOURI: 1962

	Lawrence		Lewis		Lincoln		Linn		Livingston		McDonald	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19—	23,207		11,102		15,109		16,340		15,610		11,391	
TOTAL DEATHS	305	1	154	5	212	10	295	2	204	9	167	1
Under one year of age	7		4		5	1	5	1	6		5	
Neonatal deaths	5		2		4	1	4	1	4		2	
Maternal deaths												
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	3						1					
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)							2					
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)											1	
Measles (085)												
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)									1		3	
Malignant neoplasms (140-205)	46		17	1	30	1	41		27	2	34	
Benign and unspecified neoplasms (210-239)	1											
Diabetes mellitus (260)	2		5		6		3		2		3	
Anemias (290-293)	1				2		2					
Vascular lesions affecting central nervous system (330-334)	50		24		40		48	1	32	2	24	
Nonmeningococcal meningitis (340)												
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)	3		1		2		1				1	
Arteriosclerotic and degenerative heart disease (420-422)	87		62	1	69	6	115		67	2	59	
Other diseases of heart (430-434)	10		3		6		6		6			
Hypertension with heart disease (440-443)	9		1		3		7		4		1	
Hypertension w/o mention of heart (444-447)	3				2				2		1	
Other diseases of circulatory system (450-468)	20	1	3		7	1	7		12		3	
Influenza (480-483)	1		2		1		1		2			
Lobar pneumonia 4 weeks (490)					2		1			1	1	
Bronchopneumonia 4 weeks (491)	5		3		1		3		6	1	2	
Pneumonia, other forms 4 weeks (492-493)	1				4		1		1		1	1
Bronchitis (500-502)	1		1						1			
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)							1					
Gastro Enteritis and colitis, 2 years (571.1)												
Cirrhosis of liver (581)			3		3		1					
Other diseases of digestive system (530-587 excl. above)	7		4		2		5		8	1	6	
Nephritis and nephrosis (590-594)	2		2		2		4		2		2	
Complications of pregnancy and puerperium (640-652; 660-689)												
Congenital malformations (750-759)			1		5		2		2		1	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	2		1			1	2	1	2		1	
Pneumonia of newborn (under 4 weeks) (763)					1				1			
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	3		1		1		1		1		1	
Senility, ill defined and unknown causes (780-795)	13		1		3		6		3		4	
All other diseases (residual)	19		10	3	7	1	15		9		7	
Motor vehicle accidents (810-835)	3		6		3		6		3		2	
All other accidents (800-802; 840-962)	11		1		6		8		4		8	
Suicide and self-inflicted injury (970-979)	1		1		3		5		5		1	
Homicide (980-985)	1		1		1				1			

TABLE 18 (CONTINUED). ESTIMATED POPULATION, RESIDENT DEATHS FROM SELECTED CAUSES BY COLOR, COUNTY AREAS INCLUDING CITIES, MISSOURI: 1962

	Macon		Madison		Maries		Marion		Mercer		Miller	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19—	16,129		9,132		7,219		29,409		5,475		13,851	
TOTAL DEATHS	261	7	131	1	87		395	21	77		178	
Under one year of age	4		6		2		17	2	2		11	
Neonatal deaths	4		4		2		14		2		8	
Maternal deaths												
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	3		2		1		1				1	
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)								1	1			
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious hepatitis (092)									1			
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)			1		1							
Malignant neoplasms (140-205)	35	2	18	1	9		61	2	7		27	
Benign and unspecified neoplasms (210-239)					1		2				2	
Diabetes mellitus (260)	3		2		1		6	1	2		3	
Anemias (290-293)		1					1				1	
Vascular lesions affecting central nervous system (330-334)	50	2	17		12		54	4	11		31	
Nonmeningococcal meningitis (340)							1					
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)	1		1		1		4				3	
Arteriosclerotic and degenerative heart disease (420-422)	78	2	40		27		143	6	34		47	
Other diseases of heart (430-434)	7		2		6		7				2	
Hypertension with heart disease (440-443)	11		1		2		1	1	6		8	
Hypertension w/o mention of heart (444-447)	1				1		2				2	
Other diseases of circulatory system (450-468)	11		4				22				9	
Influenza (480-483)	2		3		2						1	
Lobar pneumonia 4 weeks (490)	2		2		1		3				6	
Bronchopneumonia 4 weeks (491)			2		1		5	1	3		5	
Pneumonia, other forms 4 weeks (492-493)	2		5		3		3	1			2	
Bronchitis (500-502)			2				2	1				
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)												
Gastro Enteritis and colitis, 2 years (571.1)												
Cirrhosis of liver (581)			1				2				1	
Other diseases of digestive system (530-587 excl. above)	10		1				8		1		1	
Nephritis and nephrosis (590-594)	1		1				3					
Complications of pregnancy and puerperium (640-652; 660-689)												
Congenital malformations (750-759)							7				1	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	2				1		3		2		2	
Pneumonia of newborn (under 4 weeks) (763)			1								2	
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)					1							
Other diseases of early infancy (under 4 weeks) (769-776)	2		3				4				3	
Senility, ill defined and unknown causes (780-795)	6		5		5		5				4	
All other diseases (residual)	15		6		6		18	2			4	
Motor vehicle accidents (810-835)	9		4		1		12	1	1		1	
All other accidents (800-802; 840-962)	6		5		3		6		6		8	
Suicide and self-inflicted injury (970-979)	3		1		1		9		2		1	
Homicide (980-985)	1											

TABLE 18 (CONTINUED). ESTIMATED POPULATION, RESIDENT DEATHS FROM SELECTED CAUSES BY COLOR, COUNTY AREAS INCLUDING CITIES, MISSOURI: 1962

	Mississippi		Moniteau		Monroe		Montgomery		Morgan		New Madrid	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19__	20,388		10,411		10,641		11,374		9,327		30,230	
TOTAL DEATHS	180	76	161	1	139	6	150	6	119	4	235	94
Under one year of age	12	10	5		3		8		2	1	15	19
Neonatal deaths	9	6	3		3		8		2	1	13	5
Maternal deaths	1										1	
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	1		1		3		1		1		3	
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)		1									1	1
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)					1							
Infectious hepatitis (092)	2											
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)		1	3				3					
Malignant neoplasms (140-205)	22	3	18		20	1	29	1	16		33	8
Benign and unspecified neoplasms (210-239)	3											1
Diabetes mellitus (260)	1		1		3		2		1		4	
Anemias (290-293)												
Vascular lesions affecting central nervous system (330-334)	18	8	30		20	1	21	2	24		42	15
Nonmeningococcal meningitis (340)												
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)	1				1						2	
Arteriosclerotic and degenerative heart disease (420-422)	52	17	51		46	2	46		41	3	64	9
Other diseases of heart (430-434)	8	1	7		4		3		1		5	2
Hypertension with heart disease (440-443)	1	4			7		3		4		7	4
Hypertension w/o mention of heart (444-447)	2		1		1		2		1		1	2
Other diseases of circulatory system (450-468)	7	3	4		6	1	7		6		6	1
Influenza (480-483)	2						2				3	
Lobar pneumonia 4 weeks (490)	1	1					1	1			1	
Bronchopneumonia 4 weeks (491)	2	1	2		1		1		2		3	2
Pneumonia, other forms 4 weeks (492-493)	1	1	2		1		3				3	4
Bronchitis (500-502)	1								2			1
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)		2										1
Gastro Enteritis and colitis, 2 years (571.1)		1							1		1	1
Cirrhosis of liver (581)	2		1		1						2	
Other diseases of digestive system (530-587 excl. above)	1		4	1	2		1		2		3	2
Nephritis and nephrosis (590-594)	1				1		1	1				
Complications of pregnancy and puerperium (640-652; 660-689)	1										1	
Congenital malformations (750-759)	1	1					2					
Birth injuries, asphyxia, (under 4 weeks) (760-762)	4	3	1				3		2		1	2
Pneumonia of newborn (under 4 weeks) (763)			1		1						1	
Diarrhea of newborn (under 4 weeks) (764)		1										1
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	5	2			2		3			1	9	3
Senility, ill defined and unknown causes (780-795)	17	14	2		5		1				12	8
All other diseases (residual)	5	2	13		3		5	1	6		9	5
Motor vehicle accidents (810-835)	13	1	5		2				3		9	4
All other accidents (800-802; 840-962)	4	4	6		5	1	9		4		5	16
Suicide and self-inflicted injury (970-979)			3		3		1		1		2	
Homicide (980-985)	1	4							1		1	1

TABLE 18 (CONTINUED). ESTIMATED POPULATION, RESIDENT DEATHS FROM SELECTED CAUSES BY COLOR, COUNTY AREAS INCLUDING CITIES, MISSOURI: 1962

	Newton		Nodaway		Oregon		Osage		Ozark		Pemiscot	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19____	30,546		21,803		9,438		10,819		6,372		37,066	
TOTAL DEATHS	305	3	287	1	124		131		80		255	151
Under one year of age	16		9		4		3		1		24	33
Neonatal deaths	9		9		4		2		1		13	19
Maternal deaths											1	
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	5				1							2
Tuberculosis, other forms (010-019)											1	
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)					1							
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)			1									
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)	1											
Measles (085)	1											
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)	1											
Malignant neoplasms (140-205)	45		37		18		20		17		40	14
Benign and unspecified neoplasms (210-239)	1		1								1	
Diabetes mellitus (260)	4		3		1							2
Anemias (290-293)	1		1									
Vascular lesions affecting central nervous system (330-334)	43	1	70		20		17		12		40	13
Nonmeningococcal meningitis (340)	1								1			1
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)	5		2		2		2				1	1
Arteriosclerotic and degenerative heart disease (420-422)	81	1	84		39		39		26		70	22
Other diseases of heart (430-434)	6		6		1		2		2		4	4
Hypertension with heart disease (440-443)	11		16	1	9		9		1		6	13
Hypertension w/o mention of heart (444-447)	1		7		1		1		1		2	1
Other diseases of circulatory system (450-468)	11		9		4		11		5		6	2
Influenza (480-483)	1		3		1		1		3		1	2
Lobar pneumonia 4 weeks (490)					1		1		1		1	1
Bronchopneumonia 4 weeks (491)	9		5				3		1		3	1
Pneumonia, other forms 4 weeks (492-493)	6				1		1				3	3
Bronchitis (500-502)					2						1	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)											2	3
Gastro Enteritis and colitis, 2 years (571.1)												
Cirrhosis of liver (581)	1		2		1		1				2	
Other diseases of digestive system (530-587 excl. above)	10		3		2		2		3		5	2
Nephritis and nephrosis (590-594)	2		1		2				1		1	1
Complications of pregnancy and puerperium (640-652; 660-689)											1	
Congenital malformations (750-759)	3		4		1						4	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	3		6		3		1				4	6
Pneumonia of newborn (under 4 weeks) (763)	1				1						4	2
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	2		1				1		1		3	7
Senility, ill defined and unknown causes (780-795)	15								1		11	16
All other diseases (residual)	14	1	8		7		6		3		9	5
Motor vehicle accidents (810-835)	5		3		1		6				8	6
All other accidents (800-802; 840-962)	11		10		2		5		1		11	10
Suicide and self-inflicted injury (970-979)	4		4		2		2				4	
Homicide (980-985)							1				6	4

TABLE 18 (CONTINUED). ESTIMATED POPULATION, RESIDENT DEATHS FROM SELECTED CAUSES BY COLOR, COUNTY AREAS INCLUDING CITIES, MISSOURI: 1962

	Perry		Pettis		Phelps		Pike		Platte		Polk	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19__	14,543		36,072		26,340		16,737		26,009		13,301	
TOTAL DEATHS	169		447	34	259	2	224	23	195	2	175	
Under one year of age	10		27	3	14	1	8	1	8		3	
Neonatal deaths	10		21	2	11		7	1	4		2	
Maternal deaths												
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)			2									
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)									1			
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amoebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)							1					
Meningococcal infections (057)									1			
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)			1	1	1				1			
Malignant neoplasms (140-205)	21		67	6	37		32	4	37		23	
Benign and unspecified neoplasms (210-239)	1				2				1			
Diabetes mellitus (260)	2		7		7		6		3		3	
Anemias (290-293)	1				1		1					
Vascular lesions affecting central nervous system (330-334)	21		52		41		20	2	29		25	
Nonmeningococcal meningitis (340)												
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)	2		4		1				1			
Arteriosclerotic and degenerative heart disease (420-422)	50		163	14	76	1	70	3	72	1	69	
Other diseases of heart (430-434)	1		8		7		11	3			4	
Hypertension with heart disease (440-443)	13		15	4	7		12	1	2		4	
Hypertension w/o mention of heart (444-447)	1		2		3		1					
Other diseases of circulatory system (450-468)	7		10	3	9		11	1	7		15	
Influenza (480-483)					1						1	
Lobar pneumonia 4 weeks (490)	3		1		1		1		1		2	
Bronchopneumonia 4 weeks (491)	2		10	1	4		3		2			
Pneumonia, other forms 4 weeks (492-493)	1		5		13		4	1	3		2	
Bronchitis (500-502)			1									
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)												
Gastro Enteritis and colitis, 2 years (571.1)			1		1				3			
Cirrhosis of liver (581)	1		4		4		1					
Other diseases of digestive system (530-587 excl. above)	6		13		3		7	2	2		4	
Nephritis and nephrosis (590-594)	5		1	1	2		3					
Complications of pregnancy and puerperium (640-652; 660-689)												
Congenital malformations (750-759)	1		8		1		1		3		2	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	1		13		4		1	1				
Pneumonia of newborn (under 4 weeks) (763)											1	
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)							1					
Other diseases of early infancy (under 4 weeks) (769-776)	9		3	3	5		4		3		1	
Senility, ill defined and unknown causes (780-795)	1		1		3		7	1		1	5	
All other diseases (residual)	8		19		7	1	12	1	8		7	
Motor vehicle accidents (810-835)	3		12	1	7				3		4	
All other accidents (800-802; 840-962)	5		19		6		10	1	8		2	
Suicide and self-inflicted injury (970-979)	3		5		5		4		3		1	
Homicide (980-985)								2	1			

TABLE 18 (CONTINUED). ESTIMATED POPULATION, RESIDENT DEATHS FROM SELECTED CAUSES BY COLOR, COUNTY AREAS INCLUDING CITIES, MISSOURI: 1962

	Pulaski		Putnam		Ralls		Randolph		Ray		Reynolds	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19__	47,298		6,633		7,940		21,853		16,208		4,886	
TOTAL DEATHS	152	2	123		87	4	324	26	199	7	68	
Under one year of age	23	2	3		4		4		7			
Neonatal deaths	15	2	2		2		3		5			
Maternal deaths												
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	1						4		2		1	
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)							1					
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)	2						1		2			
Malignant neoplasms (140-205)	19		13		14		60	1	18	1	10	
Benign and unspecified neoplasms (210-239)	1						1					
Diabetes mellitus (260)	1		4		2		8	2	1		5	
Anemias (290-293)					2				1			
Vascular lesions affecting central nervous system (330-334)	11		20		20	2	35	8	31	1	5	
Nonmeningococcal meningitis (340)												
Rheumatic fever (400-402)											1	
Chronic rheumatic heart disease (410-416)	3						1					
Arteriosclerotic and degenerative heart disease (420-422)	39		47		22	1	122	7	63	4	30	
Other diseases of heart (430-434)	2				2		9		5		2	
Hypertension with heart disease (440-443)	6		11		1		11	1	2		1	
Hypertension w/o mention of heart (444-447)	1		2		1		3					
Other diseases of circulatory system (450-468)	4		4		4		14	1	13	1	2	
Influenza (480-483)	1		1		1		2		1			
Lobar pneumonia 4 weeks (490)	2		1				3				1	
Bronchopneumonia 4 weeks (491)	2				1				3			
Pneumonia, other forms 4 weeks (492-493)	2		1		3		1		11		1	
Bronchitis (500-502)												
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)							2					
Gastro Enteritis and colitis, 2 years (571.1)	1				1							
Cirrhosis of liver (581)												
Other diseases of digestive system (530-587 excl. above)	7		1		1		3		4		1	
Nephritis and nephrosis (590-594)	2		2		1		1				2	
Complications of pregnancy and puerperium (640-652; 660-689)												
Congenital malformations (750-759)	5		2		1		1		4			
Birth injuries, asphyxia, (under 4 weeks) (760-762)	5	2							2			
Pneumonia of newborn (under 4 weeks) (763)	1				1							
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)	1											
Other diseases of early infancy (under 4 weeks) (769-776)	4						2		1			
Senility, ill defined and unknown causes (780-795)	2				2		8	4	1			
All other diseases (residual)	6		5		2		12	1	14		4	
Motor vehicle accidents (810-835)	8		2		1		8		3			
All other accidents (800-802; 840-962)	9		4		4		6	1	12		2	
Suicide and self-inflicted injury (970-979)	3		2		1		3		5			
Homicide (980-985)	1		1				1					

TABLE 18 (CONTINUED). ESTIMATED POPULATION, RESIDENT DEATHS FROM SELECTED CAUSES BY COLOR, COUNTY AREAS INCLUDING CITIES, MISSOURI: 1962

	Ripley		St. Charles		St. Clair		St. Francois		Ste. Genevieve		St. Louis	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19—	8,701		61,682		8,061		36,546		12,299		798,557	
TOTAL DEATHS	120		400	21	140		431	4	117		5039	209
Under one year of age	5		39	1	3		13		6		312	16
Neonatal deaths	4		29		1		10		4		258	11
Maternal deaths									1		5	1
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	1		3				1				12	2
Tuberculosis, other forms (010-019)											2	1
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)	1										3	1
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												1
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)											1	
Measles (085)											2	
Infectious hepatitis (092)	1											
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)	1		2				1				6	
Malignant neoplasms (140-205)	17		68	3	23		64	1	13		945	35
Benign and unspecified neoplasms (210-239)			1								8	
Diabetes mellitus (260)	4		3		3		13		3		85	2
Anemias (290-293)											7	
Vascular lesions affecting central nervous system (330-334)	16		42		21		82	1	14		462	17
Nonmeningococcal meningitis (340)			1								3	1
Rheumatic fever (400-402)							1				4	
Chronic rheumatic heart disease (410-416)			3				9		1		62	
Arteriosclerotic and degenerative heart disease (420-422)	55		135	4	54		123	1	46		1763	50
Other diseases of heart (430-434)			3				11		2		44	3
Hypertension with heart disease (440-443)	2		12	1	4		12	1	3		131	10
Hypertension w/o mention of heart (444-447)			3		1		3		1		39	3
Other diseases of circulatory system (450-468)	2		10		5		17		2		175	10
Influenza (480-483)					1				1		8	
Lobar pneumonia 4 weeks (490)	1		3		2		10				15	3
Bronchopneumonia 4 weeks (491)	1		4	2	1		7		3		84	4
Pneumonia, other forms 4 weeks (492-493)	1		5		1		6				43	1
Bronchitis (500-502)					1		1				14	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)			1		1		1				2	2
Gastro Enteritis and colitis, 2 years (571.1)									1		9	2
Cirrhosis of liver (581)	1		4		1		2		3		41	2
Other diseases of digestive system (530-587 excl. above)	1		13		3		9		5		129	4
Nephritis and nephrosis (590-594)	2		3		2				2		22	4
Complications of pregnancy and puerperium (640-652; 660-689)									1		5	1
Congenital malformations (750-759)			6				1		1		91	5
Birth injuries, asphyxia, (under 4 weeks) (760-762)	1		7				4		4		113	3
Pneumonia of newborn (under 4 weeks) (763)	1		1				1				8	1
Diarrhea of newborn (under 4 weeks) (764)											1	
Other infections of newborn (under 4 weeks) (765-768)			1								2	
Other diseases of early infancy (under 4 weeks) (769-776)	1		15	1	1		5				81	4
Senility, ill defined and unknown causes (780-795)	1		11				7		1		80	11
All other diseases (residual)	3		16	2	9		19		4		195	10
Motor vehicle accidents (810-835)	4		11	4	3		1				111	2
All other accidents (800-802; 840-962)	1		11	3	1		16		4		143	11
Suicide and self-inflicted injury (970-979)	1		2		2		3		1		74	
Homicide (980-985)				1			1		1		14	3

TABLE 18 (CONTINUED). ESTIMATED POPULATION, RESIDENT DEATHS FROM SELECTED CAUSES BY COLOR, COUNTY AREAS INCLUDING CITIES, MISSOURI: 1962

	Saline		Schuyler		Scotland		Scott		Shannon		Shelby	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19—	24,873		4,914		6,329		32,838		6,908		8,910	
TOTAL DEATHS	336	33	87		92		298	33	80		147	5
Under one year of age	12		1		2		15	6	3		5	
Neonatal deaths	11		1		2		12	1	3		4	
Maternal deaths	1											
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	4	1					1					
Tuberculosis, other forms (010-019)							1					
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)												
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)												
Malignant neoplasms (140-205)	46	6	11		16		40	3	13		28	
Benign and unspecified neoplasms (210-239)												
Diabetes mellitus (260)	4		3		2		4	1				
Anemias (290-293)	1	1										
Vascular lesions affecting central nervous system (330-334)	50	6	25		14		39	6	10		23	
Nonmeningococcal meningitis (340)												
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)	5	1					6					
Arteriosclerotic and degenerative heart disease (420-422)	120	9	24		40		117	4	29		42	1
Other diseases of heart (430-434)	6	1	2		3		2		2		1	
Hypertension with heart disease (440-443)	16	2	1				12	3	2		8	
Hypertension w/o mention of heart (444-447)		1	2				2				5	
Other diseases of circulatory system (450-468)	6	1	2		4		3	1	1		9	
Influenza (480-483)					1		1				1	
Lobar pneumonia 4 weeks (490)	2		1					1	2			
Bronchopneumonia 4 weeks (491)	2		2		1		2	2	1		1	
Pneumonia, other forms 4 weeks (492-493)	7						6	1	3		2	
Bronchitis (500-502)	1											
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)								2	1			
Gastro Enteritis and colitis, 2 years (571.1)												
Cirrhosis of liver (581)	3						1				1	
Other diseases of digestive system (530-587 excl. above)	6				2		8		1		8	
Nephritis and nephrosis (590-594)	3		2				1				2	
Complications of pregnancy and puerperium (640-652; 660-689)	1											
Congenital malformations (750-759)	1		1				5		2		3	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	2				1		2		1		1	
Pneumonia of newborn (under 4 weeks) (763)	1							1				
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)							1					
Other diseases of early infancy (under 4 weeks) (769-776)	8				1		7		1		2	
Senility, ill defined and unknown causes (780-795)							1	2	2		1	
All other diseases (residual)	17		4		4		14	2	1		3	
Motor vehicle accidents (810-835)	8	2	2		1		9	2	2		3	3
All other accidents (800-802; 840-962)	12	2	5		2		11	2	4		2	1
Suicide and self-inflicted injury (970-979)	2						2		1			
Homicide (980-985)	2							1				

TABLE 18 (CONTINUED). ESTIMATED POPULATION, RESIDENT DEATHS FROM SELECTED CAUSES BY COLOR, COUNTY AREAS INCLUDING CITIES, MISSOURI: 1962

	Stoddard		Stone		Sullivan		Taney		Texas		Vernon	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19—	28,860		7,987		8,348		10,304		17,540		20,151	
TOTAL DEATHS	275	15	95		129		127		194		285	
Under one year of age	15	1	3		1		4		7		4	
Neonatal deaths	11		1		1		1		4		4	
Maternal deaths												
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	2		1						2			
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)							1					
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)	1				1		1					
Malignant neoplasms (140-205)	37	2	17		27		20		27		46	
Benign and unspecified neoplasms (210-239)												
Diabetes mellitus (260)	5		1		5		2		4		2	
Anemias (290-293)			4				1					
Vascular lesions affecting central nervous system (330-334)	34	1	14		22		24		30		42	
Nonmeningococcal meningitis (340)	1											
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)	1	1	1				3				1	
Arteriosclerotic and degenerative heart disease (420-422)	80	4	32		40		39		71		107	
Diseases of heart (430-434)	7	1	1		1		3		3		5	
Hypertension with heart disease (440-443)	6	1	2		1		5		10		23	
Hypertension w/o mention of heart (444-447)	3		1				2					
Other diseases of circulatory system (450-468)	11		4		5		7		6		8	
Influenza (480-483)	4				1				1		1	
Lobar pneumonia 4 weeks (490)	2				2				2			
Bronchopneumonia 4 weeks (491)	2		1		2		1		4		4	
Pneumonia, other forms 4 weeks (492-493)	2						1		3		3	
Bronchitis (500-502)	2				1							
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)			1									
Gastro Enteritis and colitis, 2 years (571.1)												
Cirrhosis of liver (581)	1		1						1		2	
Other diseases of digestive system (530-587 excl. above)	5		4		1				6		7	
Nephritis and nephrosis (590-594)	4		1		3		4				1	
Complications of pregnancy and puerperium (640-652; 660-689)												
Congenital malformations (750-759)	2				1		2		2			
Birth injuries, asphyxia, (under 4 weeks) (760-762)	3								2		3	
Pneumonia of newborn (under 4 weeks) (763)												
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	4		1		1				1			
Senility, ill defined and unknown causes (780-795)	15	2	1								5	
All other diseases (residual)	16	1	4		5		4		5		13	
Motor vehicle accidents (810-835)	6				7		4		6		4	
All other accidents (800-802; 840-962)	14	1	3		3		2		4		2	
Suicide and self-inflicted injury (970-979)	5						1		3		5	
Homicide (980-985)		1							1		1	

TABLE 18 (CONTINUED). ESTIMATED POPULATION, RESIDENT DEATHS FROM SELECTED CAUSES BY COLOR, COUNTY AREAS INCLUDING CITIES, MISSOURI: 1962

	Warren		Washington		Wayne		Webster		Worth		Wright	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19—	9,024		14,289		8,317		13,562		3,738		13,857	
TOTAL DEATHS	111	4	165	2	128		188		62		190	2
Under one year of age	4		14		3		5		1		6	
Neonatal deaths	3		9		2		5		1		2	
Maternal deaths												
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)											2	
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)					1							
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)											1	
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)							1				1	
Malignant neoplasms (140-205)	19	1	27	1	26		26		6		25	1
Benign and unspecified neoplasms (210-239)												
Diabetes mellitus (260)	4		3		1		3		2			
Anemias (290-293)												
Vascular lesions affecting central nervous system (330-334)	9	1	30	1	15		32		8		36	
Nonmeningococcal meningitis (340)												
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)												
Arteriosclerotic and degenerative heart disease (420-422)	33		30		35		58		23		49	1
Other diseases of heart (430-434)	4		5		2		4				3	
Hypertension with heart disease (440-443)	10	1	2		4		5		1		12	
Hypertension w/o mention of heart (444-447)	3		1		2		3		1			
Other diseases of circulatory system (450-468)	5		6		6		8		5		6	
Influenza (480-483)	1		5		1		1				3	
Lobar pneumonia 4 weeks (490)	1		3		1		2					
Bronchopneumonia 4 weeks (491)			3		1		1				3	
Pneumonia, other forms 4 weeks (492-493)	1	1	4		6		2		2			
Bronchitis (500-502)												
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)			1				1					
Gastro Enteritis and colitis, 2 years (571.1)												
Cirrhosis of liver (581)					1							
Other diseases of digestive system (530-587 excl. above)	3		5		4		9		1		2	
Nephritis and nephrosis (590-594)	2		1								4	
Complications of pregnancy and puerperium (640-652; 660-689)												
Congenital malformations (750-759)			2		1							
Birth injuries, asphyxia, (under 4 weeks) (760-762)			3				3		1			
Pneumonia of newborn (under 4 weeks) (763)												
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	3		4		2		2				1	
Senility, ill defined and unknown causes (780-795)												
All other diseases (residual)	1		1		5		6		7		14	
Motor vehicle accidents (810-835)	3		7		3		5				4	
All other accidents (800-802; 840-962)	3		9		5		10		3		19	
Suicide and self-inflicted injury (970-979)	2		4				1				3	
Homicide (980-985)							1				1	

TABLE 19. RESIDENT DEATHS FROM SELECTED CAUSES BY COLOR, CITIES OF 10,000 POPULATION AND OVER, MISSOURI: 1962

	St. Louis City			Bellefontaine Neighbors		Berkeley		Brentwood		Cape Girardeau	
	Total	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19—		731,758									
TOTAL DEATHS	10,104	7,517	2,587	83		72		63	10	246	14
Under one year of age	495	222	273	5		9		4		17	1
Neonatal deaths	367	174	193	4		6		4		16	1
Maternal deaths	9	2	7								
CAUSES OF DEATH											
Tuberculosis of respiratory system (001-008)	73	46	27								
Tuberculosis, other forms (010-019)	5	3	2								
Syphilis, under 1 year (020-029)											
Syphilis, age 1 year and over (020-029)	26	16	10	1						1	
Typhoid fever (040)											
Paratyphoid fever (041)											
Undulant fever (044)											
Bacillary dysentery (045)											
Amebic dysentery (046)	1		1								
Other and unspecified dysentery (047-048)											
Scarlet fever and streptococcal sore throat (050-051)	1	1									
Diphtheria (055)											
Whooping cough (056)											
Meningococcal infections (057)	2	2									
Tularemia (059)											
Tetanus (061)											
Acute poliomyelitis (080)											
Acute infectious encephalitis (082)	2	2								1	
Measles (085)											
Infectious hepatitis (092)	2	1	1								
Rabies (094)											
Rocky mountain spotted fever (104)											
Typhus and other rickettsial diseases (100-103; 105-108)											
Malaria (110-117)											
Other infectious and parasitic diseases (030-138, exc. above)	19	13	6								
Malignant neoplasms (140-205)	16,322	12,411	3,911	18		10		6	3	47	2
Benign and unspecified neoplasms (210-239)	24	17	7					1		1	
Diabetes mellitus (260)	198	151	47	3		1				1	
Anemias (290-293)	19	12	7								
Vascular lesions affecting central nervous system (330-334)	10,558	7,478	3,100	8		3		8	1	26	3
Nonmeningococcal meningitis (340)	10	4	6								
Rheumatic fever (400-402)											
Chronic rheumatic heart disease (410-416)	102	88	14							1	
Arteriosclerotic and degenerative heart disease (420-422)	3,388	2,815	573	25		26		24	3	90	3
Other diseases of heart (430-434)	123	71	52	1				1		1	1
Hypertension with heart disease (440-443)	340	206	134	2		1		2	1	7	
Hypertension w/o mention of heart (444-447)	98	50	48					1		1	
Other diseases of circulatory system (450-468)	410	328	82	4		4		1		6	2
Influenza (480-483)	17	14	3								
Lobar pneumonia 4 weeks (490)	97	53	44			1				3	
Bronchopneumonia 4 weeks (491)	249	182	67			1		3		2	
Pneumonia, other forms 4 weeks (492-493)	106	71	35	1		1				2	
Bronchitis (500-502)	34	29	5	1							
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	5	1	4	1						1	
Gastro Enteritis and colitis, 2 years (571.1)	6	4	2								
Cirrhosis of liver (581)	168	123	45			1				1	1
Other diseases of digestive system (530-587 excl. above)	230	179	51	1		2		2		6	
Nephritis and nephrosis (590-594)	87	53	34							3	
Complications of pregnancy and puerperium (640-652; 660-689)	9	2	7								
Congenital malformations (750-759)	81	55	26	2		1		1		3	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	161	77	84	2		3		2		5	1
Pneumonia of newborn (under 4 weeks) (763)	19	9	10							3	
Diarrhea of newborn (under 4 weeks) (764)											
Other infections of newborn (under 4 weeks) (765-768)	7	4	3								
Other diseases of early infancy (under 4 weeks) (769-776)	155	64	91	1		3		1		7	
Senility, ill defined and unknown causes (780-795)	31	23	8	2		2		2	1	3	
All other diseases (residual)	461	323	138	1		2		1		10	
Motor vehicle accidents (810-835)	130	85	45	3		3		4		9	
All other accidents (800-802; 840-962)	354	247	107	4		3		2	1	4	1
Suicide and self-inflicted injury (970-979)	90	74	11	2		3		1		1	
Homicide (980-985)	74	25	49			1					

TABLE 19 (CONTINUED). RESIDENT DEATHS FROM SELECTED CAUSES BY COLOR, CITIES OF 10,000 POPULATION AND OVER, MISSOURI: 1962

	Carthage		Clayton		Columbia		Crestwood		Ferguson		Florissant	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19—												
TOTAL DEATHS	167	1	180	1	212	51	38		158	2	179	
Under one year of age	3		2		18	8	5		11		28	
Neonatal deaths	3		2		15	5	5		4		23	
Maternal deaths							1					
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	1								2			
Tuberculosis, other forms (010-019)											1	
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)										1		
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)						1						
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious hepatitis (092)			1									
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)	1											
Malignant neoplasms (140-205)	26		40	1	36	9	5		31		28	
Benign and unspecified neoplasms (210-239)					1						1	
Diabetes mellitus (260)	2		2		3	1	1		3		1	
Anemias (290-293)						1						
Vascular lesions affecting central nervous system (330-334)	17		17		28	10	5		12	1	12	
Nonmeningococcal meningitis (340)									1			
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)												
Arteriosclerotic and degenerative heart disease (420-422)	79	1	66		73	8	10		59		65	
Other diseases of heart (430-434)	4		4		3						1	
Hypertension with heart disease (440-443)	1		4		2		1		3		2	
Hypertension w/o mention of heart (444-447)	2		2		1	1						
Other diseases of circulatory system (450-468)	8		5		5	2	2		7		7	
Influenza (480-483)											1	
Lobar pneumonia 4 weeks (490)	1								1			
Bronchopneumonia 4 weeks (491)	2		4		3				2		2	
Pneumonia, other forms 4 weeks (492-493)	1		3		1						2	
Bronchitis (500-502)					1						2	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)						1						
Gastro Enteritis and colitis, 2 years (571.1)			1			1						
Cirrhosis of liver (581)			3		7	1			1		1	
Other diseases of digestive system (530-587 excl. above)	2		4		7	2	1		5		4	
Nephritis and nephrosis (590-594)			1			1	1				1	
Complications of pregnancy and puerperium (640-652; 660-689)							1					
Congenital malformations (750-759)	1				6		1		8		5	
Birth injuries, asphyxia, (under 4 weeks) (760-762)			1		3	2	4		3		7	
Pneumonia of newborn (under 4 weeks) (763)											1	
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)											1	
Other diseases of early infancy (under 4 weeks) (769-776)	1		1		9	2			2		10	
Senility, ill defined and unknown causes (780-795)	3		5		2	1	3		1		1	
All other diseases (residual)	5		7		7	3	1		5		5	
Motor vehicle accidents (810-835)	5		1		4	1	1		5		8	
All other accidents (800-802; 840-962)	2		1		7	3	1		2		4	
Suicide and self-inflicted injury (970-979)	1		6		2				2		2	
Homicide (980-985)											2	

TABLE 19 (CONTINUED). RESIDENT DEATHS FROM SELECTED CAUSES BY COLOR, CITIES OF 10,000 POPULATION AND OVER, MISSOURI: 1962

	Fulton		Gladstone		Hannibal		Independence		Jefferson City		Jennings	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19__												
TOTAL DEATHS	83	21	19		297	20	672	12	244	20	162	
Under one year of age	9		3		16	2	42	1	10	4	9	
Neonatal deaths	9		3		13		36		9	3	7	
Maternal deaths							2					
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	1				1		2				1	
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)							1		1			
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)							1					
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)									1			
Measles (085)												
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)							3		2			
Malignant neoplasms (140-205)	6	3	6		38	2	104	1	31	3	34	
Benign and unspecified neoplasms (210-239)					1		2				1	
Diabetes mellitus (260)	1				5	1	10		3		5	
Anemias (290-293)					1		5					
Vascular lesions affecting central nervous system (330-334)	18	2			40	4	70	1	26	2	14	
Nonmeningococcal meningitis (340)					1		2		1			
Rheumatic fever (400-402)											1	
Chronic rheumatic heart disease (410-416)					4		3				6	
Arteriosclerotic and degenerative heart disease (420-422)	24	2	4		119	6	231	5	100	6	53	
Other diseases of heart (430-434)					4		19		2		2	
Hypertension with heart disease (440-443)	3	1			1	1	23	1	7	2	3	
Hypertension w/o mention of heart (444-447)					1		10				1	
Other diseases of circulatory system (450-468)	2	2	1		19		27		12		5	
Influenza (480-483)												
Lobar pneumonia 4 weeks (490)					2		1		4		1	
Bronchopneumonia 4 weeks (491)	4				3	1	12		5		4	
Pneumonia, other forms 4 weeks (492-493)	1				3	1	4					
Bronchitis (500-502)					2	1	1				1	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)												
Gastro Enteritis and colitis, 2 years (571.1)							1					
Cirrhosis of liver (581)		1			2		3		2	1	1	
Other diseases of digestive system (530-587 excl. above)	3	1			5		19	2	6		6	
Nephritis and nephrosis (590-594)	1				3		5		1		1	
Complications of pregnancy and puerperium (640-652; 660-689)							2					
Congenital malformations (750-759)					7		8		1		1	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	3				3		12		3	3	4	
Pneumonia of newborn (under 4 weeks) (763)	1		1				2		2			
Diarrhea of newborn (under 4 weeks) (764)							1					
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	5		2		3		16	1	2		2	
Senility, ill defined and unknown causes (780-795)	2	1			2		3		3		3	
All other diseases (residual)	4	4	3		12	2	29	1	14	2	5	
Motor vehicle accidents (810-835)	1				5	1	13		4		2	
All other accidents (800-802, 840-962)	2	2			2		16		7		3	
Suicide and self-inflicted injury (970-979)	1	1	2		8		10		3		2	
Homicide (980-985)							1		1	1		

TABLE 19 (CONTINUED). RESIDENT DEATHS FROM SELECTED CAUSES BY COLOR, CITIES OF 10,000 POPULATION AND OVER, MISSOURI: 1962

	Joplin		Kansas City			Kansas City Jackson County		Kansas City Clay County		Kansas City Platte County	
	White	Nonwhite	Total	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19—											
TOTAL DEATHS	539	11	5749	4683	1066	4502	1066	167		14	
Under one year of age	18		334	216	118	200	118	14		2	
Neonatal deaths	13		237	153	84	143	84	10			
Maternal deaths			5	4	1	4	1				
CAUSES OF DEATH											
Tuberculosis of respiratory system (001-008)	5		46	35	11	33	11	2			
Tuberculosis, other forms (010-019)	2		5	1	4	1	4				
Syphilis, under 1 year (020-029)											
Syphilis, age 1 year and over (020-029)			15	14	1	13	1	1			
Typhoid fever (040)											
Paratyphoid fever (041)											
Undulant fever (044)											
Bacillary dysentery (045)											
Amebic dysentery (046)											
Other and unspecified dysentery (047-048)											
Scarlet fever and streptococcal sore throat (050-051)											
Diphtheria (055)											
Whooping cough (056)											
Meningococcal infections (057)	1		1	1		1					
Tularemia (059)											
Tetanus (061)	1										
Acute poliomyelitis (080)											
Acute infectious encephalitis (082)			3	3		2		1			
Measles (085)	1		1	1		1					
Infectious hepatitis (092)			1		1		1				
Rabies (094)											
Rocky mountain spotted fever (104)											
Typhus and other rickettsial diseases (100-103; 105-108)											
Malaria (110-117)											
Other infectious and parasitic diseases (030-138, exc. above)	1		8	8		8					
Malignant neoplasms (140-205)	73	3	882	750	132	717	132	31		2	
Benign and unspecified neoplasms (210-239)	1		13	9	4	9	4				
Diabetes mellitus (260)	14	1	80	65	15	60	15	5			
Anemias (290-293)	1		6	5	1	5	1				
Vascular lesions affecting central nervous system (330-334)	72		650	550	100	528	100	19		3	
Nonmeningococcal meningitis (340)			13	8	5	8	5				
Rheumatic fever (400-402)			2	2		2					
Chronic rheumatic heart disease (410-416)	5		52	41	11	39	11	2			
Arteriosclerotic and degenerative heart disease (420-422)	147	1	1942	1700	242	1646	242	49		5	
Other diseases of heart (430-434)	11		84	65	19	63	19	2			
Hypertension with heart disease (440-443)	23	2	140	104	36	98	36	4		2	
Hypertension w/o mention of heart (444-447)	6		32	24	8	24	8				
Other diseases of circulatory system (450-468)	22		231	159	72	154	72	5			
Influenza (480-483)	3		11	5	6	5	6				
Lobar pneumonia 4 weeks (490)	1		32	23	9	23	9				
Bronchopneumonia 4 weeks (491)	7		158	109	49	107	49	2			
Pneumonia, other forms 4 weeks (492-493)	6		62	44	18	43	18			1	
Bronchitis (500-502)			10	9	1	9	1				
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)			6	3	3	3	3				
Gastro Enteritis and colitis, 2 years (571.1)	1		4	4		4					
Cirrhosis of liver (581)	14		74	62	12	61	12	1			
Other diseases of digestive system (530-587 excl. above)	17		164	137	27	134	27	3			
Nephritis and nephrosis (590-594)	5	1	38	26	12	24	12	2			
Complications of pregnancy and puerperium (640-652; 660-689)			5	4	1	4	1				
Congenital malformations (750-759)	6		70	58	12	55	12	2		1	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	11		81	52	29	46	29	6			
Pneumonia of newborn (under 4 weeks) (763)			16	10	6	10	6				
Diarrhea of newborn (under 4 weeks) (764)			1		1		1				
Other infections of newborn (under 4 weeks) (765-768)											
Other diseases of early infancy (under 4 weeks) (769-776)	2		112	63	49	58	49	5			
Senility, ill defined and unknown causes (780-795)	19	1	42	34	8	32	8	2			
All other diseases (residual)	20	2	270	223	47	213	47	10			
Motor vehicle accidents (810-835)	17		89	71	18	66	18	5			
All other accidents (800-802; 840-962)	18		158	121	37	116	37	5			
Suicide and self-inflicted injury (970-979)	5		66	61	5	58	5	3			
Homicide (980-985)	1		63	19	44	19	44				

TABLE 19 (CONTINUED). RESIDENT DEATHS FROM SELECTED CAUSES BY COLOR, CITIES OF 10,000 POPULATION AND OVER, MISSOURI: 1962

	Kirkville		Kirkwood		Maplewood		Mexico		Moberly		Overland	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19____												
TOTAL DEATHS	162		223	27	145		140	13	194	21	207	2
Under one year of age	12		12	3	6		8		3		6	
Neonatal deaths	10		10	2	6		7		3		6	
Maternal deaths	1											
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	1		1				2		4			
Tuberculosis, other forms (010-019)				1								
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)							1		1			
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)							1					
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)							1					
Malignant neoplasms (140-205)	25		45	6	17		25	2	33	1	40	
Benign and unspecified neoplasms (210-239)			1								1	
Diabetes mellitus (260)	2		4						4	2	6	
Anemias (290-293)					1		1					
Vascular lesions affecting central nervous system (330-334)	17		17	3	15		15		23	7	15	
Nonmeningococcal meningitis (340)											1	
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)	1		1				3				5	
Arteriosclerotic and degenerative heart disease (420-422)	45		88	6	55		46	5	76	5	75	2
Other diseases of heart (430-434)	8		1		3		3		7			
Hypertension with heart disease (440-443)	1		4		4		4	1	6	1	4	
Hypertension w/o mention of heart (444-447)	2		1		3		1	1	2		2	
Other diseases of circulatory system (450-468)	5		11	1	11		4	1	10	1	14	
Influenza (480-483)	1		1								1	
Lobar pneumonia 4 weeks (490)	2		1		1		2		1			
Bronchopneumonia 4 weeks (491)	2		1	1	6		2	1			1	
Pneumonia, other forms 4 weeks (492-493)			1		3		1				2	
Bronchitis (500-502)												
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)									1			
Gastro Enteritis and colitis, 2 years (571.1)											1	
Cirrhosis of liver (581)	1		1					1	1		2	
Other diseases of digestive system (530-587 excl. above)	6		3	1	9		4		1		7	
Nephritis and nephrosis (590-594)	2										3	
Complications of pregnancy and puerperium (640-652; 660-689)	1											
Congenital malformations (750-759)	1		6	1	1		3	1	1		3	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	7		2		2		2				4	
Pneumonia of newborn (under 4 weeks) (763)												
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)							1					
Other diseases of early infancy (under 4 weeks) (769-776)	3		5	1	3		3		2		2	
Senility, ill defined and unknown causes (780-795)			3	2	5		1		5	3	1	
All other diseases (residual)	18		6	2	2		8		6		5	
Motor vehicle accidents (810-835)	4		7	1			3		5		1	
All other accidents (800-802; 840-962)	4		5		2		1		4	1	7	
Suicide and self-inflicted injury (970-979)	3		7		2		1		1		2	
Homicide (980-985)				1			1				1	

TABLE 19 (CONTINUED). RESIDENT DEATHS FROM SELECTED CAUSES BY COLOR, CITIES OF 10,000 POPULATION AND OVER, MISSOURI: 1962

	Poplar Bluff		Raytown		Richmond Heights		Rolla		St. Ann		St. Charles	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19__												
TOTAL DEATHS	230	27	151		153	15	90	2	73		207	7
Under one year of age	14		10		7	1	5	1	11		27	
Neonatal deaths	10		8		4	1	5		7		21	
Maternal deaths	1											
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)					1						1	
Tuberculosis, other forms (010-019)	1								1			
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)	1				1							
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)	1											
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious hepatitis (092)												
Rabies (094)			1									
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)			1		1						1	
Malignant neoplasms (140-205)	24	1	31		36	3	15		9		29	2
Benign and unspecified neoplasms (210-239)			1									
Diabetes mellitus (260)	4	1	1				4		3		2	
Anemias (290-293)	1				1							
Vascular lesions affecting central nervous system (330-334)	34	5	11		15	1	12		6		30	
Nonmeningococcal meningitis (340)									1			
Rheumatic fever (400-402)	1											
Chronic rheumatic heart disease (410-416)	2		2		2						3	
Arteriosclerotic and degenerative heart disease (420-422)	83	9	52		51	3	26	1	20		74	2
Other diseases of heart (430-434)	7		3		1		2		2		1	
Hypertension with heart disease (440-443)	5	1	1		3		3		1		2	1
Hypertension w/o mention of heart (444-447)	3				1	1					3	
Other diseases of circulatory system (450-468)	6		4		3	1	4		4		4	
Influenza (480-483)	1											
Lobar pneumonia 4 weeks (490)	4										1	
Bronchopneumonia 4 weeks (491)			2		3		1		3		3	
Pneumonia, other forms 4 weeks (492-493)	3	1	1		1		3		2		3	
Bronchitis (500-502)	1								1			
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)											1	
Gastro Enteritis and colitis, 2 years (571.1)												
Cirrhosis of liver (581)			1		1		2		1		2	
Other diseases of digestive system (530-587 excl. above)	2		5		5				2		3	
Nephritis and nephrosis (590-594)	1	1	1									
Complications of pregnancy and puerperium (640-652; 660-689)	1											
Congenital malformations (750-759)			2		1		1		2		4	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	2		4		2		3		3		5	
Pneumonia of newborn (under 4 weeks) (763)	5		2		1						1	
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)											1	
Other diseases of early infancy (under 4 weeks) (769-776)	3		2			1	1		1		11	
Senility, ill defined and unknown causes (780-795)	14	3			1	1			1		6	
All other diseases (residual)	8	3	8		9	2	4	1	7		5	
Motor vehicle accidents (810-835)	4		9		4		6		1		4	1
All other accidents (800-802; 840-962)	7	1	3		7	1	1		2		6	
Suicide and self-inflicted injury (970-979)			3		2		2				1	
Homicide (980-985)		1				1						1

TABLE 19 (CONTINUED). RESIDENT DEATHS FROM SELECTED CAUSES BY COLOR, CITIES OF 10,000 POPULATION AND OVER, MISSOURI: 1962

	St. Joseph		Sedalia		Sikeston		Springfield		University City		Webster Groves	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19____												
TOTAL DEATHS	1084	42	309	33	109	19	1050	24	481		246	24
Under one year of age	39	1	14	3	5	2	62	1	9		8	2
Neonatal deaths	34	1	11	2	4		48	1	7		6	1
Maternal deaths							1					
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	6	1	2		1		6		1			
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)	6						2					
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)							1					
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)	1											
Measles (085)	1											
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)	1		1	1			3		2			
Malignant neoplasms (140-205)	159	6	37	6	15	2	138	2	95		46	6
Benign and unspecified neoplasms (210-239)	3						2					
Diabetes mellitus (260)	12	1	3		1	1	12	2	15		2	
Anemias (290-293)	2						2		2			
Vascular lesions affecting central nervous system (330-334)	142	3	41		17	5	137	5	76		27	3
Nonmeningococcal meningitis (340)	2						1					
Rheumatic fever (400-402)							1					
Chronic rheumatic heart disease (410-416)	12	2	2				9		13			
Arteriosclerotic and degenerative heart disease (420-422)	378	9	118	14	44	3	348	4	177		95	6
Other diseases of heart (430-434)	16		4		1		15	2	3		2	3
Hypertension with heart disease (440-443)	37	4	10	4	2	3	52	1	19		12	
Hypertension w/o mention of heart (444-447)	7		2		2		5		4		2	
Other diseases of circulatory system (450-468)	48		8	2			46	1	14		7	1
Influenza (480-483)	2	1					1		1		1	
Lobar pneumonia 4 weeks (490)	2		1				4		2			
Bronchopneumonia 4 weeks (491)	9		1	1	1		10		2		7	1
Pneumonia, other forms 4 weeks (492-493)	9		2		3		10		4		2	
Bronchitis (500-502)	1		1				3	2			1	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)						1						1
Gastro Enteritis and colitis, 2 years (571.1)			1				2					
Cirrhosis of liver (581)	9		2				4		3			1
Other diseases of digestive system (530-587 excl. above)	26	3	8		4		28		13		3	
Nephritis and nephrosis (590-594)	10		1	1	1		8		2			
Complications of pregnancy and puerperium (640-652; 660-689)							1					
Congenital malformations (750-759)	8		4		4		16		7		3	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	11		8				16		1		3	
Pneumonia of newborn (under 4 weeks) (763)	1						2	1				
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)							1					
Other diseases of early infancy (under 4 weeks) (769-776)	17	1	1	3	2		21		2		2	1
Senility, ill defined and unknown causes (780-795)	59	9	1			1	35	1	12		2	
All other diseases (residual)	41	1	13		2	1	38	1	18		9	
Motor vehicle accidents (810-835)	11		10	1	4		27	1	5		9	
All other accidents (800-802; 840-962)	24		14		3	1	23	1	11		6	
Suicide and self-inflicted injury (970-979)	11		5		2		20		4		5	
Homicide (980-985)		1				1			3			

GUIDE TO TABLES

[illegible]

MISSOURI VITAL STATISTICS, 1962

PART 1. N A T A L I T Y A N D
F E T A L D E A T H S

PART 2. M O R T A L I T Y

PART 3. A C C I D E N T A L D E A T H S

PART 4. M A R R I A G E A N D D I V O R C E

Department of Public Health and Welfare

MISSOURI DIVISION OF HEALTH
Statistical Services

State Office Building
Jefferson City, Missouri

MISSOURI

Accidental
Deaths
PART 3

1962

PUBLIC HEALTH STATISTICS
VITAL STATISTICS

DEPARTMENT OF PUBLIC HEALTH AND WELFARE OF MISSOURI
DIVISION OF HEALTH

C O V E R

Photo by WALKER - MISSOURI DIVISION OF COMMERCE AND INDUSTRIAL DEVELOPMENT

Layout by DIVISION OF HEALTH

MISSOURI

PUBLIC HEALTH STATISTICS

PART 3 - ACCIDENTAL DEATHS

1962

by

STATISTICAL SERVICES

October, 1963

Department of Public Health and Welfare

MISSOURI DIVISION OF HEALTH
Statistical Services

Jefferson City, Missouri

P R E F A C E

This is one of four separately issued parts of the Public Health Statistics, Vital Statistics of Missouri, 1962. These replace the single edition of Vital Statistics published in subsequent years, 1949-1961. This is being done for several reasons. First, the data is processed in parts and printing in parts allows faster reporting. Secondly, demands for information vary, and printing separate parts allows more control over printing costs. Thirdly, this represents a change, a chance to do something a different way. In connection with this, comments from readers are welcome. Each part contains a statistical summary with general tables, charts, and graphs. The back cover indicates the type of data contained in each part.

If further statistical information is desired, such as more detailed breakdowns of the information contained in the report or copies of the enclosed data, such information may be obtained by contacting the Missouri Division of Health.

Statistical Services

October, 1963

DEFINITIONS

ACCIDENTAL DEATH DATA

The data for this report were tabulated from the information appearing on the original death certificates for occurrences of events during the calendar year, 1962; and filed with the Vital Records Office of the Missouri Division of Health.

CAUSE OF DEATH CLASSIFICATION

The causes of death presented here were classified in accordance with the World Health Organization Regulations, "Manual of the International Statistical Classification of Diseases and Causes of Death", based on the recommendations of the Seventh Revision Conference, 1955, Code Numbers E800-E962. Where special summaries are included for certain types of accidents, the groupings of causes of death codes are indicated when necessary.

RESIDENT AND RECORDED

Vital Statistics are presented in two forms "Resident" and "Recorded". It is important to understand the significance of these terms when analyzing vital statistics. "Resident" data are compiled for deaths that relate to persons residing in the area independent of where the events occurred. "Resident" deaths do not appear in this report. "Recorded" data are based on the number of deaths that occur in an area, regardless of where the person resides.¹ For accidental death data, there is a third classification, "County or City of Occurrence", which is the area where the accident occurred.

¹Appendix Table 2 shows accidents that occurred in Missouri regardless of residence or place of death. This is the only such table.

For this report, we have used only "recorded deaths", that is, persons dying in Missouri due to an accident (Code E800-E962) regardless of residence or county of occurrence. Several tables are presented which show "county of occurrence".

RACE AND COLOR

The category "white" includes in addition to persons reported as "white", those reported as Mexican, Puerto Rican, Chinese, Japanese, Indian, except Negro. In other words, persons reported as "Negro" are recorded as "nonwhite", all other classes are recorded as "white". Any person reported as a mixed race which includes "Negro" is recorded as "nonwhite".

POPULATION - BASES FOR COMPUTING RATES

Population data used for computing rates shown in this report were obtained from the following sources: Population estimates, 1911-1950 taken from United States Bureau of the Census Release, Series P-25, No. 139, June 27, 1956; 1960 population taken from United States Census of Population, "General Characteristics", PC(1) 27B; 1951-1959 and 1961-1962 as computed by the Missouri Division of Health, Statistical Services. The components used to compute the July 1, 1961, and July 1, 1962 estimates² were the net increase and net migration. The net migration was based upon the experience during the period, 1950-1960.

RELIABILITY AND COMPLETENESS

Registration of deaths has usually been considered more complete than for births. No tests of registration completeness has been made on the 1962 deaths. All items on the punch cards have been verified. Likewise, nothing positive may be said for the reliability of the information on the certificates. The necessary quality controls are still to be enacted. We would not expect the error to be great, but the reader of statistics has the right to know the amount of probable error he is dealing with.

²Adjusted July, 1963.

PREFACE

DEFINITIONS

TABLE OF CONTENTS

	Page
Accident Summary	1
All Accidents	1
Motor Vehicle Accidents	2
Home Accidents	3
Public Accidents	5
Occupational Accidents	5
Firearm Fatalities	5
Drownings	6
Poisonings	7

Summary Charts & Tables

	Page
Chart A Five Leading Causes of Death by Selected Ages, Missouri: 1962	1
Table B Recorded Deaths and Accidental Deaths by Age and Sex and Accidental Death Rates by Age, Missouri: 1962	1
Chart C Distribution of Recorded Accidental Deaths by Type of Accident, Missouri: 1962, and by Five-Year Average, Missouri: 1957-1962	1
Chart D Distribution of Accidental Deaths by Specific Types of Accidents, Missouri: 1962	1
Chart E Trends in Recorded Deaths and Death Rates From All Accidents and Motor Vehicle Accidents, Missouri: 1930-1962	2
Table F Recorded Accidental Deaths Due to Motor Vehicle Accidents by Type of Accident With Percentages, Missouri: 1962	2
Chart G Age Profile by Sex For Motor Vehicle Fatalities, Missouri: 1962	3
Chart H Percent Distribution of Home Fatalities by Age, Missouri: 1962	3
Chart I Home Fatalities by External Cause of Injury With Percentages, Missouri: 1962	4
Chart J Distribution by Type of Home Fatality by Age Groups, Missouri: 1962	4
Chart K Home Fatality Profile by Sex, Missouri: 1962	5
Table L Firearm Fatalities (E919), Missouri: 1953-1962	5
Chart M Firearm Fatalities (E919) by Place of Accident, With Percentages, Missouri: 1962	6
Chart N Percent of Firearm Fatalities (E919) by Location of Injury, Missouri: 1962	6
Table O Firearm Fatalities (E919) by Activity at Time of Accident, Missouri: 1962	6
Table P Accidental Drownings (E850-851, E929), Missouri: 1953-1962	6
Table Q Accidental Drownings (E850-851, E929), Activity by Water Medium, Missouri: 1962	7
Table R Holiday Drownings For Six-Year Period, Missouri: 1957-1962	7
Table S Holiday Drownings by Activity With Percentages, Missouri: 1962	7
Table T Accidental Poisonings (E870-895) by Type of Poisoning With Percentages, Missouri: 1962	7

TABLE OF CONTENTS (CONTINUED)

Appendix Tables

Table	Page
ALL ACCIDENTS:	
1 Recorded Deaths by Type of Accident, Age and Sex, Missouri: 1962	9
2 Accidental Deaths by Type and County or City of Occurrence, Missouri: 1962*.....	10
FIREARM FATALITIES:	
3 Place of Accident by Day of Accident, Missouri: 1962	13
4 Place of Accident by Hour of Accident, Missouri: 1962	13
5 Place of Accident by Person Responsible and Activity at Time of Accident by Age Groups, Missouri: 1962	13
6 Place of Accident and Person Responsible by Sex, Missouri: 1962	13
7 Place of Accident and Person Responsible by Location of Injury, Missouri: 1962	13
8 Location of Injury by Age Groups, Missouri: 1962	13
9 Location of Injury by Firearm, Missouri: 1962	13
10 Location of Injury by Duration Between Accident and Death, Missouri: 1962	14
11 Place of Accident by Duration Between Accident and Death, Missouri: 1962	14
12 Place of Accident by Month of Accident, Missouri: 1962	14
13 Person Responsible by Firearm, Missouri: 1962	14
14 County and Cities of Occurrence, Missouri: 1962	14
DROWNINGS:	
15 Month of Accident by Year of Occurrence: 1953-1962	15
16 Age Groups by Year of Occurrence, Missouri: 1953-1962	15
17 Activity by Age Groups, Missouri: 1962	15
18 Hour of Accident by Activity, Missouri: 1962	15
19 Activity by Day of Accident, Missouri: 1962	15
20 Month of Accident by Activity, Missouri: 1962	15
21 Occupation by Activity, Missouri: 1962	15
22 Water Medium by Month of Accident, Missouri: 1962	16
23 Hour of Accident by Day of Accident, Missouri: 1962	16
24 Day of Accident by Age Groups, Missouri: 1962	16
25 Month of Accident by Age Groups, Missouri: 1962	16
26 County of Occurrence by Water Medium, Missouri: 1962	16
27 Sex by Age Groups, Missouri: 1962	16
28 County of Occurrence by Activity, Missouri: 1962	17
29 Water Medium by Age Groups, Missouri: 1962	17
30 Hour of Accident by Water Medium, Missouri: 1962	17
31 Occupation by Water Medium, Missouri: 1962	17

*Appendix Table 2 shows accidents that occurred in Missouri regardless of residence or place of death. This is the only such table.

TABLE OF CONTENTS (CONTINUED)

Appendix Tables (Continued)

Table		Page
POISONINGS:		
32	Type of Poisoning by Month of Accident, Missouri: 1962	18
33	Type of Poisoning by Duration Between Accident and Death, Missouri: 1962	18
34	Type of Poisoning by Age Groups, Missouri: 1962	18
35	Type of Poisoning by Time of Accident, Missouri: 1962	18
36	Type of Poisoning by Sex, Missouri: 1962	19
37	Type of Poisoning by Place of Accident, Missouri: 1962	19
38	Type of Poisoning by Occupation, Missouri: 1962	19
39	Type of Poisoning by County or City of Occurrence, Missouri: 1962	20
GUIDE TO TABLES		Inside Back Cover

PART 3. ACCIDENTAL DEATHS

Each year more than 2,500 Missourians die from accidents. In 1962, the recorded accidental death rate was 59.2 per 100,000 estimated population. For more than a decade, accidents have ranked as the fourth leading cause of death. More deaths occur from accidents than from such diseases as arteriosclerosis, diseases of the digestive system, and diseases of early infancy.

For ages one through 44, accidents are the leading cause of death (Chart A). The importance of accidents as a cause of death among children and young adults is evident.

Fifty-seven percent of all deaths among those 15-24 years of age were caused by accidents of which more than 64 percent were males.

CHART A. FIVE LEADING CAUSES OF DEATH BY SELECTED AGES, MISSOURI: 1962

Age	Order of Significance				
	1st	2nd	3rd	4th	5th
1-4	ACCIDENTS	Influenza and Pneumonia	Malformations	Cancer	Diseases of Digestive System
5-14	ACCIDENTS	Cancer	Malformations	Influenza and Pneumonia	Diseases of Digestive System
15-24	ACCIDENTS	Cancer	Suicides	Homicides	Influenza and Pneumonia
25-44	ACCIDENTS	Heart	Cancer	Diseases of Digestive System	Suicides

During 1962, Missouri had 2,637 recorded deaths specified as resulting from accidents. This was an increase of 8.7 percent over 1961. The 1962 accidental death rate for all ages was 61.0² per 100,000 population. The highest rate was among those persons 75 years and older, 324.7 per 100,000 population (Table B). Sixty-two percent of the accidental deaths to persons of advanced age were attributed to falls, both in the home and in public places.

For persons between the ages 15-24, 25-44, and 45-64 years of age, motor vehicle fatalities were most prevalent. More than 74 percent of the motor vehicle deaths to these age groups were males.

The accidental death rate among children under five years of age was 47.4² per 100,000 population, most commonly due to mechanical suffocation, fire, and explosives.


TABLE B. RECORDED DEATHS AND ACCIDENTAL DEATHS BY AGE AND SEX AND ACCIDENTAL DEATH RATES BY AGE, MISSOURI: 1962

Age	All Deaths			Accidental Deaths			
	Total	Male	Female	Total	Male	Female	Rate ²
Total	49,685	27,732	21,953	2,637	1,721	916	61.0
0-4 Yrs.	2,868	1,648	1,220	221	129	92	47.4
5-14	387	224	163	146	103	43	26.0
15-24	663	459	204	378	295	83	66.6
25-44	2,318	1,433	885	472	376	96	44.7
45-64	10,859	7,004	3,855	527	386	141	56.3
65-74	11,904	7,158	4,746	292	178	114	91.3
75+	20,659	9,790	10,869	596	250	346	324.7
Unknown	27	16	11	5	4	1	

¹ 4,453,237 - July 1, 1962 estimated population, adj. July, 1963

² Rates are per 100,000 population by age based on 1960 census.


CHART C. DISTRIBUTION OF RECORDED ACCIDENTAL DEATHS BY TYPE OF ACCIDENT, MISSOURI: 1962³, AND BY FIVE-YEAR AVERAGE, MISSOURI: 1957-1962



Based on a five-year average, the 1962 deaths from motor vehicle accidents were down 2.2 percent, while deaths from home accidents were up nearly two percent. Other public accidental deaths and deaths from occupational accidents have remained steady at 21 percent and seven percent, respectively.

These major types of accidents may also be broken down into more specific groups as shown in Chart D. These types of deaths are shown in detail in Appendix Tables 1 and 2. (Appendix Table 2 shows detailed types of accidents by "place of occurrence" regardless of place of death. This is the only such table in this report.)

CHART D. DISTRIBUTION OF ACCIDENTAL DEATHS BY SPECIFIC TYPES OF ACCIDENTS, MISSOURI: 1962



³ These may be observed by age and sex in Appendix Table 1.

ACCIDENT


CHART D (CONTINUED). DISTRIBUTION OF ACCIDENTAL DEATHS BY SPECIFIC TYPES OF ACCIDENT, MISSOURI: 1962

Type of Accident ⁴	Recorded Accidental Deaths	
	Number	Percent
Total	2,637	100.0
Occupational (03-12)	196	7.4
Home:		
Fire and Explosion (16)	183	6.9
Falls (20-21)	425	16.1
Other (14-23)	206	7.8
Motor Vehicle:		
Injury to Pedestrian (25)	137	5.2
Collision with Other Vehicle (26)	454	17.2
Other (27-33)	458	17.5
Public:		
Drownings (42)	102	3.9
Falls (44-45)	246	9.3
Other (35-47)	211	8.0
Unspecified (48)	19	0.7

MOTOR VEHICLE ACCIDENTS

Missouri recorded 2,637 deaths caused by accidents for 1962. Forty percent or 1,049 of these deaths were caused by motor vehicle⁵ accidents, a death rate of 23.6 per 100,000 estimated population. Chart E shows a slow declining trend in motor vehicle accidents and total accidents. Based on a five-year average, the 1962 deaths from motor vehicle accidents were down 2.2 percent. (See Chart C.)

CHART E. TRENDS IN RECORDED DEATHS AND DEATH RATES FROM ALL ACCIDENTS AND MOTOR VEHICLE ACCIDENTS, MISSOURI: 1930-1962⁶



⁴Numbers in parentheses refer to the numbered items or detailed breakdowns in Appendix Table 1.

⁵This includes all motor vehicle traffic accidents (E810-E825) and motor vehicle nontraffic accidents (E830-E835).

⁶Missouri State Board of Health Reports, 1925-1934 and 1937-1948; Missouri Division of Health, Vital Statistics Reports, 1949-1962; United States Bureau of the Census, Mortality Statistics, 1935-1936.

CHART E (CONTINUED). TRENDS IN RECORDED DEATHS AND DEATH RATES FROM ALL ACCIDENTS AND MOTOR VEHICLE ACCIDENTS, MISSOURI: 1930-1962⁶

Year	All Accidents ⁷		Motor Vehicle Accidents	
	Number	Rate	Number	Rate ⁷
1930	3,011	82.6	795	21.8
1931	2,933	79.0	888	23.9
1932	2,718	72.6	686	18.3
1933	2,676	70.9	874	23.2
1934	4,230	111.8	993	26.2
1935	2,904	76.5	966	25.4
1936	3,778	99.4	1,015	26.7
1937	3,080	81.2	1,044	27.5
1938	2,709	71.6	886	23.4
1939	2,713	71.7	819	21.6
1940	2,767	73.1	832	22.0
1941	2,911	76.4	1,079	28.3
1942	2,692	70.3	709	18.5
1943	2,675	72.2	540	14.6
1944	2,446	68.7	566	15.9
1945	2,731	77.7	696	19.8
1946	2,769	73.9	838	22.4
1947	2,888	75.1	811	21.1
1948	2,641	68.7	820	21.3
1949	2,633	68.3	837	21.2
1950	2,542	64.2	912	23.0
1951	2,694	67.5	1,036	26.0
1952	2,917	72.5	1,079	26.8
1953	2,816	69.3	1,068	26.3
1954	2,772	67.7	1,042	25.4
1955	2,712	65.8	1,090	26.4
1956	2,708	65.0	1,170	28.1
1957	2,838	67.5	1,063	25.3
1958	2,470	58.3	1,012	23.9
1959	2,575	60.8	1,030	24.3
1960	2,567	59.4	1,075	24.9
1961	2,427	55.3	983	22.4
1962	2,637	59.4	1,049	23.6

The 1,049 motor vehicle accidental deaths during 1962 represented an increase of 66 deaths from the number in 1961 and 26 less than the number in 1959 when 1,075 were recorded. Of the fatalities attributed to motor vehicle accidents during 1962, 1,016 were classified as traffic accidents and 33 were classified as non-traffic accidents.

Four hundred and fifty-four (43.2 percent) of the motor vehicle fatalities were collisions involving two or more vehicles. Non-collisions were second highest and accounted for 358 deaths (34.1 percent). There were 137 fatal injuries to pedestrians resulting from motor vehicle accidents of any type, such as pedestrian on public or nonpublic roadway, dragged, hit, or run over. (See Table F.)

TABLE F. RECORDED ACCIDENTAL DEATHS DUE TO MOTOR VEHICLE ACCIDENTS BY TYPE OF ACCIDENT WITH PERCENTAGES, MISSOURI: 1962

Type of Accident ⁸	Accidental Deaths	
	Number	Percent
Motor Vehicle Total	1,049	100.0
Injury to Pedestrian	137	13.1
Collision with Other Motor Vehicle	454	43.2
Collision with Railroad Train	25	2.4
Collision with Street Car	-	-
Injury to Pedal Cyclist	9	0.9
Collision with Animal-drawn Vehicle or Animal	3	0.3
Collision with Fixed Object	40	3.8
Noncollision	358	34.1
Other and Unspecified Accidents	23	2.2

⁷Rates are per 100,000 population. Population estimates 1911-1950 taken from United States Census Release Series P-25, No. 139, June 27, 1956; 1951-1959 and 1961-1962 as estimated by the Division of Health; 1960 Census of Population, Missouri, PC(1) 27B, Mo.


⁸These may be seen by age groups in Appendix Table 1.

Summary

In Chart G, it is noted that there were more motor vehicle fatalities to males than females for all age groups. Seven hundred and fifty-seven deaths (72 percent) of all motor vehicle fatalities were males. Over 75 percent of the fatalities for ages 15-24 years and 25-44 years of age were males.

Collision with two or more vehicles caused 454 deaths, two-thirds of which were males. Seventy-eight percent of the noncollision accidents (358 deaths) were males, 40 percent of these were males between the ages 15-24 years.

CHART G. AGE PROFILE BY SEX FOR MOTOR VEHICLE FATALITIES, MISSOURI: 1962⁹



Age Groups	Motor Vehicle Deaths by Sex		
	Total	Male	Female
Total	1,049	757	292
0-4 Years	47	24	23
5-14	50	37	13
15-24	267	205	62
25-44	270	209	61
45-64	254	174	80
65-74	96	66	30
75+	65	42	23

There were 137 pedestrian deaths or 13 percent of the motor vehicle fatalities involved pedestrians. Over one-fourth of the pedestrian deaths occurred to children under 15 years of age. Motor vehicle collision with fixed object was responsible for forty deaths; colliding with railroad train, 25 deaths; and pedal cyclists, nine deaths. There were 26 other and unspecified accidents.

The following has been inserted for informational purposes only, taken from the "Analysis of Traffic Accidents, 1962", the annual report of the Missouri State Highway Commission, Division of Traffic. It is a summary of the State highway traffic conditions on State maintained roads and refers more often to all accidents rather than fatalities.

1. Vehicle miles of travel have increased steadily during the period of 1952 (6.7 billion vehicle miles) to 1962 (10.9 billion vehicle miles), an increase of 63%.

2. Traffic accidents, fatalities, injuries and property damage have not increased in proportion to vehicle miles during the period of 1952 to 1962. Accidents increased 51%, fatalities decreased 1.2%, injuries increased 35%, and property damage increased 53%. While property damage has increased 53% during the same period, the increase is not a true picture because of the increase of repair costs in the last ten years.

3. Fatality rates for the state maintained system decreased from a high of 11.4 per 100 million vehicle miles in the year of 1952 to a low of 7.0 in 1962. At the same time, National Safety Council figures for all highways, roads, and streets in Missouri show a high of 6.7 per 100 million vehicle miles in 1952 and a low of 4.8 in 1962. The National fatality rate for all highways, roads, and streets in the nation shows a high of 7.4 in 1952 to a low of 5.3 in 1962. The period taken into account in this paragraph is from 1952 to 1962.

4. Roadway and mechanical defects have less than 9% effect on the over-all traffic accident picture.

5. Speed has again been a factor in the severity of accidents. For every fatal accident involving speeds over 70 m.p.h., twice as many persons died as in fatal accidents of speeds from 40 to 50 m.p.h.

6. Forty-three percent of all accidents and thirty-seven percent of all fatal accidents during 1962 occurred during daylight on a dry roadway. Twenty-nine percent of all accidents and twenty-one percent of all fatal accidents during 1962 occurred during rain and on wet, snow packed, or icy pavements.

7. Pedestrians crossing properly at intersections seem to have had little trouble with traffic. However, pedestrians crossing a street or roadway not at an intersection accounted for 84% of pedestrian accidents.

8. Drivers within the 21-30-year age group produced more accidents than any other age group during 1962, accounting for 24.6%.

9. Driving while drinking has been reported in 13.8% of all the accidents.


10. Although vehicular collisions accounted for 61% of the 1962 accidents, another 29% was caused by vehicles which ran off roadway. The other 10% of the accidents resulted from various miscellaneous causes.

FATAL HOME ACCIDENTS

Accidents in the home and on home premises caused more than 30 percent of the accidental deaths. In 1962, 814 deaths were due to home accidents. This was a ten-percent increase (72 deaths) from 1961 when there were 742 home fatalities.

The age groups most susceptible to home accidents were the very old and the very young (Chart H). Forty-one percent of the home fatalities were among persons 75 years and older and 18 percent among children under five years of age.

CHART H. PERCENT DISTRIBUTION OF HOME FATALITIES BY AGE, MISSOURI: 1962



Age Groups	Home Fatalities	Percent
Total	814	100.0
0-4 Years	143	17.6
5-14	34	4.2
15-24	22	2.7
25-44	60	7.4
45-64	111	13.6
65-74	106	13.0
75+	334	41.0
Unknown	4	0.5


⁹More detailed information may be seen in Appendix Table 1.

ACCIDENT

Falls were the most frequent cause of home fatality, accounting for 52.2 percent. Fires and burns ranked second, with 23.7 percent of the total home fatalities (Chart I). The remaining types of fatal home accidents, in order of frequency, were poisonings, suffocation, firearms, and other numerous accidents.

Knowledge of the causes of accidental injuries received in the home that are serious enough to result in death is of great importance in developing an accident prevention program.

CHART I. HOME FATALITIES BY EXTERNAL CAUSE OF INJURY WITH PERCENTAGES, MISSOURI: 1962¹⁰




Although falls were Missouri's most frequent home fatality for all ages combined, fires and burns ranked first for each of the three age groups under 45 years of age (Chart J).

For preschoolers (under 5 years), suffocation was an important cause of death in addition to fires and burns. For ages 5-14 years, falls were the second leading fatality in home accidents. Poisonings were second among those 15-44 years of age.

For the age group 45-64 years, fires and burns ran a close second to falls. In age group 65 years and over, falls represented 79 percent of the home accidents (Chart J).

CHART J. DISTRIBUTION BY TYPE OF HOME FATALITY BY AGE GROUPS, MISSOURI: 1962¹¹




¹⁰ Number of home fatalities may be seen in Appendix Table 1.

¹¹ Number of deaths may be seen in Appendix Table 1.

Summary

Home fatalities occur as frequently to males as they do to females. There were four more home fatalities to males during 1962. As shown in Chart K, all types of accidents showed a larger percentage for males than females, except for falls. Sixty-four percent of the home fatalities to females were attributed to falls and 41 percent of the males died from falls.

CHART K. HOME FATALITY PROFILE BY SEX, MISSOURI: 1962



In summary, falls were the most hazardous to the aged population especially females. Fire and burns were either the leading cause or second leading cause for home fatalities in all age groups. Poisonings were numerous among small children and the middle aged. Suffocations were nearly always in the preschool age group. Firearm fatalities were usually among males of all ages. (See Appendix Table 1.)

PUBLIC ACCIDENTS NONMOTOR VEHICLE

This category consists of deaths resulting from accidents other than motor vehicle and occupational accidents, which occurred in the public use of any premises. There were 559 deaths classified as public nonmotor vehicle fatalities during 1962 compared with 499 in 1961.

Falls were the greatest hazard in public fatalities, excluding motor vehicle and occupational accidents. Forty-four percent of the public nonmotor vehicle fatalities were falls. Of these, 81 percent were over 65 years of age.

Eighteen percent of the public fatalities were by drowning;¹² 12 percent were transportation, excluding motor vehicle; six percent were fire and burns; and two percent involved firearms.¹² The remaining 18 percent were other and unspecified fatalities.¹³

OCCUPATIONAL ACCIDENTS

Occupational accidents claimed the lives of 196 persons during 1962, 17 percent more than in the previous year. More than 50 percent of the 1962 fatalities were agriculture accidents.¹⁴ Second was in construction with 21 percent; nine percent in manufacturing; and eight percent in service work. The remaining classes and number of deaths for all accidents may be seen in Appendix Table 1.

A detailed report on fatal farm accidents (work related and non-work related) is published annually by the Missouri Division of Health. The following are a few highpoints taken from the 1962 report.¹⁴

1. During 1962, 101 fatal farm accidents were recorded in Missouri.
2. Twenty-five percent of all fatalities occurred when the tractor overturned.
3. Thirty-two percent of farm deaths were nonwork accidents.
4. The age group 65 years and over had the highest farm accident death rate--2.7 per 10,000 rural farm population based upon a three-year average.
5. Seventy-two percent of the fatalities involving tractors and machinery caused instantaneous or death in less than one hour.
6. Fifty percent of the fatalities to students (ages 5-24) occurred during summer vacation.
7. Forty-six percent of the fatalities to students involved some type of farm machinery.
8. Forty-six percent of the fatalities involving children (ages 1-14) were drownings.

FIREARM FATALITIES (E919)

This category includes accidental injuries caused by firearms¹⁵ resulting in death in Missouri regardless of place of occurrence.

The number of firearm fatalities for a ten-year period (1953-1962) averaged 71 fatalities per year. The 1962 firearm fatalities are 34 percent below the ten-year average with 47 deaths. Forty-seven fatalities were also recorded during 1960. The 1962 and 1960 firearm fatalities were the lowest recorded for the previous decade. The highest figure for that period was 94 fatalities in 1956 (Table L).

TABLE L. FIREARM FATALITIES (E919), MISSOURI: 1953-1962

Year	Number of Deaths
1962	47
1961	84
1960	47
1959	63
1958	54
1957	79
1956	94
1955	90
1954	85
1953	71
Total	714
Ten-Year Average - 71.4	

During 1962, 55 percent of the firearm fatalities occurred in the home, 46 percent were self-inflicted injuries (Chart M). Of the firearm fatalities occurring in the home to males, 50 percent were self-inflicted. (See Appendix Table 6.)

Twenty-one percent of the firearm fatalities occurred on the farm; 19 percent in public places; and four percent were unspecified.

¹² For a more complete picture on all drowning and firearm accidents, see pages 13 through 17, and Appendix Tables 3 through 31.


¹³ Number and deaths by age may be seen in Appendix Table 1.

¹⁴ A special report is published annually by the Missouri Division of Health titled, "Fatal Farm Accidents". This publication contains many detailed facts on fatalities occurring on farms. "Fatal Farm Accidents, 1962", Statistical Services, Missouri Division of Health, Department of Public Health and Welfare, Jefferson City, Missouri.

¹⁵ This is external cause of injury code E919, according to the Seventh Revision, 1955 Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death. This excludes injuries in war operations, E965, E990-E999.


ACCIDENT

CHART M. FIREARM FATALITIES (E919) BY PLACE OF ACCIDENT, WITH PERCENTAGES, MISSOURI: 1962¹⁵



Of the 47 firearm fatalities 46.8 percent were injured in the head or neck, while 32 percent were struck in the chest. Fifty percent of those injured in the head or neck and abdomen were accidentally self-inflicted injuries (Appendix Table 7), and 40 percent, self-inflicted chest injuries.

CHART N. PERCENT OF FIREARM FATALITIES (E919) BY LOCATION OF INJURY, MISSOURI: 1962



¹⁵ Definitions for place of accident: "Home" including home premises and any non-institutional place of residence; "Farm" including buildings and land under cultivation, also farm home premises, but excluding home premises; "Public" includes industrial place and premises, place for recreation and sport, street, and highway, public building, resident institution, and other specified places; and "Unspecified", place of occurrence unspecified.

Thirty-one or 66 percent of the fatalities died instantly or in less than one hour after injury (Appendix Table 10). Ninety percent of these were shot in the head, neck, or chest.

The types of firearms involved in these fatalities are shown in Appendix Tables 9 and 13. This was a poorly reported item; therefore, they are shown in broad classifications.

The following presents a breakdown of the activities at the time of accident and indicates that many never-do rules for handling firearms had not been heeded (Table O). Almost half of the fatal firearm accidents did not specify activity. Of those accidents in which the activity was reported, hunting accounted for about one-third.¹⁷

TABLE O. FIREARM FATALITIES (E919) BY ACTIVITY AT TIME OF ACCIDENT, MISSOURI: 1962

Activity	Number of Fatalities
Hunting	(7)
Gun Fell	1
Crossing Fence	3
Stray Shot	2
Unspecified	1
Cleaning Gun	1
Loading Gun	2
Removing Gun From Rack	1
Dropped Gun	4
Sat Down With Gun	1
Grabbed Gun From Holster	1
Gun Resting Against Chest	1
Getting Out of Vehicle	1
Scuffle	1
Playing With Gun	2
Fell From Ladder Onto a Gun	1
Stray Shot	1
Unspecified	23
Total	47

ACCIDENTAL DROWNINGS (E850-851, E929)

The growing interest in water sports has prompted us to prepare a special section on drownings. The purpose is to present some aspects of drowning as reflected by mortality. To be included in this report, the person must have actually drowned.¹⁸ This excludes water transport accidents which can occur on a boat or barge due to a fall or other injury, not drowning. A fatality is assumed to be "accidental" when it is so reported on the death certificate. There always exists a possible difference between the number of "reported drownings" and "actual drownings". To insure that this gap be as small as possible, the registration of all vital events must be carefully undertaken.

Missouri had 129 drownings during 1962, the same number reported for 1961, a death rate of 2.9 per 100,000 estimated population. The 1961 and 1962 drownings were four deaths or three percent above the average for the period 1953-1962 (Table P). The latter five years were eight percent higher than the 1953-1957 average. The expanding population of Missouri, plus the increased number of small boats may account for much of this increase.

TABLE P. ACCIDENTAL DROWNINGS (E850-851, E929), MISSOURI: 1953-1962

Year	Number of Deaths	Year	Number of Deaths
1962	129	1957	148
1961	129	1956	126
1960	120	1955	101
1959	131	1954	100
1958	142	1953	123

Total - 1,249

Ten-Year Average - 124.9 (125)

¹⁷ See Appendix Tables 3 through 14 for detailed breakdowns on firearm fatalities, such data as age, sex, hour, day and month of accident, activity and place of accident, county of occurrence, type of firearm, and place of injury.

¹⁸ Code E919, Accidental drowning and submersion, and E850-851, Submersion of occupant of small boat and other water transport injury by submersion.

Summary

Of all specified activities resulting in drowning, swimming accidents accounted for 21 percent (or 27 deaths) of the total accidental deaths in 1962. This is a mid-summer activity as shown by the months of occurrence--May, June, July, and August (Appendix Table 15). Seventeen or 63 percent of the swimming fatalities were students swimming in public places usually lakes, rivers, and creeks (Table Q). Most swimming accidents occurred on the weekend.

Boating fatalities represented 19 percent of the total number of specified activities. These accidents occurred more often on lakes to persons between the ages of 15-64 years. Fifty percent of the boating fatalities occurred during the months of May and June (Appendix Table 20).

TABLE Q. ACCIDENTAL DROWNINGS (E850-851, E929), ACTIVITY BY WATER MEDIUM, MISSOURI: 1962

Water Medium	Total	Activity													
		Swimming	Making or Playing	Skiing	Boating	Fishing	Riding	Unspecified	Fishing Nonboat	Rescuing	Breaking Ice	Fell In	Washed In	Other Specified	Unspecified
Total	129	27	12	1	3	2	18	2	1	2	17	3	4	37	
Mississippi River	15	2	1	-	-	-	2	-	-	-	-	-	-	1	9
Missouri River	9	2	2	-	-	-	3	-	-	-	-	-	-	-	2
Other Rivers & Creeks	40	10	3	-	1	2	5	1	1	-	6	3	-	8	
Lakes	26	5	2	1	2	-	8	1	-	-	1	-	2	4	
Ponds	14	4	2	-	-	-	-	-	-	-	2	2	-	1	3
Swimming Pools	9	4	2	-	-	-	-	-	-	-	1	-	-	2	
Bath Tubs	4	-	-	-	-	-	-	-	-	-	1	-	-	3	
Water Storage	6	-	-	-	-	-	-	-	-	-	5	-	-	1	
Other Specified	2	-	-	-	-	-	-	-	-	-	1	-	-	1	
Unspecified	4	-	-	-	-	-	-	-	-	-	-	-	-	4	

Water activities are more dangerous for the male population, or should we say "boys will be boys". The ratio was six male deaths to one female death by drowning for the ages 5-64 years (Appendix Table 27).

Thirteen percent of the 1962 drownings were unattended preschoolers playing in or near water and water storage areas, such as water tanks, cisterns, etc.¹⁹

Holiday Fatalities: The holiday drownings were compiled for two-week periods²⁰ around each holiday. The assumption was made that many vacations are planned around holidays. In 1957, twenty percent of the year's total drownings occurred during the July 4 holiday period. Comparable data for 1962 showed that 12 percent occurred during that period.

TABLE R. HOLIDAY DROWNINGS FOR SIX-YEAR PERIOD, MISSOURI: 1957-1962

Year	Total Drownings	Total Holiday Drownings ²⁰	July 4	May 30
1962	129	24	16	8
1961	129	18	12	6
1960	120	21	14	7
1959	131	33	17	16
1958	142	30	20	10
1957	148	47	30	17

The 1962 holiday drownings were up 33 percent from the previous year (Table R). Twenty-five percent of the holiday drownings were swimming accidents; 13 percent, wading or playing in water; 17 percent were involved in a boating fatality, one of which was a skiing accident; 16 percent fell in, one-half of these were fishing; the remaining 29 percent were other and unspecified fatalities (Table S).

TABLE S. HOLIDAY DROWNINGS BY ACTIVITY WITH PERCENTAGES, MISSOURI: 1962

Activity	Total Holiday Drownings		July 4	May 30
	Number	Percent		
Total	24	100.0	16	8
Swimming	6	25.0	4	2
Wading or Playing	3	12.5	2	1
Boating:				
Skiing	1	4.2	-	1
Fishing	1	4.2	1	-
Unspecified	2	8.3	-	2
Fishing, Nonboat	2	8.3	-	2
Fell In	2	8.3	2	-
Other	1	4.2	1	-
Unspecified	6	25.0	6	-

ACCIDENTAL POISONINGS (E870-895)

Seventy-four persons died from accidental poisonings in Missouri during 1962, representing 2.8 percent of the total accidental deaths. Forty-seven percent of these deaths were poisoning by solid and liquid substances (E870-888)²¹ and 53 percent were poisonings from gases and vapours (E890-895).

Poisonings by solid and liquid substances caused 35 deaths during 1962. These poisonings were classed into three types of ingestion: "overdose", being an excessive amount of drugs normally taken as medication; "accidental ingestion", when a poison was accidentally taken, for example--a child consumes an excessive amount of aspirin or other drug; and "chronic ingestion", consumption over a period of time which eventually causes death, like a child nibbling at paint chips, thus developing lead poisoning.

Twenty-three percent of these poisonings were classified as accidental overdose of barbituric acid and derivatives; nine percent were accidental ingestion of aspirin and salicylates; 14 percent, chronic ingestion of lead and its compound; and 14 percent, poisoning by other analgesic and soporific drugs. (See Table T)

Poisonings by gases and vapours were responsible for 39 deaths in 1962. Fifty-one percent of these deaths were poisoning by motor vehicle exhaust gas; 13 percent, by other carbon monoxide; 31 percent, caused by utility gas; and the remaining five percent were other and unspecified gases and vapours (Table T).

TABLE T. ACCIDENTAL POISONINGS (E870-895) BY TYPE OF POISONING WITH PERCENTAGES, MISSOURI: 1962

Type of Poisoning	Number	Percent
Total	74	
Solid and Liquid Substances (E870-888)	(35)	100.0
Barbituric Acid and Derivatives	8	22.6
Aspirin and Salicylates	3	8.6
Other Analgesic and Soporific Drugs	5	14.3
Other and Unspecified Drugs	2	5.7
Alcohol	1	2.9
Petroleum Products	1	2.9
Industrial Solvents	1	2.9
Corrosive Aromatics, Acids, and Caustic Alkalis	1	2.9
Lead and Its Compounds	5	14.3
Arsenic and Antimony and Their Compounds	1	2.9
Fluorides	2	5.7
Other and Unspecified Solid and Liquid Substances	5	14.3
Gases and Vapours (E890-895)	(39)	100.0
Utility (Illuminating) Gas	12	30.8
Motor Vehicle Exhaust Gas	20	51.2
Other Carbon Monoxide Gas	5	12.8
Other Specified Gases and Vapours	1	2.6
Unspecified Gases and Vapours	1	2.6

¹⁹ See Appendix Tables 15 through 31 for detailed breakdowns on accidental drownings, such data as age, sex, hour, day, and month of accident, type of water medium, activity, county of occurrence, etc.

²⁰ July 4 (June 27-July 11); May 30 (May 23-June 6).

²¹ Numbers in parentheses refer to code numbers in the 7th Revision of International Statistical Classification of Causes of Death, 1955. Late effects from poisonings are excluded.

ACCIDENT

Of the 74 poisoning deaths in 1962, 56 or 76 percent occurred in and around the home. Home accidents included all types of poisonings (Appendix Table 37).

Accidental poisonings to children under school age represented 18 percent of all poisonings, 38 percent of which were chronic ingestion of lead and its compounds; 23 percent were accidental ingestion of aspirin and salicylates; 15 percent, ingestion of analgesic and soporific drugs; and the remaining 23 percent were ingestion of petroleum products, fluorides and carbon monoxide (Appendix Table 34).

For persons 5-24 years of age, there were two accidental poisonings, one from arsenic; the other, carbon monoxide poisoning.

Ages 25-64 years represented 66 percent of the accidental poisonings. Thirty-nine percent were poisonings by solid and liquid substances. The other 61 percent were poisonings by gases and vapours, over two-thirds of which were carbon monoxide poisonings (Appendix Table 34).

Carbon monoxide poisoning by motor vehicle exhaust occurred when the vehicle was in an enclosure such as a closed garage and/or garage attached to the home. Eighty percent of the carbon monoxide poisonings occurred to males.

When reviewing Appendix Table 32, one notes that poisonings from solid and liquid substances occurred randomly throughout the year. All poisonings from utility (illuminating) gas, however, occurred during the winter months, January-March, November and December of 1962. Two-thirds of the motor vehicle exhaust poisonings also occurred during the winter months.²²

²²See Appendix Tables 32 through 39 for detailed breakdowns on accidental poisonings, such information as age, sex, hour and month of accident, duration between poisoning and death, type of poisoning, county of occurrence, etc.

APPENDIX TABLES

TABLE 1. RECORDED DEATHS BY TYPE OF ACCIDENT, AGE AND SEX, MISSOURI: 1962

Type of Accident	All Ages		0-4		5-14		15-24		25-44		45-64		65-74		75 & Over		Age Unk.	
	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
1. GRAND TOTAL	1,721	916	129	92	103	43	295	83	376	96	386	141	178	114	250	346	4	1
2. WORK TOTAL	184	12	4	2	16	4	27	-	48	1	62	3	19	2	8	-	-	-
3. Agriculture	91	10	4	2	16	4	15	-	10	1	26	3	12	-	8	-	-	-
4. Mining, Quarrying, Oil and Gas Wells	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. Manufacturing	17	-	-	-	-	-	2	-	6	-	8	-	1	-	-	-	-	-
6. Construction	41	-	-	-	-	-	1	-	19	-	19	-	2	-	-	-	-	-
7. Transportation	3	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-
8. Public Utilities	3	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
9. Trade	5	-	-	-	-	-	-	-	2	-	2	-	1	-	-	-	-	-
10. Service	13	2	-	-	-	-	6	-	2	-	4	-	1	2	-	-	-	-
11. Other Specified Industry	7	-	-	-	-	-	2	-	4	-	1	-	-	-	-	-	-	-
12. Unspecified Industry	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
13. HOME TOTAL	409	405	83	60	16	18	18	4	38	22	73	38	50	56	127	207	4	-
14. Poisonings (gas excepted)	16	9	8	4	-	-	-	-	1	3	6	2	-	-	1	-	-	-
15. Poisonings by Gases and Vapors	21	10	-	-	-	-	-	1	9	2	8	-	3	2	1	-	-	-
16. Fire, Explosion of Combustible Material	105	78	25	18	7	9	6	2	11	9	23	11	10	11	21	18	2	-
17. Hot Substance, Corrosive Liquid, Steam	5	5	2	-	-	-	-	-	-	-	-	-	2	2	1	2	-	-
18. Mechanical Suffocation	22	11	19	11	-	-	1	-	-	-	1	-	-	-	1	-	-	-
19. Firearms	25	3	2	-	1	1	7	-	6	1	7	1	2	-	-	-	-	-
20. Falls on Same Level	29	50	1	1	1	-	-	-	1	1	3	2	7	6	15	40	1	-
21. Falls to Different Level or Unspecified	139	207	7	7	2	3	1	-	7	5	17	16	21	34	84	142	-	-
22. Other Specified Home Accidents	46	29	18	16	5	4	3	1	3	1	8	2	5	1	3	4	1	-
23. Unspecified Home Accidents	1	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24. MOTOR-VEHICLE TOTAL	757	292	24	23	37	13	205	62	209	61	174	80	66	30	42	23	-	-
25. Injury to Pedestrian	99	38	6	8	15	6	7	2	11	5	24	8	21	3	15	6	-	-
26. Collision with Other Motor Vehicle	306	148	10	8	6	7	73	27	82	27	92	44	27	21	16	14	-	-
27. Collision with Railroad Train	20	5	1	-	1	-	7	2	1	1	3	2	6	-	1	-	-	-
28. Collision with Street Car	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
29. Injury to Pedal Cyclist	9	-	-	-	7	-	1	-	-	-	-	-	-	-	1	-	-	-
30. Collision with Animal-drawn Vehicle or Animal	1	2	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
31. Collision with Fixed Object	27	13	-	1	1	-	4	5	12	3	8	4	2	-	-	-	-	-
32. Noncollision	278	80	6	6	6	-	109	24	96	24	46	19	7	4	8	3	-	-
33. Other and Unspecified Accident	17	6	1	-	1	-	4	2	6	-	1	2	3	2	1	-	-	-
34. PUBLIC NON-MOTOR-VEHICLE TOTAL (Priority given to items 35 to 39)	361	198	18	7	34	8	44	16	79	11	72	17	42	26	72	112	-	1
35. Railroad-Not with Motor Vehicle	9	4	1	-	-	-	1	-	3	-	3	-	1	1	-	3	-	-
36. Street Car-Not with Motor Vehicle	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37. Other Vehicle-Not with Motor Vehicle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38. Water Transportation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
39. Air Transportation	49	6	-	-	1	-	5	5	27	1	16	-	-	-	-	-	-	-
40. Fire, Explosion of Combustible Material	25	4	1	-	5	3	4	1	2	-	5	-	4	-	4	-	-	-
41. Hot Substance, Corrosive Liquid, Steam	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
42. Drowning	88	14	2	1	20	5	24	5	21	2	17	-	4	-	-	-	-	-
43. Firearms	11	-	-	-	2	-	1	-	4	-	3	-	1	-	-	-	-	-
44. Falls on Same Level	26	32	-	-	-	-	1	-	2	-	5	3	4	6	14	23	-	-
45. Falls to Different Level or Unspecified	88	100	-	1	3	-	5	-	6	2	13	5	20	17	41	75	-	-
46. Other Specified Public Accidents	61	37	14	5	3	-	3	5	14	6	9	8	8	2	10	11	-	-
47. Unspecified Public Accidents	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
48. Type of Accident Unknown	10	9	-	-	-	-	1	1	2	1	5	3	1	-	1	4	-	-

TABLE 2. ACCIDENTAL DEATHS BY TYPE AND COUNTY OR CITY OF OCCURRENCE, MISSOURI: 1962
(These accidents occurred in Missouri, resulted in death, but did not necessarily die in Missouri)

Counties and Cities over 10,000	Totals	Occupational Accidents	Home- Fire and Explosion	Home- Falls	Other Home Accidents	Motor Vehicle- Collision With Pedestrian	Motor Vehicle- Collision With Motor Vehicle	Other Motor Vehicle Accidents	Public- Drownings	Public- Falls	Other Public Accidents	Type of Accident Unknown
State Total	2,482	187	178	407	202	136	446	434	96	205	186	5
Cities over 10,000	822	41	77	214	86	70	66	50	15	132	67	4
Rural	1,660	146	101	193	116	66	380	384	81	73	119	1
Counties exc. Cities over 10,000:												
Adair	12	1			1		6	2	2			
Andrew	6			1	1		2	1		1		
Atchison	6	2			1			2			1	
Audrain	9	1		1		2	1	4				
Barry	11			2	3		1	5				
Barton	3			1			1					
Bates	13	1		1			8	1		1		
Benton	8	1		1			2	3			1	
Bollinger	5		2		1	1	1	1				
Boone	12	3	1	1			3	1	1	2		
Buchanan	11			1	1	2		4	2		1	
Butler	21	1	1	2	1	2	6	6	1	1		
Caldwell	5				1	1	1	2				
Callaway	25	3	1	2		1	12	4	1		1	
Camden	20		1	1	2			8	6	2		
Cape Girardeau	13	1		2	1	1	2	4	1		1	
Carroll	22	2	2	2			9	4	1	1	1	
Carter	3						1	2				
Cass	28	3	3		2		11	6	1	2		
Cedar	7	1					1	4	1			
Chariton	11	2		2	1		1	4			1	
Christian	9				3	1	2	2				1
Clark	4	2					1			1		
Clay	34	1	1	7	3	2	5	8	1	3	3	
Clinton	7	1		1	2		2			1		
Cole	12	1	1		2		2	5	1			
Cooper	9	2		1			1	4	1			
Crawford	8	1		1	1		2	3				
Dade	4						3				1	
Dallas	4						3	1				
Daviess	5	1	1					2		1		
DeKalb	5	2					2				1	
Dent	13	2	1	3	2			4			1	
Douglas	5			1	1		2	1				
Dunklin	20		1	4	2	1	1	6			5	
Franklin	19			2	2	2	1	9	2	1		
Gasconade	7			1			2	3		1		
Gentry	13	2		2	2		5	2				
Greene	27		3		2	2	11	8			1	
Grundy	12	1	1	1	1	1	2	1		3	1	
Harrison	11		2	3			2	3		1		
Henry	18	1	1	4	1		3	6		1	1	
Hickory	-											
Holt	5		1					1		3		
Howard	12	1		4		1	2	2		1	1	
Howell	17	2	1	3	1	1	6	2			1	
Iron	6	2						3				
Jackson	62	7	4	5	2	2	21	15	5	1		
Jasper	35	3		6	1		12	10		2	1	
Jefferson	39	1	1	6	1	1	13	7	5	2	2	
Johnson	25	7	1	1	1		3	6		3	3	
Knox	2	1			1							
Laclede	20	1	2	2		1	6	5		2	1	
Lafayette	23	1	1	5	2		7	4		3		
Lawrence	19	2	2	2	1		4	7		1		
Lewis	9	1				1	3	4				
Lincoln	11	4	1			1	2	2			1	
Linn	16	1		5			4	4	2			
Livingston	12			2		2	6	2				
McDonald	15	1		2	4	1	2	3	1		1	
Macon	22	1		1		1	10	5	1	2	1	
Madison	11	1	1	4		1	1	1			2	
Maries	2	1						1				
Marion	11		1	1			5	2		1	1	
Mercer	4	2		1	1							

TABLE 2 (CONTINUED). ACCIDENTAL DEATHS BY TYPE AND COUNTY OR CITY OF OCCURRENCE,
MISSOURI: 1962 (These accidents occurred in Missouri, resulted in death, but did not necessarily die in Missouri)

Counties and Cities over 10,000	Totals	Occupational Accidents	Home- Fire and Explosion	Home- Falls	Home Accidents	Motor Vehicle- Collision With Pedestrian	Motor Vehicle- Collision With Motor Vehicle	Other Motor Vehicle Accidents	Public- Drownings	Public- Falls	Other Public Accidents	Type of Accident Unknown
Miller	17	2	3	3			1	7	1			
Mississippi	15	1	2			1	2	6	2		1	
Moniteau	11	2			2		3	3			1	
Monroe	9		1	3	1		1	1	1		1	
Montgomery	12	1		3	1		3	2	1		1	
Morgan	6	1		1	1		3					
New Madrid	32	1	12	2	2	3	5	4			3	
Newton	21	4	2	3		2	4	2	2	2		
Nodaway	14	4	1	2	1		3			2	1	
Oregon	2			1				1				
Osage	9	1		2			2	2			2	
Ozark	2			1							1	
Pemiscot	29		4	1	3	2	5	9	2	1	2	
Perry	16	1		1	1	1	5	4			3	
Pettis	7	1	2	1	1			2				
Phelps	17	1		2	1		2	8		2	1	
Pike	15	2	1	2			1	1	5		3	
Platte	17	2		1	1	1	2	6	2	1	1	
Polk	5		1	1				1		1	1	
Pulaski	19	2		1	2	3		8	3			
Putnam	51	2		1	1		2			1	44	
Ralls	6			1	1		4					
Randolph	8	1		1			2		2			
Ray	13	2	2	3			2	2	3	1		
Reynolds	1		1									
Ripley	5	1				1		3				
St. Charles	19	1	3	1		2	5	5	2			
St. Clair	5	2					1	2				
St. Francois	24	2	1	5	1		7	3		2	3	
Ste. Genevieve	5	2						2			1	
St. Louis County	166	8	6	22	26	11	41	35	9	6	2	
Saline	35	1	2	5	1		12	8	3	2	1	
Schuyler	5	2		1				1			1	
Scotland	3						3					
Scott	12	1	1	1	1		2	3			3	
Shannon	7	1			2		2	2				
Shelby	3				1			2				
Stoddard	22	3	5	2	5	2	1	4				
Stone	10	1			1		4		3		1	
Sullivan	7			2		2	2			1		
Taney	8	1		1			2	3	1			
Texas	16	1		1	1		9	1		2	1	
Vernon	8	1					3	2		2		
Warren	6	1		1			2	1		1		
Washington	14		1	4	1	1	1	4			2	
Wayne	10	1		2			3	2	2			
Webster	15	2	3	5				5				
Worth	-											
Wright	26	4	8	2	2	2	1	5	1		1	
Cities over 10,000:												
Bellefontaine Neighbors	4	1			2	1						
Berkeley	5							2			3	
Brentwood	3			1							2	
Cape Girardeau City	11	1	2	2	1	1	2			2		
Carthage	3	1		2								
Clayton	5	2			1		1				1	
Columbia	7	2	1	1		1		2				
Crestwood	1									1		
Ferguson	2					2						
Florissant	2			1	1							
Fulton	13		1	2			1			5	4	
Gladstone	-											
Hannibal	5	1						3			1	
Independence	20	1	3	2	1	1	9		1	1	1	
Jefferson City	7		1	4			1				1	
Jennings	1			1								
Joplin	12	1		4			4	1		1	1	
Kansas City	179	6	23	35	19	12	19	16	1	26	20	2
Kirksville	3			1	1				1			
Kirkwood	3		1	1	1							

TABLE 2 (CONTINUED). ACCIDENTAL DEATHS BY TYPE AND COUNTY OR CITY OF OCCURRENCE,
MISSOURI: 1962 (These accidents occurred in Missouri, resulted in death, but did not necessarily die in Missouri)

Counties and Cities over 10,000	Totals	Occupational Accidents	Home- Fire and Explosion	Home- Falls	Other Home Accidents	Motor Vehicle- Collision With Pedestrian	Motor Vehicle- Collision With Motor Vehicle	Other Motor Vehicle Accidents	Public- Drownings	Public- Falls	Other Public Accidents	Type of Accident Unknown
Maplewood	-											
Mexico	1									1		
Moberly	7		1	1		1		3		1		
Overland	2			2								
Poplar Bluff	5				2				1	1	1	
Raytown	1				1							
Richmond Heights	3			1		1				1		
Rolla	-											
St. Ann	1			1								
St. Charles	10		3	1	1		2		1	1	1	
St. Joseph	21	3	1	5	2	1	1			5	3	
St. Louis City	417	18	36	126	47	41	17	16	10	76	28	2
Sedalia	16			7	1	2	1			5		
Sikeston	2		2									
Springfield	31	3	2	8	1	5	8	2		2		
University City	8	1		4				1		2		
Webster Groves	11			1	4	1		4		1		
Incl. in Above Cities:												
Hannibal-Ralls	-											
Joplin-Newton	-											
Kansas City-Clay	-											
Sikeston-New Madrid	-											
Kansas City-Platte	-											

TABLE 3. FIREARM FATALITIES (E 919) - PLACE OF ACCIDENT BY DAY OF ACCIDENT, MISSOURI: 1962

Place of Accident	Total	Sun.	Mon.	Tues.	Wed.	Thurs.	Fri.	Sat.	Unspecified
Grand Total	47	13	5	8	2	3	8	6	2
Home	26	6	3	4	1	2	5	4	1
Farm	10	3	-	3	1	-	1	2	-
Public	9	3	2	1	-	1	1	-	1
Unspecified	2	1	-	-	-	-	1	-	-

TABLE 4. FIREARM FATALITIES (E 919) - PLACE OF ACCIDENT BY HOUR OF ACCIDENT, MISSOURI: 1962

Place of Accident	Total	Midnight-8 a.m.	8-10 a.m.	Noon-10 a.m.-Noon	2 p.m.-Noon-2 p.m.	2-4 p.m.	4-6 p.m.	6-8 p.m.	8 p.m.-Midnight	Unspecified
Grand Total	47	3	5	3	7	7	7	2	4	9
Home	26	1	-	2	4	4	3	2	4	6
Farm	10	-	4	1	2	2	1	-	-	-
Public	9	2	1	-	-	1	3	-	-	2
Unspecified	2	-	-	-	1	-	-	-	-	1

TABLE 5. FIREARM FATALITIES (E 919) - PLACE OF ACCIDENT BY PERSON RESPONSIBLE AND ACTIVITY AT TIME OF ACCIDENT BY AGE GROUPS, MISSOURI: 1962

Place, Person by Activity	Total	0-4	5-14	15-24	25-44	45-64	65+
Grand Total	47	2	4	14	11	12	4
Home	26	2	2	7	6	8	1
Self:							
Cleaning Gun	1	-	-	-	1	-	-
Removing Gun From Rack	1	-	-	-	1	-	-
Dropped Gun	2	-	-	1	-	1	-
Sat Down With Gun	1	-	-	-	-	1	-
Grabbed Gun From Another's Holster	1	1	-	-	-	-	-
Gun Resting Against Chest	1	-	-	-	-	1	-
Fell From Ladder Onto Gun	1	-	-	-	-	1	-
Unspecified Accident	4	-	-	2	-	1	1
Other:							
Scuffle	1	-	-	-	1	-	-
Playing With Gun	1	-	1	-	-	-	-
Unspecified Accident	5	1	-	2	2	-	-
Unspecified:							
Unspecified Accident	7	-	1	2	1	3	-
Farm	10	-	-	4	1	2	3
Self:							
Getting Out of Vehicle	1	-	-	1	-	-	-
Crossing Fence-Hunting	3	-	-	-	-	1	2
Other:							
Stray Shot-Unspecified	1	-	-	1	-	-	-
Stray Shot-Hunting	2	-	-	2	-	-	-
Unspecified:							
Unspecified Accident	3	-	-	-	1	1	1
Public and Other	9	-	1	2	4	2	-
Self:							
Loading Gun	1	-	-	-	-	1	-
Dropped Gun	1	-	-	-	1	-	-
Gun Fell-Hunting	1	-	-	-	1	-	-
Unspecified	1	-	1	-	-	-	-
Other:							
Playing With Gun	1	-	-	1	-	-	-
Unspecified	1	-	-	1	-	-	-
Unspecified:							
Hunting Accident	1	-	-	-	-	1	-
Unspecified Accident	2	-	-	-	2	-	-
Unspecified	2	-	1	1	-	-	-
Self:							
Dropped Gun	1	-	1	-	-	-	-
Other:							
Loading Gun	1	-	-	1	-	-	-

TABLE 6. FIREARM FATALITIES (E 919) - PLACE OF ACCIDENT AND PERSON RESPONSIBLE BY SEX, MISSOURI: 1962

Place and Person	Total	Male	Female
Grand Total	47	44	3
Home	26	24	2
Self Inflicted	12	12	-
Inflicted by Other Person	7	6	1
Unspecified	7	6	1
Farm	10	10	-
Self Inflicted	4	4	-
Inflicted by Other Person	3	3	-
Unspecified	3	3	-
Public and Other	9	9	-
Self Inflicted	4	4	-
Inflicted by Other Person	2	2	-
Unspecified	3	3	-
Unspecified	2	1	1
Self Inflicted	1	1	-
Inflicted by Other Person	1	-	1

TABLE 7. FIREARM FATALITIES (E 919) - PLACE OF ACCIDENT AND PERSON RESPONSIBLE BY LOCATION OF INJURY, MISSOURI: 1962

Place and Person	Total	Head	Chest	Abdomen	Other	Unspecified
Grand Total	47	22	15	4	2	4
Home	26	12	10	1	1	2
Self Inflicted	12	6	5	-	-	1
Inflicted by Other Person	7	3	4	-	-	-
Unspecified	7	3	1	1	1	1
Farm	10	7	3	-	-	-
Self Inflicted	4	3	1	-	-	-
Inflicted by Other Person	3	2	1	-	-	-
Unspecified	3	2	1	-	-	-
Public and Other	9	2	1	3	1	2
Self Inflicted	4	1	-	2	-	1
Inflicted by Other Person	2	1	1	-	-	-
Unspecified	3	-	-	1	1	1
Unspecified	2	1	1	-	-	-
Self Inflicted	1	1	-	-	-	-
Inflicted by Other Person	1	-	1	-	-	-

TABLE 8. FIREARM FATALITIES (E 919) - LOCATION OF INJURY BY AGE GROUPS, MISSOURI: 1962

Location of Injury	Total	0-4	5-14	15-24	25-44	45-64	65+
Grand Total	47	2	4	14	11	12	4
Head, Neck	22	1	4	6	3	5	3
Chest	15	1	-	6	4	3	1
Abdomen	4	-	-	1	3	-	-
Other	2	-	-	-	1	1	-
Unspecified	4	-	-	1	-	3	-

TABLE 9. FIREARM FATALITIES (E 919) - LOCATION OF INJURY BY FIREARM, MISSOURI: 1962

Location of Injury	Total	Shotgun	Rifle	Pistol or Revolver	Unspecified
Grand Total	47	8	4	8	27
Head, Neck	22	3	4	3	12
Chest	15	4	-	4	7
Abdomen	4	-	-	-	4
Other	2	1	-	-	1
Unspecified	4	-	-	1	3

Number in parentheses (E 919) refers to the code number for accidents caused by firearms, excluding injuries in war operations, according to the 7th Revision of International Statistical Classification of Causes of Death, 1955.

TABLE 10. FIREARM FATALITIES (E 9 1 9) - LOCATION OF INJURY BY DURATION BETWEEN ACCIDENT AND DEATH, MISSOURI: 1962

Location of Injury	Total	Instant or Less Than One Hour	1-12 Hours	13-24 Hours	1-7 Days	8-30 Days	More Than 30 Days	Unspecified
Grand Total	47	31	3	1	4	-	-	8
Head, Neck	22	14	2	1	2	-	-	3
Chest	15	14	-	-	-	-	-	1
Abdomen	4	1	1	-	2	-	-	-
Other	2	-	-	-	-	-	-	2
Unspecified	4	2	-	-	-	-	-	2

TABLE 11. FIREARM FATALITIES (E 9 1 9) - PLACE OF ACCIDENT BY DURATION BETWEEN ACCIDENT AND DEATH, MISSOURI: 1962

Place	Total	Instant or Less Than One Hour	1-12 Hours	13-24 Hours	1-7 Days	8-30 Days	More Than 30 Days	Unspecified
Grand Total	47	31	3	1	4	-	-	8
Home	26	16	2	-	1	-	-	7
Farm	10	10	-	-	-	-	-	-
Public	9	4	1	1	2	-	-	1
Unspecified	2	1	-	-	1	-	-	-

TABLE 12. FIREARM FATALITIES (E 9 1 9) - PLACE OF ACCIDENT BY MONTH OF ACCIDENT, MISSOURI: 1962

Place	Total	January	February	March	April	May	June	July	August	September	October	November	December	Unspecified
Grand Total	47	3	1	3	4	1	4	4	5	5	6	4	6	1
Home	26	3	-	1	3	1	2	3	2	2	3	2	3	1
Farm	10	-	-	1	1	-	1	-	1	2	2	1	1	-
Public	9	-	1	-	-	-	1	1	2	1	1	1	1	-
Unspecified	2	-	-	1	-	-	-	-	-	-	-	-	1	-

TABLE 13. FIREARM FATALITIES (E 9 1 9) - PERSON RESPONSIBLE BY FIREARM, MISSOURI: 1962

Person	Total	Shotgun	Rifle	Pistol or Revolver	Unspecified
Grand Total	47	8	4	8	27
Self	21	4	3	5	9
Other Person	13	2	1	3	7
Unspecified	13	2	-	-	11

TABLE 14. FIREARM FATALITIES (E 9 1 9) - COUNTY* AND CITIES OF OCCURRENCE, MISSOURI: 1962

County and Cities of Occurrence	Firearm Fatalities
State Total	47
Counties excl. Cities over 10,000:	
Barry	1
Callaway	3
Carroll	1
Cass	1
Chariton	1
Christian	1
Clay	1
Crawford	1
Daviess	1
DeKalb	1
Dent	1
Dunklin	1
Franklin	1
Henry	1
Holt	1
Howell	1
Jackson	1
Jasper	3
Knox	1
Laclede	1
Lafayette	1
Lincoln	1
McDonald	1
Madison	2
Morgan	1
New Madrid	2
Phelps	1
Putnam	1
Stoddard	1
Texas	1
Wayne	1
Wright	1
Cities over 10,000:	
Brentwood	1
Kansas City	1
Kirksville	1
Poplar Bluff	1
Raytown	1
St. Louis City	2
Webster Groves	1
States:	
Illinois	1

*No firearm fatalities occurred in unlisted counties.

Number in parentheses (E919) refers to the code number for accidents caused by firearms, excluding injuries in war operations, according to the 7th Revision of International Statistical Classification of Causes of Death, 1955.

TABLE 15. ACCIDENTAL DROWNINGS (E850-851, E929) - MONTH OF ACCIDENT BY YEAR, MISSOURI: 1953-1962

Month	1962	1961	1960	1959	1958	1957	1956	1955	1954	1953
Total	129	129	120	131	142	148	126	101	100	123
January	2	3	5	1	2	5	1	2	2	2
February	3	1	3	1	2	3	4	3	2	2
March	4	5	3	6	1	5	2	1	1	8
April	9	10	10	8	11	6	5	9	7	4
May	29	16	8	28	18	21	19	7	9	16
June	23	17	18	18	30	31	31	20	26	33
July	27	27	28	23	29	35	18	29	29	30
August	20	24	24	26	32	18	26	13	10	16
September	4	11	12	8	7	6	7	5	6	5
October	4	7	3	5	5	5	9	5	2	3
November	4	2	2	5	3	5	2	5	1	3
December	-	6	4	2	2	8	2	2	5	1

TABLE 16. ACCIDENTAL DROWNINGS (E850-851, E929) - AGE GROUPS BY YEAR OF OCCURRENCE, MISSOURI: 1953-1962

Age	1962	1961	1960	1959	1958	1957	1956	1955	1954	1953
Total	129	129	120	131	142	148	126	101	100	123
0-4 Years	16	16	14	10	12	15	13	11	6	7
5-14	35	34	19	31	25	30	27	30	23	36
15-24	30	22	32	26	20	35	38	11	25	29
25-44	23	20	36	33	41	33	23	26	21	17
45-64	18	24	16	19	31	26	12	14	17	20
65-74	5	7	2	7	6	5	11	5	4	7
75+	1	5	1	3	5	3	2	2	2	5
Unspecified	1	1	-	2	2	1	-	2	2	2

TABLE 17. ACCIDENTAL DROWNINGS (E850-851, E929) - ACTIVITY BY AGE GROUPS, MISSOURI: 1962

Activity	Total	0-4	5-14	15-24	25-44	45-64	65-74	75+	Unspecified
Total	129	16	35	30	23	18	5	1	1
Swimming	27	-	9	11	5	1	1	-	-
Wading or Playing	12	2	4	6	-	-	-	-	-
Boating:	(24)	(-)	(3)	(4)	(11)	(6)	(-)	(-)	(-)
Skiing	1	-	-	1	-	-	-	-	-
Fishing	3	-	-	1	1	1	-	-	-
Riding	2	-	-	1	1	-	-	-	-
Unspecified	18	-	3	1	9	5	-	-	-
Fishing-Nonboat	2	-	-	-	1	1	-	-	-
Rescuing	1	-	1	-	-	-	-	-	-
Breaking Ice	2	-	2	-	-	-	-	-	-
Fell In	17	10	3	1	1	1	1	-	-
Washed In	3	-	-	1	-	1	1	-	-
Other Specified	4	-	-	-	2	2	-	-	-
Unspecified	37	4	13	7	3	6	2	1	1

TABLE 18. ACCIDENTAL DROWNINGS (E850-851, E929) - HOUR OF ACCIDENT BY ACTIVITY, MISSOURI: 1962

Hour of Accident	Total	Swimming	Wading or Playing	Skiing	Boating Fishing	Riding	Unspec.	Fishing-Nonboat	Rescuing	Breaking Ice	Fell In	Washed In	Other Specified	Unspecified
Total	129	27	12	1	3	2	18	2	1	2	17	3	4	37
Midnight-7 a.m.	5	-	-	-	1	1	1	-	-	-	1	-	-	1
7-8 a.m.	2	-	-	-	-	-	-	-	-	-	1	-	-	1
8-9	4	1	-	-	-	-	-	-	-	-	-	2	1	-
9-10	3	-	-	-	1	-	-	-	-	-	-	-	-	2
10-11	5	2	1	-	1	-	-	-	-	-	-	-	-	1
11-12 Noon	2	2	-	-	-	-	-	-	-	-	-	-	-	2
12-1 p.m.	7	1	2	-	-	-	-	1	-	-	1	-	-	2
1-2	10	3	1	-	-	-	2	-	-	-	-	-	-	4
2-3	12	4	1	-	-	1	1	1	-	-	1	-	-	3
3-4	12	1	2	1	-	2	-	-	-	-	3	-	-	3
4-5	8	3	-	-	-	2	-	-	-	-	1	-	-	2
5-6	11	1	-	-	-	1	-	-	2	1	2	-	-	4
6-7	7	1	1	-	-	1	-	-	-	2	-	-	-	2
7-8	16	3	1	-	-	2	1	-	-	3	1	1	4	-
8 p.m.-Midnight	18	3	2	-	-	5	-	-	-	3	-	-	-	5

TABLE 19. ACCIDENTAL DROWNINGS (E850-851, E929) - ACTIVITY BY DAY OF ACCIDENT, MISSOURI: 1962

Activity	Total	Sun.	Mon.	Tues.	Wed.	Thurs.	Fri.	Sat.
Total	129	31	18	16	12	15	15	22
Swimming	27	6	2	6	3	3	4	3
Wading or Playing	12	2	-	2	-	2	2	4
Boating:	(24)	(9)	(3)	(1)	(1)	(2)	(2)	(6)
Skiing	1	1	-	-	-	-	-	-
Fishing	3	1	-	1	-	-	1	-
Riding	2	-	-	-	-	-	1	1
Unspecified	18	7	3	-	1	2	-	5
Fishing-Nonboat	2	1	-	-	-	-	-	1
Rescuing	1	-	-	1	-	-	-	-
Breaking Ice	2	-	-	-	-	2	-	-
Fell In	17	4	3	5	2	1	2	-
Washed In	3	-	1	-	-	2	-	-
Other Specified	4	-	-	-	1	-	1	2
Unspecified	37	9	9	1	5	3	4	6

TABLE 20. ACCIDENTAL DROWNINGS (E850-851, E929) - MONTH OF ACCIDENT BY ACTIVITY, MISSOURI: 1962

Month	Total	Swimming	Wading or Playing	Boating Fishing	Skiing	Riding	Unspec.	Fishing-Nonboat	Rescuing	Breaking Ice	Fell In	Washed In	Other Specified	Unspecified
Total	129	27	12	1	3	2	18	2	1	2	17	3	4	37
January	2	-	-	-	-	-	-	-	-	-	-	-	-	2
February	3	1	1	-	-	1	-	-	-	-	-	-	-	-
March	4	1	-	-	-	-	-	-	-	2	-	-	-	1
April	9	2	-	-	-	2	-	-	-	-	1	-	-	4
May	29	7	4	1	1	7	-	-	-	-	2	-	1	6
June	23	5	1	-	1	2	2	1	3	-	-	1	-	7
July	27	6	3	-	1	1	-	-	5	-	-	-	-	11
August	20	4	3	-	-	2	-	-	2	2	1	6	-	-
September	4	-	-	-	-	2	-	-	2	-	-	-	-	-
October	4	1	-	-	-	2	-	-	1	-	-	-	-	-
November	4	-	-	1	-	-	-	-	2	-	1	-	-	-
December	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 21. ACCIDENTAL DROWNINGS (E850-851, E929) - OCCUPATION BY ACTIVITY, MISSOURI: 1962

Occupation	Total	Swimming	Wading or Playing	Boating Fishing	Skiing	Riding	Unspec.	Fishing-Nonboat	Rescuing	Breaking Ice	Fell In	Washed In	Other Specified	Unspecified
Total	129	27	12	1	3	2	18	2	1	2	17	3	4	37
Professional, Technical, and Kindred Workers	2	1	-	-	-	-	-	-	-	-	1	-	-	-
Farmers and Farm Managers	5	-	1	1	-	1	-	-	-	-	-	1	1	-
Managers, Officials, and Proprietors, except Farm	4	1	-	-	1	-	1	-	-	-	-	-	-	1
Clerical and Kindred Workers	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Sales Workers	5	1	-	-	-	-	2	-	-	-	-	-	-	2
Craftsmen, Foremen, and Kindred Workers	12	1	2	-	1	1	3	1	-	-	-	-	-	3
Operatives and Kindred Workers	9	1	-	-	-	-	3	1	-	-	1	1	2	-
Private Household Workers	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Service Workers, except Private Household	5	1	1	-	-	-	1	-	-	-	-	1	1	-
Laborers, except Farm and Mine	10	4	-	-	-	2	-	1	-	2	-	-	-	1
Unemployed	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Preschool	17	-	2	-	-	-	-	-	-	-	10	-	-	5
Students	53	17	6	1	-	1	4	-	-	2	4	1	-	17
Housewives	3	-	-	-	-	-	1	-	-	-	1	-	-	1
Unspecified	1	-	-	-	-	-	-	-	-	-	-	-	-	1

Numbers in parentheses (E850-851, E929) refer to the code numbers for accidental drownings, excluding water transport accidents which can occur on a boat or barge due to a fall or other injury, not drowning. These codes are in accordance with the 7th Revision of International Statistical Classification of Causes of Death, 1955.

TABLE 22. ACCIDENTAL DROWNINGS (E850-851, E929) - WATER MEDIUM BY MONTH OF ACCIDENT, MISSOURI: 1962

Water Medium	Total	January	February	March	April	May	June	July	August	September	October	November	December
Total	129	2	3	4	9	29	23	27	20	4	4	4	-
Mississippi River	15	-	-	1	2	1	-	7	3	1	-	-	-
Missouri River	9	-	-	-	1	5	1	1	1	-	-	-	-
Other Rivers and Creeks	40	1	2	-	2	11	11	7	4	-	-	2	-
Lakes	26	-	-	-	2	5	6	4	5	1	2	1	-
Ponds	14	-	-	2	-	3	3	1	3	-	2	-	-
Swimming Pools	9	-	1	-	-	2	1	3	2	-	-	-	-
Bath Tubs	4	-	-	1	1	1	-	-	1	-	-	-	-
Water Storage	6	1	-	-	-	1	-	1	-	2	-	1	-
Other Specified	2	-	-	-	-	-	-	2	-	-	-	-	-
Unspecified	4	-	-	-	1	-	1	1	1	-	-	-	-

TABLE 23. ACCIDENTAL DROWNINGS (E850-851, E929) - HOUR OF ACCIDENT BY DAY OF ACCIDENT, MISSOURI: 1962

Hour of Accident	Total	Sun.	Mon.	Tues.	Wed.	Thurs.	Fri.	Sat.
Total	129	31	18	16	12	15	15	22
Midnight-7 a.m.	5	1	-	1	-	-	1	2
7-8 a.m.	2	1	-	-	1	-	-	-
8-9	4	-	-	1	-	-	2	1
9-10	3	2	-	-	-	-	1	-
10-11	5	-	1	-	-	1	2	-
11-12 Noon	2	-	-	1	-	-	-	1
12-1 p.m.	7	1	1	2	1	-	1	1
1-2	7	-	-	2	1	1	1	2
2-3	10	5	1	-	1	1	1	1
3-4	12	3	2	2	-	3	1	1
4-5	12	3	3	-	4	-	1	1
5-6	8	3	2	1	-	1	1	-
6-7	11	4	1	-	1	5	-	-
7-8	7	1	-	1	1	1	1	2
8 p.m.-Midnight	16	3	2	2	1	1	2	5
Unspecified	18	4	5	2	1	1	-	5

TABLE 24. ACCIDENTAL DROWNINGS (E850-851, E929) - DAY OF ACCIDENT BY AGE GROUPS, MISSOURI: 1962

Day of Accident	Total	0-4	5-14	15-24	25-44	45-64	65-74	75+	Unspecified
Total	129	16	35	30	23	18	5	1	1
Sunday	31	3	8	10	3	5	2	-	-
Monday	18	5	5	2	3	3	-	-	-
Tuesday	16	2	5	5	2	2	-	-	-
Wednesday	12	2	3	3	3	1	-	-	-
Thursday	15	1	5	4	1	-	3	-	1
Friday	15	3	3	4	4	1	-	-	-
Saturday	22	-	6	2	7	6	-	1	-

TABLE 25. ACCIDENTAL DROWNINGS (E850-851, E929) - MONTH OF ACCIDENT BY AGE GROUPS, MISSOURI: 1962

Month of Accident	Total	0-4	5-14	15-24	25-44	45-64	65-74	75+	Unspecified
Total	129	16	35	30	23	18	5	1	1
January	2	-	2	-	-	-	-	-	-
February	3	1	-	1	-	-	-	-	-
March	4	-	2	1	-	-	1	-	-
April	9	1	1	1	1	4	-	-	1
May	29	3	5	9	8	2	1	1	-
June	23	1	7	7	4	3	1	-	-
July	27	4	10	7	2	3	1	-	-
August	20	2	5	4	4	4	1	-	-
September	4	2	1	-	-	1	-	-	-
October	4	1	1	-	1	1	-	-	-
November	4	1	1	-	2	-	-	-	-
December	-	-	-	-	-	-	-	-	-

Numbers in parentheses (E850-851, E929) refer to the code numbers for accidental drownings, excluding water transport accidents which can occur on a boat or barge due to a fall or other injury, not drowning. These codes are in accordance with the 7th Revision of International Statistical Classification of Causes of Death, 1955.

TABLE 26. ACCIDENTAL DROWNINGS (E850-851, E929) - COUNTY OF OCCURRENCE BY WATER MEDIUM, MISSOURI: 1962

County and City of Occurrence	Total	Mississippi River	Missouri River	Other Rivers and Creeks	Lakes	Ponds	Swimming Pools	Bath Tubs	Water Storage	Other Specified	Unspecified
State Total	129	15	9	40	26	14	9	4	6	2	4
Counties excl. Cities over 10,000:											
Adair	3	-	-	1	-	-	-	-	1	-	1
Atchison	1	-	-	-	-	1	-	-	-	-	-
Benton	1	-	-	-	-	-	-	-	-	-	-
Boone	2	-	-	1	-	1	-	-	-	-	-
Buchanan	2	-	1	1	-	-	-	-	-	-	-
Butler	1	-	-	1	-	-	-	-	-	-	-
Callaway	1	-	-	1	-	-	-	-	-	-	-
Camden	6	-	-	1	5	-	-	-	-	-	-
Cape Girardeau	1	-	-	1	-	-	-	-	-	-	-
Carroll	1	-	-	1	-	-	-	-	-	-	-
Cass	3	-	-	1	-	1	-	-	1	-	-
Cedar	1	-	-	1	-	-	-	-	-	-	-
Chariton	1	-	-	-	-	1	-	-	-	-	-
Christian	1	-	-	1	-	-	-	-	-	-	-
Clark	2	-	-	-	-	2	-	-	-	-	-
Clay	2	-	1	-	-	-	-	-	-	1	-
Cole	1	-	-	1	-	-	-	-	-	-	-
Cooper	2	-	-	1	-	1	-	-	-	-	-
Franklin	2	-	-	1	1	-	-	-	-	-	-
Jackson	6	-	2	1	2	1	-	-	-	-	-
Jefferson	5	-	-	4	1	-	-	-	-	-	-
Linn	2	-	-	2	-	-	-	-	-	-	-
McDonald	1	-	-	-	1	-	-	-	-	-	-
Macon	2	-	-	-	-	1	-	-	-	-	1
Mercer	1	-	-	-	-	1	-	-	-	-	-
Miller	1	-	-	-	1	-	-	-	-	-	-
Mississippi	2	2	-	-	-	-	-	-	-	-	-
Monroe	1	-	-	1	-	-	-	-	-	-	-
Montgomery	1	-	-	-	-	-	-	-	-	-	1
Newton	2	-	-	1	-	-	1	-	-	-	-
Pemiscot	2	2	-	-	-	-	-	-	-	-	-
Pettis	1	-	-	-	-	-	-	-	1	-	-
Pike	5	1	-	4	-	-	-	-	-	-	-
Platte	3	-	2	-	-	1	-	-	-	-	-
Pulaski	3	-	-	2	1	-	-	-	-	-	-
Putnam	1	-	-	-	-	1	-	-	-	-	-
Randolph	2	-	-	1	1	-	-	-	-	-	-
Ray	3	-	-	3	-	-	-	-	-	-	-
St. Charles	2	1	-	-	-	-	1	-	-	-	-
St. Louis County	12	-	-	5	3	-	3	-	1	-	-
Saline	3	-	1	-	1	1	-	-	-	-	-
Stone	3	-	-	2	1	-	-	-	-	-	-
Taney	1	-	-	-	1	-	-	-	-	-	-
Wayne	2	-	-	-	2	-	-	-	-	-	-
Webster	1	-	-	-	-	1	-	-	-	-	-
Wright	1	-	-	1	-	-	-	-	-	-	-
Cities over 10,000:											
Independence	1	-	-	-	1	-	-	-	-	-	-
Kansas City	2	-	-	1	-	-	-	-	1	-	-
Kirkville	1	-	-	-	-	1	-	-	-	-	-
Poplar Bluff	1	-	-	1	-	-	-	-	-	-	-
St. Charles	1	-	1	-	-	-	-	-	-	-	-
St. Louis City	14	6	1	-	-	-	2	4	-	1	-
States:											
Illinois	2	1	-	-	1	-	-	-	-	-	-
Unspecified	4	2	-	-	-	1	-	-	-	-	1

*No drownings occurred in unlisted counties.

TABLE 27. ACCIDENTAL DROWNINGS (E850-851, E929) - SEX BY AGE GROUPS, MISSOURI: 1962

Sex	Total	0-4	5-14	15-24	25-44	45-64	65-74	75+	Unspecified
Total	129	16	35	30	23	18	5	1	1
Male	104	9	27	25	21	18	4	-	-
Female	25	7	8	5	2	-	1	1	1

TABLE 28. ACCIDENTAL DROWNINGS (E850-851, E929) - COUNTY* OF OCCURRENCE BY ACTIVITY, MISSOURI: 1962

County and Cities of Occurrence	Total	Swimming	Wading or playing	Skiing	Boating Fishing	Riding	Unspec.	Fishing-Nonboat	Rescuing	Breaking Ice	Fell In	Washed In	Other Specified	Unspecified
State Total	129	27	12	1	3	2	18	2	1	2	17	3	4	37
Cities excl. Cities over 10,000:														
Adair	3	-	-	-	-	-	-	1	-	-	1	-	-	1
Atchison	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Benton	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Boone	2	1	1	-	-	-	-	-	-	-	-	-	-	-
Buchanan	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Butler	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Callaway	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Camden	6	2	1	-	-	-	2	-	-	-	-	-	-	1
Cape Girardeau	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Carroll	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Cass	3	-	-	-	-	-	-	-	-	-	2	-	-	1
Cedar	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Chariton	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Christian	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Clark	2	-	-	-	-	-	-	-	-	2	-	-	-	-
Clay	2	-	-	-	-	-	1	-	-	-	1	-	-	-
Cole	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Cooper	2	-	-	-	-	-	1	-	-	-	-	-	-	1
Franklin	2	1	-	-	-	-	-	-	-	-	1	-	-	-
Jackson	6	1	1	-	-	-	3	-	-	-	1	-	-	-
Jefferson	5	1	-	-	-	-	1	1	-	-	1	-	-	1
Linn	2	-	-	-	-	-	2	-	-	-	-	-	-	-
McDonald	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Macon	2	1	-	-	-	-	-	-	-	-	-	-	-	1
Mercer	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Miller	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Mississippi	2	1	1	-	-	-	-	-	-	-	-	-	-	-
Monroe	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Montgomery	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Newton	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Pemiscot	2	1	-	-	-	-	-	-	-	-	-	-	-	1
Pettis	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Pike	5	1	-	-	1	2	-	-	-	-	1	-	-	-
Platte	3	1	-	-	-	-	1	-	-	-	-	-	-	1
Pulaski	3	1	-	-	-	1	-	-	-	-	-	-	-	1
Putnam	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Randolph	2	-	-	-	1	-	-	-	-	-	1	-	-	-
Ray	3	-	-	-	-	-	-	-	-	-	-	-	3	-
St. Charles	2	-	-	-	-	-	-	-	-	-	1	-	-	1
St. Louis Co.	12	2	1	-	-	1	1	-	1	-	-	-	1	5
Saline	3	1	-	-	-	-	-	-	-	-	1	-	1	-
Stone	3	-	-	1	-	-	-	-	-	-	-	2	-	-
Taney	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Wayne	2	-	-	-	1	-	1	-	-	-	-	-	-	-
Webster	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Wright	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Cities over 10,000:														
Independence	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Kansas City	2	-	-	-	-	-	-	-	-	-	2	-	-	-
Kirkville	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Poplar Bluff	1	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Charles	1	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Louis City	14	1	-	-	-	-	-	-	-	-	1	-	1	11
States:														
Illinois	2	-	1	-	-	-	1	-	-	-	-	-	-	-
Unspecified	4	1	-	-	-	-	-	-	-	-	-	-	-	3

*No drownings occurred in unlisted counties.

TABLE 29. ACCIDENTAL DROWNINGS (E850-851, E929) - WATER MEDIUM BY AGE GROUPS, MISSOURI: 1962

Water Medium	Total	0-4	5-14	15-24	25-44	45-64	65-74	75+	Unspecified
Total	129	16	35	30	23	18	5	1	1
Mississippi River	15	-	5	4	1	4	-	-	1
Missouri River	9	-	2	2	4	1	-	-	-
Other Rivers and Creeks	40	3	11	13	9	1	3	-	-
Lakes	26	1	2	9	6	8	-	-	-
Ponds	14	2	9	1	-	2	-	-	-
Swimming Pools	9	2	3	1	1	1	1	-	-
Bath Tubs	4	2	-	-	-	1	1	-	-
Water Storage	6	5	1	-	-	-	-	-	-
Other Specified	2	1	1	-	-	-	-	-	-
Unspecified	4	-	1	-	2	1	-	-	-

TABLE 30. ACCIDENTAL DROWNINGS (E850-851, E929) - HOUR OF ACCIDENT BY WATER MEDIUM, MISSOURI: 1962

Hour of Accident	Total	Mississippi River	Missouri River	Other Rivers and Creeks	Lakes	Ponds	Swimming Pools	Bath Tubs	Water Storage	Other Specified	Unspecified
Total	129	15	9	40	26	14	9	4	6	2	4
Midnight-7 a.m.	5	1	-	2	2	-	-	-	-	-	-
7-8 a.m.	2	-	-	-	2	-	-	-	-	-	-
8-9	4	2	-	1	1	-	-	-	-	-	-
9-10	3	-	-	2	-	-	-	-	-	-	1
10-11	5	1	-	1	1	1	1	-	-	-	1
11-12 Noon	2	-	-	1	1	-	-	-	-	-	-
12-1 p.m.	7	-	1	4	1	1	-	-	-	-	-
1-2	7	2	-	1	2	-	1	-	1	-	-
2-3	10	2	-	2	3	2	-	-	-	1	-
3-4	12	1	-	7	-	2	2	-	-	-	-
4-5	12	1	-	4	3	-	1	1	2	-	-
5-6	8	1	2	1	1	1	-	-	1	-	1
6-7	11	-	-	3	3	3	2	-	-	-	-
7-8	7	-	-	2	-	1	-	2	1	-	1
8 p.m.-Midnight	16	1	1	6	3	1	2	1	-	1	-
Unspecified	18	3	5	5	4	-	-	-	1	-	-

TABLE 31. ACCIDENTAL DROWNINGS (E850-851, E929) - OCCUPATION BY WATER MEDIUM, MISSOURI: 1962

Occupation	Total	Mississippi River	Missouri River	Other Rivers and Creeks	Lakes	Ponds	Swimming Pools	Bath Tubs	Water Storage	Other Specified	Unspecified
Total	129	15	9	40	26	14	9	4	6	2	4
Professional, Technical, and Kindred Workers	2	-	-	2	-	-	-	-	-	-	-
Farmers and Farm Managers	5	2	-	2	-	1	-	-	-	-	-
Managers, Officials, and Proprietors, except Farm	4	-	-	-	3	-	-	-	-	-	1
Clerical and Kindred Workers	1	1	-	-	-	-	-	-	-	-	-
Sales Workers	5	1	1	-	3	-	-	-	-	-	-
Craftsmen, Foremen, and Kindred Workers	12	-	-	3	7	-	1	-	-	-	1
Operative and Kindred Workers	9	2	2	2	2	-	-	-	-	-	1
Private Household Workers	1	-	-	-	-	-	1	-	-	-	-
Service Workers, except Private Household	5	1	1	2	-	-	1	-	-	-	-
Laborers, except Farm and Mine	10	1	2	4	2	1	-	-	-	-	-
Unemployed	1	-	-	-	1	-	-	-	-	-	-
Preschool	17	-	1	2	1	2	2	2	5	2	-
Students	53	6	2	22	6	10	5	-	1	-	1
Housewives	3	-	-	1	1	-	-	1	-	-	-
Unspecified	1	1	-	-	-	-	-	-	-	-	-

Numbers in parentheses (E850-851, E929) refer to the code numbers for accidental drownings, excluding water transport accidents which can occur on a boat or barge due to a fall or other injury, not drowning. These codes are in accordance with the 7th Revision of International Statistical Classification of Causes of Death, 1955.

TABLE 32. ACCIDENTAL POISONINGS (E870-895) -
TYPE OF POISONING BY MONTH OF
ACCIDENT, MISSOURI: 1962

Type of Poisoning	Total	January	February	March	April	May	June	July	August	September	October	November	December
Total	74	11	2	4	6	2	7	7	5	8	3	10	9
Solid & Liquid Substances:													
Morphine & Other Opium Derivatives	-	-	-	-	-	-	-	-	-	-	-	-	-
Barbituric Acid & Derivatives	8	1	1	-	-	1	1	1	-	1	-	-	-
Aspirin & Salicylates	3	-	-	1	-	-	1	-	-	1	-	-	-
Bromides	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Analgesic & Soporific Drugs	5	-	-	-	-	-	2	-	1	1	-	-	1
Sulfonamides	-	-	-	-	-	-	-	-	-	-	-	-	-
Strychnine	-	-	-	-	-	-	-	-	-	-	-	-	-
Belladonna, Hyoscine, & Atropine	-	-	-	-	-	-	-	-	-	-	-	-	-
Other & Unspecified Drugs	2	-	-	1	-	-	1	-	-	-	-	-	-
Noxious Foodstuffs	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcohol	1	-	-	-	-	1	-	-	-	-	-	-	-
Petroleum Products	1	-	-	1	-	-	-	-	-	-	-	-	-
Industrial Solvents	1	-	-	-	-	-	-	-	1	-	-	-	-
Corrosive Aromatics, Acids, & Caustic Alkalis	1	-	-	-	-	-	-	-	-	-	-	1	-
Mercury & Its Compounds	-	-	-	-	-	-	-	-	-	-	-	-	-
Lead & Its Compounds	5	-	-	1	-	1	1	1	1	-	-	-	-
Arsenic & Antimony & Their Compounds	1	-	-	-	-	-	-	-	1	-	-	-	-
Fluorides	2	1	-	1	-	-	-	-	-	-	-	-	-
Other & Unspecified	5	1	-	-	-	-	-	-	2	-	2	-	-
Gases & Vapours:													
Utility Gas	12	5	-	1	-	-	-	-	-	-	3	3	-
Motor Vehicle Exhaust Gas	20	3	1	1	1	-	2	2	2	2	3	3	-
Carbon Monoxide Gas (Other)	5	-	-	1	-	-	2	-	-	-	-	1	1
Cyanide Gas	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Specified Gases & Vapours	1	-	-	-	-	-	-	-	1	-	-	-	-
Unspecified	1	-	-	1	-	-	-	-	-	-	-	-	-

TABLE 33. ACCIDENTAL POISONINGS (E870-895) -
TYPE OF POISONING BY DURATION
BETWEEN ACCIDENT AND DEATH,
MISSOURI: 1962

Type of Poisoning	Total	Instant or Less Than One Hour	1-12 Hours	13-24 Hours	1-7 Days	8-30 Days	More Than 30 Days	Unspecified
Total	74	13	11	1	6	1	1	41
Solid & Liquid Substances:								
Morphine & Other Opium Derivatives	-	-	-	-	-	-	-	-
Barbituric Acid & Derivatives	8	1	1	-	-	-	-	6
Aspirin & Salicylates	3	-	1	-	1	-	-	1
Bromides	-	-	-	-	-	-	-	-
Other Analgesic & Soporific Drugs	5	-	1	1	2	-	-	1
Sulfonamides	-	-	-	-	-	-	-	-
Strychnine	-	-	-	-	-	-	-	-
Belladonna, Hyoscine, & Atropine	-	-	-	-	-	-	-	-
Other & Unspecified Drugs	2	-	-	-	-	-	-	2
Noxious Foodstuffs	-	-	-	-	-	-	-	-
Alcohol	1	-	-	-	-	-	-	1
Petroleum Products	1	-	-	-	-	-	-	1
Industrial Solvents	1	-	-	-	-	-	-	1
Corrosive Aromatics, Acids, & Caustic Alkalis	1	-	-	-	-	-	-	1
Mercury & Its Compounds	-	-	-	-	-	-	-	-
Lead & Its Compounds	5	-	-	-	-	-	1	4
Arsenic & Antimony & Their Compounds	1	-	-	-	-	-	-	1
Fluorides	2	-	-	-	-	1	-	1
Other & Unspecified	5	-	1	-	1	-	-	3
Gases & Vapours:								
Utility Gas	12	4	-	-	1	-	-	7
Motor Vehicle Exhaust Gas	20	7	6	-	-	-	-	7
Carbon Monoxide Gas (Other)	5	1	-	-	-	-	-	4
Cyanide Gas	-	-	-	-	-	-	-	-
Other Specified Gases & Vapours	1	-	1	-	-	-	-	-
Unspecified	1	-	-	-	1	-	-	-

TABLE 34. ACCIDENTAL POISONINGS (E870-895) -
TYPE OF POISONING BY AGE GROUPS,
MISSOURI: 1962

Type of Poisoning	Total	0-4	5-14	15-24	25-44	45-64	65-74	75+	Unspecified
Total	74	13	-	2	21	28	5	2	3
Solid & Liquid Substances:									
Morphine & Other Opium Derivatives	-	-	-	-	-	-	-	-	-
Barbituric Acid & Derivatives	8	-	-	-	4	4	-	-	-
Aspirin & Salicylates	3	3	-	-	-	-	-	-	-
Bromides	-	-	-	-	-	-	-	-	-
Other Analgesic & Soporific Drugs	5	2	-	-	1	2	-	-	-
Sulfonamides	-	-	-	-	-	-	-	-	-
Strychnine	-	-	-	-	-	-	-	-	-
Belladonna, Hyoscine, & Atropine	-	-	-	-	-	-	-	-	-
Other & Unspecified Drugs	2	-	-	-	-	2	-	-	-
Noxious Foodstuffs	-	-	-	-	-	-	-	-	-
Alcohol	1	-	-	-	-	1	-	-	-
Petroleum Products	1	1	-	-	-	-	-	-	-
Industrial Solvents	1	-	-	-	-	-	-	-	1
Corrosive Aromatics, Acids, & Caustic Alkalis	1	-	-	-	-	-	-	-	1
Mercury & Its Compounds	-	-	-	-	-	-	-	-	-
Lead & Its Compounds	5	5	-	-	-	-	-	-	-
Arsenic & Antimony & Their Compounds	1	-	-	1	-	-	-	-	-
Fluorides	2	1	-	-	-	-	-	-	1
Other & Unspecified	5	-	-	-	2	3	-	-	-
Gases & Vapours:									
Utility Gas	12	-	-	-	3	5	4	-	-
Motor Vehicle Exhaust Gas	20	1	-	-	9	9	1	-	-
Carbon Monoxide Gas (Other)	5	-	-	1	2	1	-	1	-
Cyanide Gas	-	-	-	-	-	-	-	-	-
Other Specified Gases & Vapours	1	-	-	-	-	1	-	-	-
Unspecified	1	-	-	-	-	-	-	1	-

TABLE 35. ACCIDENTAL POISONINGS (E870-895) -
TYPE OF POISONING BY TIME OF
ACCIDENT, MISSOURI: 1962

Type of Poisoning	Total	8 a.m.- Midnight	8-10 p.m.	10 a.m.-Noon	Noon-2 p.m.	2-4 p.m.	4-6 p.m.	6-8 p.m.	8 p.m.- Midnight	Unspecified
Total	74	12	2	6	4	-	3	5	7	35
Solid & Liquid Substances:										
Morphine & Other Opium Derivatives	-	-	-	-	-	-	-	-	-	-
Barbituric Acid & Derivatives	8	-	-	1	-	-	1	1	1	4
Aspirin & Salicylates	3	1	-	-	-	-	-	-	-	2
Bromides	-	-	-	-	-	-	-	-	-	-
Other Analgesic & Soporific Drugs	5	1	-	2	-	-	-	-	-	2
Sulfonamides	-	-	-	-	-	-	-	-	-	-
Strychnine	-	-	-	-	-	-	-	-	-	-
Belladonna, Hyoscine, & Atropine	-	-	-	-	-	-	-	-	-	-
Other & Unspecified Drugs	2	1	-	1	-	-	-	-	-	-
Noxious Foodstuffs	-	-	-	-	-	-	-	-	-	-
Alcohol	1	-	-	-	-	-	-	-	-	1
Petroleum Products	1	-	-	-	-	-	-	-	-	1
Industrial Solvents	1	-	-	-	-	-	-	-	-	1
Corrosive Aromatics, Acids, & Caustic Alkalis	1	-	-	-	-	-	-	-	-	1
Mercury & Its Compounds	-	-	-	-	-	-	-	-	-	-
Lead & Its Compounds	5	-	-	-	1	-	-	-	-	4
Arsenic & Antimony & Their Compounds	1	1	-	-	-	-	-	-	-	-
Fluorides	2	1	-	-	-	-	-	-	-	1
Other & Unspecified	5	-	1	-	-	-	1	-	-	2
Gases & Vapours:										
Utility Gas	12	1	-	-	1	-	-	2	2	6
Motor Vehicle Exhaust Gas	20	5	1	2	2	-	1	2	1	6
Carbon Monoxide Gas (Other)	5	1	-	-	-	-	-	-	1	3
Cyanide Gas	-	-	-	-	-	-	-	-	-	-
Other Specified Gases & Vapours	1	-	-	-	-	-	-	-	1	-
Unspecified	1	-	-	-	-	-	-	-	-	1

Numbers in parentheses (E870-E895) refer to the code numbers for accidents caused by poisoning (excluding late effects), according to the 7th Revision of the International Statistical Classification of Causes of Death, 1955.

TABLE 36. ACCIDENTAL POISONINGS (E870-895) -
TYPE OF POISONING BY SEX,
MISSOURI: 1962

Type of Poisoning	Total	Male	Female
Total	74	48	26
Solid & Liquid Substances:			
Morphine & Other Opium Derivatives	-	-	-
Barbituric Acid & Derivatives	8	2	6
Aspirin & Salicylates	3	2	1
Bromides	-	-	-
Other Analgesic & Soporific Drugs	5	2	3
Sulfonamides	-	-	-
Strychnine	-	-	-
Belladonna, Hyoscine, & Atropine	-	-	-
Other & Unspecified Drugs	2	-	2
Noxious Foodstuffs	-	-	-
Alcohol	1	1	-
Petroleum Products	1	1	-
Industrial Solvents	1	-	1
Corrosive Aromatics, Acids, & Caustic Alkalis	1	1	-
Mercury & Its Compounds	-	-	-
Lead & Its Compounds	5	4	1
Arsenic & Antimony & Their Compounds	1	-	1
Fluorides	2	1	1
Other & Unspecified	5	5	-
Gases & Vapours:			
Utility Gas	12	7	5
Motor Vehicle Exhaust Gas	20	16	4
Carbon Monoxide Gas (Other)	5	4	1
Cyanide Gas	-	-	-
Other Specified Gases & Vapours	1	1	-
Unspecified	1	1	-

TABLE 37. ACCIDENTAL POISONINGS (E870-895) -
TYPE OF POISONING BY PLACE OF
ACCIDENT, MISSOURI: 1962

Type of Poisoning	Total	Home	Farm	Public	Unspecified
Total	74	56	1	8	9
Solid & Liquid Substances:					
Morphine & Other Opium Derivatives	-	-	-	-	-
Barbituric Acid & Derivatives	8	7	-	1	-
Aspirin & Salicylates	3	3	-	-	-
Bromides	-	-	-	-	-
Other Analgesic & Soporific Drugs	5	1	-	-	4
Sulfonamides	-	-	-	-	-
Strychnine	-	-	-	-	-
Belladonna, Hyoscine, & Atropine	-	-	-	-	-
Other & Unspecified Drugs	2	-	-	-	2
Noxious Foodstuffs	-	-	-	-	-
Alcohol	1	-	-	-	1
Petroleum Products	1	1	-	-	-
Industrial Solvents	1	1	-	-	-
Corrosive Aromatics, Acids, & Caustic Alkalis	1	1	-	-	-
Mercury & Its Compounds	-	-	-	-	-
Lead & Its Compounds	5	5	-	-	-
Arsenic & Antimony & Their Compounds	1	1	-	-	-
Fluorides	2	2	-	-	-
Other & Unspecified	5	4	-	-	1
Gases & Vapours:					
Utility Gas	12	11	-	1	-
Motor Vehicle Exhaust Gas	20	15	1	4	-
Carbon Monoxide Gas (Other)	5	3	-	2	-
Cyanide Gas	-	-	-	-	-
Other Sepcified Gases & Vapours	1	-	-	-	1
Unspecified	1	1	-	-	-

TABLE 38. ACCIDENTAL POISONINGS (E870-895) - TYPE OF POISONING BY OCCUPATION, MISSOURI:
1962

Type of Poisoning	Total	Professional & Technical	Farmers & Farm Managers	Managers, Officials, Exc. Farm	Clerical	Sales Workers	Craftsmen & Foremen	Operatives	Private Household	Service Workers	Farm Laborers & Foremen	Laborers, Exc. Farm & Mine	Housewife	Student	Preschool	Unemployed	Unspecified
Total	74	6	4	2	1	3	5	2	1	4	1	11	14	1	13	4	2
Solid & Liquid Substances:																	
Morphine & Other Opium Derivatives	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Barbituric Acid & Derivatives	8	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
Aspirin & Salicylates	3	-	-	-	-	-	-	-	-	-	-	1	4	1	2	-	-
Bromides	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Analgesic & Soporific Drugs	5	1	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-
Sulfonamides	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Strychnine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Belladonna, Hyoscine, & Atropine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other & Unspecified Drugs	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Noxious Foodstuffs	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
Alcohol	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Petroleum Products	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Industrial Solvents	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Corrosive Aromatics, Acids, & Caustic Alkalis	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Mercury & Its Compounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Lead & Its Compounds	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Arsenic & Antimony & Their Compounds	1	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-
Fluorides	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other & Unspecified	5	-	1	1	-	-	-	-	-	-	-	-	-	1	1	1	-
Gases & Vapours:																	
Utility Gas	12	1	-	-	-	-	3	-	1	-	-	3	3	-	-	-	1
Motor Vehicle Exhaust Gas	20	4	1	1	-	1	1	-	-	1	-	6	2	-	1	1	1
Carbon Monoxide Gas (Other)	5	-	-	-	-	1	1	1	-	1	-	1	-	-	-	-	-
Cyanide Gas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Specified Gases & Vapours	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Numbers in parentheses (E870-E895) refer to the code numbers for accidents caused by poisoning (excluding late effects), according to the 7th Revision of the International Statistical Classification of Causes of Death, 1955.

TABLE 39. ACCIDENTAL POISONINGS (E870-895) - TYPE OF POISONING BY COUNTY* OR CITY OF OCCURRENCE, MISSOURI: 1962

County or City of Occurrence	Total	Solid & Liquid Substances												Gases & Vapours													
		Morphine & Other Opium Derivatives	Barbituric Acid & Derivatives	Aspirin & Salicylates	Bromides	Other Analgesic & Soporific Drugs	Sulfonamides	Strychnine	Belladonna, Hyos- cine & Atropine	Other & Unspecified Drugs	Noxious Foodstuffs	Alcohol	Petroleum Products	Industrial Solvents	Corrosive Aro- matics, Acids, & Caustic Alkalis	Mercury & Its Compounds	Lead & Its Compounds	Arsenic & Anti- mony & Their Compounds	Fluorides	Other & Unspecified	Utility Gas	Motor Vehicle Exhaust Gas	Carbon Monoxide Gas (Other)	Cyanide Gas	Gases & Vapours	Other Specified Gases & Vapours	Unspecified
State Total	74	-	8	3	-	5	-	-	2	-	1	1	1	1	1	-	5	1	2	5	12	20	5	-	1	1	1
Counties exc. Cities over 10,000:																											
Atchison	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Bates	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Clay	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Cole	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-
Dade	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gentry	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Howell	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Jackson	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Mercer	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Moniteau	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
Montgomery	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Newton	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Ozage	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perry	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Francois	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
St. Louis County	12	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	1	-	-	-	-
Scott	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Shannon	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cities over 10,000:																											
Bellefontaine Neighbors	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
Clayton	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fulton	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joplin	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kansas City	8	-	2	1	-	1	-	-	-	-	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
St. Joseph	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
St. Louis City	21	-	1	1	-	-	-	-	1	-	-	-	1	-	-	3	1	1	1	1	6	5	-	-	-	-	-
Webster Groves	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
States:																											
Illinois	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-
Arkansas	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-

*No accidental poisonings occurred in unlisted counties.

Numbers in parentheses (E870-E895) refer to the code numbers for accidents caused by poisoning (excluding late effects), according to the 7th Revision of the International Statistical Classification of Causes of Death, 1955.

GUIDE TO TABLES

[illegible]

MISSOURI VITAL STATISTICS, 1962

- PART 1. N A T A L I T Y A N D
 F E T A L D E A T H S
- PART 2. M O R T A L I T Y
- PART 3. A C C I D E N T A L D E A T H S
- PART 4. M A R R I A G E A N D D I V O R C E

Department of Public Health and Welfare

MISSOURI DIVISION OF HEALTH
Statistical Services

State Office Building
Jefferson City, Missouri



MISSOURI

Marriage
and Divorce
PART 4

1962

PUBLIC HEALTH STATISTICS
VITAL STATISTICS

DEPARTMENT OF PUBLIC HEALTH AND WELFARE OF MISSOURI
DIVISION OF HEALTH

C O V E R

Photo by WALKER - MISSOURI DIVISION OF COMMERCE AND INDUSTRIAL DEVELOPMENT

Layout by DIVISION OF HEALTH

MISSOURI

PUBLIC HEALTH STATISTICS

PART 4 - MARRIAGE AND DIVORCE

1962

by

STATISTICAL SERVICES

February, 1964

Department of Public Health and Welfare

MISSOURI DIVISION OF HEALTH
Statistical Services

Jefferson City, Missouri

P R E F A C E

We Americans may not be considered as romanticists but we have been classified by some as the most marrying nation in Western Society. Sociologists have stated that marriage is a dominant life goal in the American culture. Furthermore, it is sometimes said that everyone who isn't married wants to be and everyone who once was, is willing to try it again! An exaggeration? Probably, but we must admit to a very real interest in the themes of marriage, divorce and remarriage.


One of the major purposes of a state wide report on marriages and divorces is to give the public a broader perspective of marital actions based upon fact rather than conjecture. As Missourians, we can justly be proud that we do have an active Department of Statistical Services within the Division of Health of Missouri. The central collection of such data is rather recent and several states do not as yet offer such a service.

For those of us who are especially interested in family formation and dissolution, the marriage and divorce reports are of tremendous value. We know that time has passed when personal opinion and off-the-cuff statements can be used as a valid base for analysis. The age of "scientific investigation" has arrived. Through these reports we have available a total population list from which to select a sample for more detailed studies. There is no better source of married or divorced population for the State of Missouri. Of course, statistical data or numbers alone do not interpret the social significance or the whys and wherefores of family formation and dissolutions but they are basic to our understanding the magnitude of the problem.

Marian Bishop, Ph. D.
Dept. of Community Health
and Medical Practice
University of Missouri

Table	<u>Appendix Tables</u> (cont.)	Page
16	Divorces and Annulments by Alimony and Settlement, Missouri: 1962	8
17	Divorces and Annulments by Legal Grounds For Decree, Missouri: 1962	8
18	Color, Husband vs Wife, Divorces and Annulments, Missouri: 1962	8
19	Divorces and Annulments by Party to Whom Granted, Missouri: 1962	8
20	Number of Previous Marriages, Husband vs Wife, Divorce and Annulments, Missouri: 1962	9
21	Divorces and Annulments by Duration of Marriage, Missouri: 1962	9
22	Divorces and Annulments by Age of Husband and of Wife, and by Number of Times Married, Missouri: 1962	9
	GUIDE TO TABLES	Inside Back Cover

CHART A. MEDIAN AGE OF BRIDE AND OF GROOM AT FIRST MARRIAGE AND FOR ALL MARRIAGES REPORTED IN MISSOURI: 1953 and 1962




YEAR	FIRST MARRIAGE		ALL MARRIAGES	
	Bride	Groom	Bride	Groom
1953	19.4	22.2	21.5	24.7
1954	19.3	22.1	21.4	24.9
1955	19.2	22.0	21.1	24.2
1956	19.1	21.9	20.9	24.0
1957	19.1	21.8	20.8	24.0
1958	19.0	21.6	20.6	23.8
1959	18.9	21.6	20.5	23.6
1960	18.8	21.3	21.8	23.3
1961	18.8	21.2	20.2	23.2
1962	18.9	21.1	20.2	23.0

In 1962, 11,882 couples were granted divorces. The duration of marriage was five years, 8½ months in 1962. This continues a very slight, but consistent increase in the interval between marriage and divorce. The increase duration from 1961 to 1962 is not significant. Although the first year of marriage continues to lead in a number of divorces, there is no magic length of marriage beyond which divorce does not occur. There were 84 divorces granted to couples married 40 years and more. The romantic aura of marriage is enough to carry the couple through their first year or two. Even those who experience marital difficulties may realize that time is needed for adjustment and not seek an early divorce. During the next three or four years, tensions may continue to increase and patience wear thin. Children are regarded as a deterrent to divorce. There is no positive evidence that the differential divorce rate of the child versus childless couples is due to the presence of children. The same problems which relate to the childlessness may also lead to divorce.

The number of marriages in any one year depends upon many factors. One of importance is the number of unmarried people available. This is in turn dependent upon births which occurred some 20 years ago. The decline in the number of marriages which occurred during the mid-fifties can in part be traced to the low birth rate during the depression thirties. With this in mind, we can expect the number of marriages to increase in 1963 and continue to rise in number throughout the remainder of this decade. The draft law now in effect makes early marriage desirable, so does the easy acceptance afforded married couples attending college.

There were 35,192 marriages reported during 1962. This is a slight increase from 1961 (34,537 marriages) and less than the 1960 record year when 35,224 marriages were reported. The number may reach 45,000 per year by the end of the decade.

CHART C. DIVORCES AND ANNULMENTS BY NUMBER OF CHILDREN REPORTED, MISSOURI: 1962
(Refer to Appendix Table 12)



*There were 177 divorces that did not state whether had children or not.

SUMMARY

The number of marriages per year should begin to increase. With this increase will come an increase in the number of divorces. Most of these divorced couples will remarry and form new families. This period of divorce and remarriage may be thought of as an adjustment period, in many cases a tragic and needless one. Using vital records of these events as a starting point, much could be learned which might be useful in reducing the number of divorces.

The marriage rate has not changed significantly from about eight marriages per 1,000 population. It is doubtful if it will change much in the next few years.

A P P E N D I X T A B L E S

TABLE 1 (CONTINUED). REPORTED MARRIAGES AND MARRIAGE RATES BY COUNTY OF RECORDING.
MISSOURI: 1958 - 1962

County of Recording	Number					Rate				
	1962	1961	1960	1959	1958	1962	1961	1960	1959	1958
Miller	110	133	124	104	106	7.9	9.6	9.0	7.6	7.6
Mississippi	303	251	236	229	156	14.9	12.3	11.4	11.4	7.3
Moniteau	-	2	60	90	40	-	0.2	5.7	8.6	3.9
Monroe	64	45	61	51	61	6.0	4.2	5.7	4.8	5.9
Montgomery	66	105	57	80	1	5.8	9.2	5.1	7.2	0.1
Morgan	68	53	87	50	68	7.3	5.7	9.2	5.3	7.0
New Madrid	281	268	285	293	214	9.3	8.8	9.1	9.2	6.0
Newton	251	260	228	192	164	8.2	8.6	7.6	6.5	5.7
Nodaway	218	199	186	202	229	10.0	9.1	8.4	9.1	9.9
Oregon	89	81	83	60	46	9.4	8.4	8.4	6.0	4.3
Osage	56	66	66	65	55	5.2	6.1	6.1	6.0	5.1
Ozark	-	-	-	-	-	-	-	-	-	-
Pemiscot	391	406	412	385	258	10.5	10.9	10.8	10.0	6.0
Perry	132	138	133	123	137	9.1	9.5	9.1	8.4	10.3
Pettis	302	249	342	328	354	8.4	7.0	9.7	9.5	10.8
Phelps	240	244	214	232	238	9.1	9.4	8.4	9.3	10.1
Pike	178	174	185	175	39	10.6	10.4	11.1	10.5	2.5
Platte	121	124	140	118	126	4.7	5.0	6.0	5.4	6.0
Polk	87	127	104	111	81	6.5	9.4	7.6	8.0	5.4
Pulaski	431	386	404	327	323	9.1	8.2	8.7	7.7	23.6
Putnam	150	133	119	114	137	22.6	19.6	17.0	15.8	16.5
Ralls	154	132	159	136	129	19.4	16.6	19.7	16.8	16.1
Randolph	190	173	165	163	182	8.7	7.9	7.5	7.4	8.3
Ray	115	110	159	162	97	7.1	6.8	9.9	10.2	6.5
Reynolds	47	33	-	43	-	9.6	6.6	-	8.2	-
Ripley	-	-	76	71	59	-	-	8.4	7.7	5.6
St. Charles	602	549	559	531	552	9.8	9.4	10.6	10.5	14.8
St. Clair	71	67	70	62	51	8.8	8.2	8.3	7.3	5.5
St. Francois	326	321	335	267	268	8.9	8.8	9.2	7.4	7.6
Ste. Genevieve	79	70	86	62	82	6.4	5.7	7.1	5.1	6.9
St. Louis County	3,248	3,020	3,015	2,672	2,412	4.1	4.0	4.3	4.0	4.1
Saline	208	215	166	161	217	8.4	8.6	6.6	6.4	9.1
Schuyler	176	136	88	133	131	35.8	27.4	17.4	26.0	27.3
Scotland	77	72	73	65	12	12.2	11.3	11.3	10.0	1.8
Scott	281	314	326	320	242	8.6	9.6	10.0	9.8	7.8
Shannon	-	35	50	76	55	-	5.0	7.1	10.6	8.0
Shelby	49	46	41	49	17	5.5	5.1	4.5	5.4	1.9
Stoddard	320	316	312	321	212	11.1	10.9	10.6	10.6	6.9
Stone	70	97	74	63	51	8.8	12.1	9.1	7.6	5.6
Sullivan	59	71	67	54	65	7.1	8.3	7.6	6.0	6.3
Taney	96	60	84	84	35	9.3	5.8	8.2	8.3	3.3
Texas	173	145	157	174	152	9.9	8.2	8.8	9.8	8.2
Vernon	166	183	164	147	179	8.2	9.0	8.0	7.1	8.3
Warren	63	92	61	76	85	7.0	10.3	7.0	8.8	10.4
Washington	18	11	46	116	-	1.3	0.8	3.2	8.2	-
Wayne	64	56	76	60	49	7.7	6.6	8.8	6.9	4.9
Webster	138	114	116	118	104	10.2	8.4	8.4	8.6	7.1
Worth	39	41	54	39	43	10.4	10.8	13.7	9.6	9.6
Wright	105	100	114	99	101	7.6	7.2	8.0	7.0	7.3
St. Louis City	7,088	7,244	7,675	7,897	7,873	9.7	9.8	10.2	10.5	8.9

TABLE 11. REPORTED DIVORCES AND DIVORCE RATES BY COUNTY OF RECORDING, MISSOURI:
1958 - 1962*

County of Recording	Number					Rate				
	1962	1961	1960	1959	1958	1962	1961	1960	1959	1958
State Total	11,882	11,574	11,320	11,695	10,747	2.7	2.6	2.6	2.8	2.5
Counties incl. Cities over 10,000:										
Adair	59	51	50	45	49	2.9	2.5	2.5	2.3	2.5
Andrew	15	13	17	18	17	1.4	1.2	1.5	1.6	1.5
Atchison	15	21	7	22	14	1.7	2.3	0.8	2.4	1.5
Audrain	64	60	65	41	42	2.4	2.3	2.5	1.6	1.6
Barry	44	37	46	39	36	2.4	2.0	2.4	2.1	1.7
Barton	20	24	17	34	17	1.9	2.2	1.5	3.0	1.7
Bates	34	30	44	29	22	2.2	1.9	2.8	1.8	1.4
Benton	10	10	8	13	15	1.2	1.2	0.9	1.5	1.8
Bollinger	14	-	6	-	-	1.6	-	0.7	-	-
Boone	162	114	87	106	98	2.8	2.0	1.6	1.9	2.0
Buchanan	348	357	326	324	316	3.9	4.0	3.6	3.6	3.2
Butler	148	131	179	153	60	4.3	3.8	5.2	4.5	1.6
Caldwell	12	5	-	8	3	1.4	0.6	-	0.9	0.3
Callaway	35	40	24	40	27	1.5	1.7	1.0	1.7	1.1
Camden	1	-	-	1	4	0.1	-	-	0.1	0.5
Cape Girardeau	122	101	119	81	86	2.9	2.4	2.8	2.0	2.2
Carroll	16	22	21	18	25	1.2	1.6	1.5	1.3	1.7
Carter	7	-	-	-	-	1.8	-	-	-	-
Cass	113	88	61	61	49	3.4	2.8	2.1	2.1	2.3
Cedar	21	20	26	30	33	2.3	2.2	2.8	3.2	3.4
Chariton	17	21	20	13	15	1.4	1.7	1.6	1.0	1.1
Christian	23	9	20	19	15	1.9	0.7	1.6	1.5	1.3
Clark	19	23	20	18	14	2.2	2.6	2.3	2.1	1.7
Clay	218	215	181	206	200	2.1	2.2	2.1	2.5	2.7
Clinton	24	27	25	18	14	2.1	2.3	2.2	1.6	1.3
Cole	67	70	72	86	57	1.6	1.7	1.8	2.1	1.5
Cooper	15	12	11	8	7	1.0	0.8	0.7	0.5	0.4
Crawford	50	41	46	54	46	3.9	3.2	3.6	4.3	4.3
Dade	17	13	10	13	8	2.3	1.8	1.3	1.7	1.0
Dallas	22	23	44	49	15	2.4	2.5	4.7	5.2	1.6
Daviess	11	21	16	19	6	1.2	2.3	1.7	2.0	0.6
DeKalb	1	3	3	5	1	0.1	0.4	0.4	0.7	0.1
Dent	36	27	27	26	26	3.5	2.6	2.6	2.5	2.5
Douglas	-	7	3	2	6	-	0.7	0.3	0.2	0.6
Dunklin	93	94	106	116	98	2.4	2.4	2.7	3.0	2.4
Franklin	108	89	71	70	63	2.3	1.9	1.6	1.6	1.6
Gasconade	20	10	12	13	13	1.6	0.8	1.0	1.1	1.0
Gentry	7	10	14	10	10	0.8	1.2	1.6	1.1	1.0
Greene	497	509	470	496	448	3.8	3.9	3.7	4.0	3.9
Grundy	38	38	37	34	54	3.2	3.1	3.0	2.8	4.5
Harrison	17	12	11	15	17	1.5	1.1	0.9	1.3	1.3
Henry	38	61	42	39	50	2.0	3.2	2.2	2.1	2.6
Hickory	2	1	-	1	2	0.5	0.2	-	0.2	0.4
Holt	-	2	6	11	7	-	0.3	0.8	1.4	0.8
Howard	18	17	17	21	17	1.7	1.6	1.6	1.9	1.5
Howell	37	41	42	42	22	1.7	1.9	1.9	1.9	1.1
Iron	19	16	9	13	11	2.5	2.0	1.1	1.6	1.4
Jackson	2,728	2,689	2,572	2,712	2,515	4.2	4.2	4.1	4.5	4.1
Jasper	347	344	331	398	309	4.4	4.4	4.2	5.1	4.0
Jefferson	139	112	121	98	103	1.8	1.5	1.8	1.6	2.0
Johnson	67	56	64	56	57	2.1	1.8	2.2	2.0	2.3
Knox	7	6	9	12	23	1.1	0.9	1.4	1.8	3.3
Laclede	69	45	78	52	57	3.6	2.4	4.1	2.8	2.9
Lafayette	45	34	8	-	-	1.8	1.3	0.3	-	-
Lawrence	43	41	39	44	33	1.9	1.8	1.7	1.9	1.6
Lewis	14	15	11	23	29	1.3	1.4	1.0	2.1	2.9
Lincoln	16	27	28	22	19	1.1	1.8	1.9	1.5	1.2
Linn	28	24	27	32	23	1.7	1.5	1.6	1.9	1.3
Livingston	38	53	45	31	48	2.4	3.4	2.9	2.0	3.0
McDonald	35	49	50	-	-	3.1	4.2	4.2	-	-
Macon	33	42	32	29	42	2.0	2.6	1.9	1.8	2.5
Madison	14	9	15	20	3	1.5	1.0	1.6	2.1	0.3
Maries	11	12	11	10	5	1.5	1.7	1.5	1.4	0.7
Marion	-	-	20	10	1	-	-	0.7	0.3	0.0
Mercer	6	5	5	16	11	1.1	0.9	0.9	2.7	1.7

*Includes reported annulments. Rates are per 1,000 estimated population.

TABLE 12. DIVORCES AND ANNULMENTS BY NUMBER OF CHILDREN AFFECTED, MISSOURI: 1962

Children Reported	Total	Number	
		Divorces	Annulments
Total	11,882	11,818	64
No Children	5,377	5,325	52
One Child	2,586	2,579	7
Two Children	1,973	1,973	-
Three Children	1,029	1,028	1
Four Children	454	454	-
Five Children	160	160	-
Six Children	72	72	-
Seven Children	30	30	-
Eight Children	13	13	-
Nine or More Children	11	11	-
Not Stated	177	173	4

TABLE 13. COMPLAINANT vs TO WHOM DECREE GRANTED, DIVORCES AND ANNULMENTS, MISSOURI: 1962

Decree to Whom Granted						
Complainant	Total	Husband	Wife	Separate Maintenance		Not Stated
				Husband	Wife	
DIVORCES						
Total	11,818	2,762	8,946	-	16	94
Husband	3,033	2,588	434	-	1	10
Wife	8,443	91	8,286	-	15	51
Others	-	-	-	-	-	-
Not Stated	342	83	226	-	-	33
ANNULMENTS						
Total	64	19	44	-	-	1
Husband	18	17	1	-	-	-
Wife	44	2	42	-	-	-
Others	-	-	-	-	-	-
Not Stated	2	-	1	-	-	1

TABLE 14. COMPLAINANT vs DISPOSITION OF CHILDREN, DIVORCES AND ANNULMENTS, MISSOURI: 1962

Disposition of Children								
Complainant	Total	Husband	Wife	Guardian	Joint	Custody to Others	Not Stated	No Children
DIVORCES								
Total	11,818	469	5,500	1	135	35	198	5,480
Husband	3,033	349	771	1	66	17	97	1,732
Wife	8,443	109	4,591	-	66	17	79	3,581
Others	-	-	-	-	-	-	-	-
Not Stated	342	11	138	-	3	1	22	167
ANNULMENTS								
Total	64	1	6	-	-	-	1	56
Husband	18	1	1	-	-	-	1	15
Wife	44	-	5	-	-	-	-	39
Others	-	-	-	-	-	-	-	-
Not Stated	2	-	-	-	-	-	-	2

TABLE 15. DIVORCES AND ANNULMENTS BY NUMBER OF CASES CONTESTED, MISSOURI: 1962

Contestant	Total	Number	
		Divorces	Annulments
Total	11,882	11,818	64
Husband	470	469	1
Wife	385	385	-
No Contest	10,738	10,677	61
Not Stated	289	287	2

TABLE 16. DIVORCES AND ANNULMENTS BY ALIMONY AND SETTLEMENT, MISSOURI: 1962

Alimony and Settlement	Total	Number	
		Divorces	Annulments
Total	11,882	11,818	64
No Alimony or Support	6,302	6,241	61
Alimony to Wife	544	544	-
Alimony to Husband	4	4	-
Property Settlement	17	17	-
Support to Children	2,913	2,912	1
Alimony and Child Support	1,815	1,815	-
Alimony and Support to Others	2	2	-
Not Stated	285	283	2

TABLE 17. DIVORCES AND ANNULMENTS BY LEGAL GROUNDS FOR DECREE, MISSOURI: 1962

Legal Grounds for Decree	Total	Number	
		Divorces	Annulments
Total	11,882	11,818	64
Adultery	148	148	-
Cruelty	238	238	-
Desertion	1,375	1,375	-
Drunkennes	96	96	-
Non-support	145	145	-
Bigamy	6	6	-
Conviction of Crime	75	75	-
Indignities	9,574	9,574	-
Insanity	-	-	-
Annulments	64	-	64
Social Disease	-	-	-
Not Stated	161	161	-

TABLE 18. COLOR, HUSBAND vs WIFE, DIVORCES AND ANNULMENTS, MISSOURI: 1962

Husband	Total	Wife			
		White	Nonwhite	Other	Not Stated
DIVORCES					
Total	11,818	10,232	1,371	3	212
White	10,221	10,150	-	2	69
Nonwhite	1,377	4	1,363	1	9
Other	1	1	-	-	-
Not Stated	219	77	8	-	134
ANNULMENTS					
Total	64	57	6	-	1
White	57	57	-	-	-
Nonwhite	6	-	6	-	-
Other	-	-	-	-	-
Not Stated	1	-	-	-	1

TABLE 19. DIVORCES AND ANNULMENTS BY PARTY TO WHOM GRANTED, MISSOURI: 1962

Party to Whom Granted	Total	Number	
		Divorces	Annulments
Total	11,882	11,818	64
Husband	2,781	2,762	19
Wife	8,990	8,946	44
Other*	16	16	-
Not Stated	95	94	1

*Separate Maintenance

GUIDE TO TABLES

[illegible]

MISSOURI VITAL STATISTICS, 1962

- PART 1. N A T A L I T Y A N D
 F E T A L D E A T H S
- PART 2. M O R T A L I T Y
- PART 3. A C C I D E N T A L D E A T H S
- PART 4. M A R R I A G E A N D D I V O R C E

Department of Public Health and Welfare

MISSOURI DIVISION OF HEALTH
Statistical Services

State Office Building
Jefferson City, Missouri